



MITx 6.86x

Machine Learning with Python-From Linear Models to Deep Learning

[Help](#)

smitha_kannur ▾

[Course](#)

[Progress](#)

[Dates](#)

[Discussion](#)

[Resources](#)

[Home](#) [Course](#) / [Unit 1 Linear Classifiers and Generalizations \(2 weeks\)](#) / [Lecture 2. Linear Classifier and Perceptron](#)

[< Previous](#)



[Next >](#)

3. Linear Classifiers Mathematically Revisited

[Bookmark this page](#)

Linear Classifiers Mathematically Revisited

[Start of transcript. Skip to the end.](#)



All right, let's try to understand the set of linear classifiers. In particular, let's take a specific linear classifier. It divides the space into two halves linearly. So on one side, the classifier says that all the examples

Video

[Download video file](#)

Transcripts

[Download SubRip \(.srt\) file](#)

[Download Text \(.txt\) file](#)

Inner product and Orthogonal vectors

1/1 point (graded)

What is the inner product of $[0, 1, 1]$ and $[1, 1, 1]$?



Submit

You have used 1 of 3 attempts

Linear Classifier Practice

1/1 point (graded)

We saw in the lecture above that for a linear classifier h , $h(x; \theta) = \text{sign}(\theta \cdot x)$, i.e. the sign of the dot product of θ and x . Now consider θ which is given by

$$\theta = (1, -1) \tag{4.1}$$

Which of the following points would be classified as positive by θ ? Please choose all correct answers.

☒ $(1, -1)$ ☒ $(1, 0)$ ☐ $(0, 1)$ ☐ $(0, 0)$



Submit

You have used 2 of 3 attempts

Offset Added

1/1 point (graded)

Again, we have a linear classifier with θ given by

$$\theta = (1, -1) \quad (4.2)$$

and the offset, θ_0 given by $\theta_0 = -1$ Now which of the following points would be classified as positive by θ ? Please choose all correct answers.

☒ (1, -1)

☐ (1, 0)

☐ (0, 1)

☐ (0, 0)



Submit

You have used 1 of 3 attempts

Discussion

Hide Discussion

Topic: Unit 1 Linear Classifiers and Generalizations (2 weeks):Lecture 2. Linear Classifier and Perceptron / 3. Linear Classifiers Mathematically Revisited

Add a Post

Show all posts ▼

by recent activity ▼

- [my intutuion says perceptron equation notation is wrong, staff can you verify it?](#) 2
[lecture represents theta vector multiplied by X vector, but i feel it should be denoted as theta transpose multiplied by X vector. That way...](#)
- [Geometrical interpretation](#) 4
- [What does theta represent?](#) 5
[I understand that theta is a parameter vector \(orientation of the line\) But what exactly does it represent when we say theta \(1,-1\) I cant v...](#)
- [Point on the decision boundary.](#) 6
[Hi, I have a doubt about what happen if we get points those are on the decision boundary. How we should classify them?](#)
- [Which of the following points would be classified as positive by \$\theta\$? Please choose all correct answers.](#) 1
[why \(1,-1\) is correct answer?](#)
- [Is theta_0 the offset parameter equivalent to \(axes\) intercept? If so, then \(read description\).](#) 6
[How come the professor was able to show that \$\theta_0 < 0\$, given that it was \$> 0\$ as the intercept point is +ve? I recall that the professor c...](#)
- [What form of straight line\(decision boundary\) is mentioned in the lecture?](#) 4
[We know that there are various forms of equations for a straight line. Is the line \(dec. bound.\) \$\theta \bullet X + \theta_0 = 0\$ an \$Y = mX + C\$ form...](#)
- [About Offset Problem](#) 5
[according to course, the offset problem has a bug](#)