



MITx 6.86x

Machine Learning with Python-From Linear Models to Deep Learning

[Help](#)

smitha_kannur ▾

[Course](#)

[Progress](#)

[Dates](#)

[Discussion](#)

[Resources](#)

[Home](#) / [Course](#) / [Unit 3 Neural networks \(2.5 weeks\)](#) / [Project 3: Digit recognition \(Part 2\)](#)

[< Previous](#)



[Next >](#)

5. Predicting the Test Data

[Bookmark this page](#)

Project due Nov 5, 2020 05:29 IST *Completed*

Now fill in the code for the function predict, which will use your trained neural network in order to label new data.

You will be working in the file `part2-nn/neural_nets.py` in this problem

Implementing Predict

5.0/5.0 points (graded)

Available Functions: You have access to the NumPy python library as `np`, `rectified_linear_unit` and `output_layer_activation`

Note: Functions `rectified_linear_unit_derivative`, and `output_layer_activation_derivative` can only handle scalar input. You will need to use `np.vectorize` to use them

```
1 class NeuralNetwork(NeuralNetworkBase):
2
3     def predict(self, x1, x2):
4
5         input_values = np.matrix([[x1],[x2]])
6
7         # Compute output for a single input(should be same as the forward propagation in training)
8         hidden_layer_weighted_input = self.input_to_hidden_weights.dot(input_values) + self.biases# TODO
9         ReLU_vec = np.vectorize(rectified_linear_unit)
10        hidden_layer_activation = hidden_layer_activation = ReLU_vec(hidden_layer_weighted_input)# TODO
11        output = self.hidden_to_output_weights.dot(hidden_layer_activation)# TODO
12        activated_output = output_layer_activation(output)# TODO
13
14        return activated_output.item()
15
```

Press ESC then TAB or click outside of the code editor to exit

Correct

Test results

CORRECT

[See full output](#)

[See full output](#)

Submit

You have used 1 of 25 attempts

When you're done, run the script and make sure that all of your predictions pass the test cases.

Discussion

[Hide Discussion](#)

Topic: Unit 3 Neural networks (2.5 weeks):Project 3: Digit recognition (Part 2) / 5.
Predicting the Test Data

[Add a Post](#)

Show all posts ▼

by recent activity ▼

? [5. Predicting the Test Data: Answer stuck in processing stage without giving a grade](#)

1

? [floating points](#)

5

[I'm having difference in floating points between expected and my result. Any suggestions on how to overcome it](#)

?	[STAFF] Processing for a long time Processing for a long time and not completing, How long to wait? Any idea?	18
💬	Project grader and questions I have had issues with the grader and have failed so far to get this relatively simple exercise correct after many trials. I feel I am eithe...	2
💬	Switch this exercise with the previous It seems that this exercise could be framed as a helpful intermediate step for the previous exercise. After working through the previ...	2
✓	Testing locally How can i test this function locally?	4
?	[Staff] Need help to track down the error in my code Strangely my answer seems to be off by a multitude of 3 but it returns the correct values when I run it locally. At least if i understand...	2
💬	Processing in grader would never complete because of way I was using np.vectorize() Grader never completed if I did this. <code>vrelu = np.vectorize(rectified_linear_unit)hidden_layer_activation = vrelu(hidden_layer_weighte...</code>	3
💬	Getting an error 'input_to_hidden_weights' is not defined I am getting this error. It seems the input weights variable is not available/visible to the testing program. Any help will be greatly app...	4
✓	Incorrect result with random network params I've passed the other tests. But in the "Testing random datapoint predictions near a random line, with random network parameters"...	5
💬	ValueError: can only convert an array of size 1 to a Python scalar What does it mean?: <code>return activated_output.item()</code> <code>ValueError: can only convert an array of size 1 to a Python scalar</code>	2
?	@Staff, need a hint. Stuck at "Point 11 failed to be predicted correctly" Hi Staff, I believe my program is correct. Please give me some hint where I am wrong. My predicted value is 6 which does not match...	5
💬	[Staff]: Grader referencing the old submission. Hi Staff, Initially i have used <code>max(0,x)</code> in the <code>rectified_linear_unit</code> in activation function and grader had accepted it as correct. Now in t...	3
💬	[Staff] Submitting Error	

< Previous

Next >

© All Rights Reserved



edX

[About](#)
[Affiliates](#)
[edX for Business](#)
[Open edX](#)
[Careers](#)
[News](#)

Legal

[Terms of Service & Honor Code](#)
[Privacy Policy](#)
[Accessibility Policy](#)
[Trademark Policy](#)
[Sitemap](#)

Connect

[Blog](#)

[Contact Us](#)

[Help Center](#)

[Media Kit](#)

[Donate](#)



© 2020 edX Inc. All rights reserved.

深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)