
# Shambhala Sunday Gatherings Webinar Report

SGS-IT / John D. Smith 5/26/2020

## Arrival and departure times for the 212 participants




#### How did connections to the webinar end?




105 Room's Zoom Meeting

### Where did participants come from?



105 Room's Zoom Meeting

#### How long were people logged on?



105 Room's Zoom Meeting

```
test <- event_participation_summary %>%
  filter(country == "ES ")
test2 <- test[c(1,3:9,11:17),]
## Warning: The `i` argument of ``[.tbl_df`()` must lie in [0, rows] if positive, as of tibble 3.0.0.
## Use `NA` as row index to obtain a row full of `NA` values.
## This warning is displayed once every 8 hours.
## Call `lifecycle::last_warnings()` to see where this warning was generated.
# gs4_auth()
ss <- gs4_create(name = "test",
   # sheets = list("test" = mtcars) )
  sheets = list("test" = test) )
## Creating new Sheet: "test"
## Suitable tokens found in the cache, associated with these emails:
     * jd8.smith@gmail.com
     * john.smith@portland.shambhala.org
     * john.smith@shambhala.info
## The first will be used.
## Using an auto-discovered, cached token.
```

- ## To suppress this message, modify your code or options to clearly consent to the use of a cached token ## See gargle's "Non-interactive auth" vignette for more details:
- ## https://gargle.r-lib.org/articles/non-interactive-auth.html
- $\hbox{\tt \#\# The google sheets 4 package is using a cached token for jd8.smith@gmail.com.}$
- ## Auto-refreshing stale OAuth token.