


CONFIDENCE IS NOT A RECEIPT.

Make the task explicit. Carry its context. Inspect the result.



FRAME

A bounded task travels with its source.

Identify what enters the workflow, who may act, where the result belongs, and what evidence establishes completion. A confident answer is not a receipt. The shared frame makes those requirements explicit before you inspect a returned result.

EVIDENCE

Keep three claims separate.

Arrival records delivery. Inspection compares content with criteria. Release requires authorization covering the artifact, action, and destination. Begin manually so each boundary is visible; automate suitable steps after the process is understood.


AT THE LOADING DOCK

A parcel arrives sealed. What evidence establishes arrival, readability, and correct contents?

MAKE THE WORK VISIBLE.

A useful answer is a beginning. A repeatable process needs boundaries and evidence.

READING GUIDE / Connectors show topic order, not automatic execution.




PAUSE & CONSIDER

Which part of your last AI response came from the source, and which part was inferred?

A SHARED FRAME TRAVELS WITH THE TASK.

A working agreement does not create shared memory, access, or identical capabilities.

READING GUIDE / Connectors show topic order, not automatic execution.



CARRY FORWARD

Principle: context must travel. Next action: attach the source and frame to the receiving request.

TEN FIELDS. ONE WORKING AGREEMENT.

Use the fields to make the task testable, bounded, and traceable.

Each field answers a distinct question. Read the specification as a complete agreement rather than a collection of optional suggestions. Preserve the frame used in the actual run so the returned result can be inspected against the same task boundaries. The record should make clear what was delivered, what could be read, which checks were performed, and which claims remain unsupported. Preserve the actual source and response instead of relying on a polished summary. When a check cannot be completed, name the missing evidence and limit the status accordingly. Existing authorization may permit independent work to continue, but it does not resolve the unknown by itself. Use these distinctions to decide what needs recovery and what is ready for the next authorized action.

Run ID

Give each execution a unique reference so the request, source, returned result, and recovery record can be associated. The identifier supports traceability; it does not prove correctness.

Necessary definitions

Define terms needed to interpret the task. Inventory means reporting the required source facts and missing details within the stated preservation rule. Definitions prevent the receiver from silently choosing a different meaning.

Completion criteria

Name the acceptance checks that establish the result. Compare title, schedule, materials, and unknowns with the source. Record the verifier and limitations. Execution status alone does not establish those checks.

Observable objective

State a result that can be inspected. For the workshop example, extract title, schedule, materials, and unknowns from the supplied source. Avoid objectives whose completion depends only on a confident claim.

Permitted actions

State the work that falls within scope, such as reading the source and returning an inventory. Capability is separate: having a tool available does not authorize its use for every action.

Return format

Specify the required structure, such as a key-value inventory with source excerpts and an explicit unknown label. Formatting supports inspection but does not replace verification. Save the actual returned response.

Actual inputs & versions

Identify the source material and version used for the run. Pin a version where supported; record limitations where it cannot be pinned. A filename alone does not establish readable content.

Constraints

Specify prohibitions and preservation requirements. Do not invent a room number, date, location, or organizer. Do not silently correct extracted wording when the task requires exact source preservation.

Exact destination

Name the receiving chat or resource precisely. Authorization applies to the affected action and destination. Moving the payload to another interface does not automatically authorize its receipt, modification, or release.

Unknowns

Record absent, unreadable, or unverified information. An unknown room value may remain explicit while the inventory completes. Missing required source content pauses the action that depends on that source.

THE WORKING AGREEMENT

Before transfer, identify the actual source version and exact receiver. Keep all ten fields inspectable.

SCOPE STATES THE WORK. LIMITS BOUND IT.


Permitted actions and constraints answer different questions.

READING GUIDE / Connectors show topic order, not automatic execution.

Read the supplied text. Extract the title, schedule, materials, and missing details. Report the inventory in the requested format. These actions establish the task’s authorized scope. Preserve the task agreement used for this run. If the returned result changes the objective, identify that change before treating the response as completion. Record what was actually supplied.

Do not invent a date, location, organizer, or room number. Preserve source wording where exact extraction is required. Do not browse or change an external destination unless the authorization covers it. Keep the affected action tied to its exact destination. A tool that can perform the operation still needs authorization within scope. Record limitations instead of implying that access establishes authority.

Written permissions describe what the executor is allowed to do. Active access controls can enforce limits in a connected system. Neither guarantees correct content. An executor might have a tool available but lack authorization for the requested destination. Another might be authorized yet unable to access the required source. Inspect these conditions independently. Before changing a document, sending a payload, or publishing a result, check scope for that specific action. Keep the returned evidence tied to the same objective and source version used in the request. Compare the final response with the source again after recovery. Save the observed result and unresolved questions. A proposed improvement describes the next workflow; it does not rewrite what happened.




CHOOSE THE ROUTE

A tool is available, but destination authorization is unclear. Hold the affected action and resolve its scope.

THE ROOM NUMBER IS UNKNOWN.

The Community Workshop example tests preservation of facts and missing information.

READING GUIDE / Connectors show topic order, not automatic execution.




INSPECT THE PAYLOAD

Source: room number not supplied. Candidate: Room 204. Finding: unsupported addition; preserve UNKNOWN.

TWO CHATS. ONE HUMAN RELAY.

Perform the handoff manually so the transport and inspection steps are visible.

READING GUIDE / Connectors show topic order, not automatic execution.



TRY THE HANDOFF

Carry the complete workshop source and frame to a second chat. Save the exact request and response.

ARRIVAL DOES NOT OPEN THE PACKAGE.

State labels describe different claims. Match the evidence to the claim.

Assign status to the specific claim being evaluated. These labels are not a mandatory ladder through which every artifact advances. Several claims may have different statuses at the same moment: arrival may be established while readability remains unknown. Record the evidence and limitations supporting each label. The record should make clear what was delivered, what could be read, which checks were performed, and which claims remain unsupported. Preserve the actual source and response instead of relying on a polished summary. When a check cannot be completed, name the missing evidence and limit the status accordingly. Existing authorization may permit independent work to continue, but it does not resolve the unknown by itself. Use these distinctions to decide what needs recovery and what is ready for the next authorized action.

RECEIVED

The payload arrived at the destination. A receipt supports this arrival claim. It does not prove that required contents are readable, that the source was preserved, or that the requested task completed. Record what actually arrived and identify the destination.

VERIFIED

The named evidence checks passed and the verifier is identified. Compare the output with source anchors and completion criteria. Keep the verification scope explicit. Passing checks does not authorize external release; authorization must cover the artifact, action, and destination.

UNKNOWN

Evidence is insufficient to establish the claim. This may describe an absent room number or unverified destination content. It is distinct from FAILED. Do not substitute fluency or agreement between models for missing facts. Name what evidence would resolve the uncertainty.

READABLE

The executor can access the required content. Reading a filename is metadata visibility, not content access. Ask for evidence appropriate to the task. If only some portions are visible, record that limit rather than treating it as exhaustive source access.

PARTIAL

Required work remains. Interruption, unsupported capability, unfinished extraction, or incomplete verification may leave a task partial without an attempted operation failure. Identify completed work and affected work separately, then recover only the portion that still requires attention.

IMPORTED

Destination acceptance was reported. This status applies when content is accepted into a receiving resource. It does not automatically establish complete fidelity. A reported successful import needs destination evidence before stronger claims about preservation or correctness can be made.

FAILED

An attempted operation failed. Record which action was attempted, what failure was observed, and what evidence supports that description. Do not label missing information as an execution failure. Recovery may reroute the operation within existing authorization or require expanded scope.


EVIDENCE WINDOW

Claim: VERIFIED. Required support: named acceptance checks, observed results, verifier, and verification limits.

OMIT THE SOURCE. OBSERVE THE RESULT.

A separate missing-input attempt teaches recovery rather than imagined success.

READING GUIDE / Connectors show topic order, not automatic execution.



RECOVERY RECORD

Observed problem: source omitted. Action: supply source. Evidence: compare the new response and retain both attempts.

CHANGE THE DELIVERY. KEEP THE CLAIM PRECISE.


The reported relay illustrates a format bottleneck; it is not an independently verified archive.

READING GUIDE / Connectors show topic order, not automatic execution.

The podcast describes a ZIP delivery whose file names were visible while contents were not readable. Individual files improved access. An inaccessible markdown file was later supplied as pasted plain text. These are reported observations from the relay, not proof that every source reached the destination intact. Preserve the task agreement used for this run. If the returned result changes the objective, identify that change before treating the response as completion. Record what was actually supplied.

Identify the precise access gap. Use a readable format within authorized scope. Request destination evidence. An import receipt supports acceptance; it does not establish exhaustive source fidelity. Do not upgrade sampled evidence into a full-document verification claim. Keep the affected action tied to its exact destination. A tool that can perform the operation still needs authorization within scope. Record limitations instead of implying that access establishes authority.

The locked-package analogy explains access, not proof of correctness. Receiving a package establishes arrival. Reading its label establishes metadata visibility. Opening it establishes some access to contents. Inspection must still compare those contents with the expected source. A record that one document was accepted does not establish that every document was imported. Name which source was checked, what was visible, and what remains unknown. Preserve recovery details so later automation can handle the same format boundary without repeating already completed work. Compare the final response with the source again after recovery. Save the observed result and unresolved questions. A proposed improvement describes the next workflow; it does not rewrite what happened.




EVIDENCE WINDOW

Reported relay: filenames visible; contents inaccessible. Scope: metadata access, not established readability.

UNSUPPORTED IS A ROUTING DECISION.

NotebookLM audio generation exposed a limitation during an attempted programmatic action.

READING GUIDE / Connectors show topic order, not automatic execution.




CHOOSE THE ROUTE

Unsupported capability: select a supported route only within authorization. Earlier capability checking is proposed.

AUTOMATE THE LOGISTICS. PRESERVE THE FRAME.

Manual steps correspond to transport, scope enforcement, and acceptance checks.

READING GUIDE / Connectors show topic order, not automatic execution.



CARRY FORWARD

Principle: automate transport and preserve acceptance checks. Next action: identify the check each transfer must carry.

CHOOSE THE MECHANISM FOR THE STEP.


Model output and external execution are distinct. Neither transfers command responsibility.

READING GUIDE / Connectors show topic order, not automatic execution.

AI can support interpretation and probabilistic reasoning about supplied content. Rules evaluate explicit conditions and deterministic logic. These mechanisms may work together within one activity, but the acceptance checks must remain inspectable. Do not treat fluent model output as evidence that a system action occurred. Missing facts remain missing even when a plausible explanation is available. Preserve the task agreement used for this run. If the returned result changes the objective, identify that change before treating the response as completion. Record what was actually supplied.

APIs provide interfaces through which authorized tools or systems may act. RPA executes configured interactions. Choose the mechanism that fits the task and application. Availability does not grant authority, and successful execution does not prove source fidelity. Record the action performed, the destination, and the returned evidence before assigning a stronger status. Keep the affected action tied to its exact destination. A tool that can perform the operation still needs authorization within scope. Record limitations instead of implying that access establishes authority.

A workflow may combine all four mechanisms or use only the ones required. Choose interpretation when the task needs reasoning about supplied content. Choose explicit rules when a condition has a defined test. Use an interface when an authorized system must communicate or act. Use configured execution when prescribed interactions fit the application. Then inspect the result against the same acceptance criteria. Model output is not an external action, and successful execution is not proof of source fidelity. The learner continues to govern objective, scope, and evidence. Compare the final response with the source again after recovery. Save the observed result and unresolved questions. A proposed improvement describes the next workflow; it does not rewrite what happened.




PAUSE & CONSIDER

Does this step need interpretation, a rule, an interface, or configured execution? What evidence tests the result?

VERIFY CONTENT. CHECK RELEASE SCOPE.

Evidence acceptance and external distribution are separate checkpoints.

READING GUIDE / Connectors show topic order, not automatic execution.



BEFORE YOU RELEASE

Check 1: content and visual acceptance. Check 2: authorization covers this artifact, action, and exact destination.

SUBMIT EVIDENCE. KEEP THE UNKNOWNNS.

Agreement between models is not proof of correctness.

The evidence package closes the exercise by making the work inspectable. Preserve actual requests, responses, checks, and recovery observations rather than replacing them with a success narrative. These records support future integration decisions, but they do not establish untested production behavior or authorize a new release action. The record should make clear what was delivered, what could be read, which checks were performed, and which claims remain unsupported. Preserve the actual source and response instead of relying on a polished summary. When a check cannot be completed, name the missing evidence and limit the status accordingly. Existing authorization may permit independent work to continue, but it does not resolve the unknown by itself. Use these distinctions to decide what needs recovery and what is ready for the next authorized action.

Shared frame

Submit the actual ten-field agreement used for the run. Preserve the objective, source identifiers, destination, permitted actions, constraints, unknowns, acceptance checks, and return format. This is the comparator for the handoff, not a retrospective statement that everything went well.

Source comparison

Record the checks performed against the identified source version. Name the verifier, the acceptance criteria, and the observed results. Separate visual acceptance from content acceptance. A clean diagram or well-formatted inventory can still omit required content or include fabricated details.

Sent request

Keep the exact request carried to the receiving system, including the source payload actually supplied. A planned request is not evidence of delivery. If a missing-input attempt was intentional, identify it separately so the complete request and the failure exercise remain distinguishable.

Recovery record

Describe the missing input, unreadable format, unsupported capability, or failed operation actually observed. Record what changed and what was rechecked. Recover affected steps without repeating successful work. Confirm that authorization covers any alternative tool, action, and destination before proceeding.

Returned response

Save the exact response returned by the receiving executor. Do not replace it with a polished summary before inspection. Identify claims that came from the source, interpretations introduced by the model, and missing information. Confidential wording does not establish factual preservation.

Unresolved questions

List what remains unknown and what evidence could resolve it. A manual rehearsal establishes observations within the tested environment; it does not prove production behavior. Future integrations need their own capability, authorization, transport, and acceptance checks. Agreement between models remains insufficient proof of correctness.

TRY THE HANDOFF

Submit frame, request, response, comparison, recovery record, and unresolved questions. Identify the next bounded trial.