

Methodology for Assessing the State of the Practice for Domain X

Spencer Smith

McMaster University, Canada

smiths@mcmaster.ca

Jacques Carette

McMaster University, Canada

carette@mcmaster.ca

Olu Owojaiye

McMaster University, Canada

owojaiyo@mcmaster.ca

Peter Michalski

McMaster University, Canada

michap@mcmaster.ca

Ao Dong

McMaster University, Canada

donga9@mcmaster.ca

Abstract

...

2012 ACM Subject Classification Author: Please fill in 1 or more `\ccsdesc` macro

Keywords and phrases Author: Please fill in `\keywords` macro

Contents

| | | |
|----------|--|----------|
| 1 | Introduction | 2 |
| 2 | Overview of Steps in Assessing Quality of the Domain Software | 2 |
| 3 | Identify Candidate Software | 2 |
| 4 | Domain Analysis | 2 |
| 5 | Empirical Measures | 3 |
| 5.1 | Raw Data | 3 |
| 5.2 | Processed Data | 3 |
| 5.3 | Tool Tests | 3 |
| 5.3.1 | git-stats | 3 |
| 5.3.2 | git-of-theseus | 4 |
| 5.3.3 | hercules | 4 |
| 5.3.4 | git-repo-analysis | 4 |
| 5.3.5 | HubListener | 4 |
| 5.3.6 | gitinspector | 4 |
| 6 | User Experiments | 4 |
| 7 | Analytic Hierarchy Process | 5 |

| | | |
|----------|--|----------|
| 8 | Quality Specific Measures | 5 |
| 8.1 | Installability [owner —OO] | 5 |
| 8.2 | Correctness [owner —OO] | 5 |
| 8.3 | Verifiability/Testability [owner —OO] | 5 |
| 8.4 | Validatability [owner —OO] | 5 |
| 8.5 | Reliability [owner —OO] | 5 |
| 8.6 | Robustness [owner —PM] | 5 |
| 8.7 | Performance [owner —PM] | 5 |
| 8.8 | Usability [owner —JC] | 5 |
| 8.9 | Maintainability [owner —PM] | 5 |
| 8.10 | Reusability [owner —PM] | 5 |
| 8.11 | Portability [owner —PM] | 5 |
| 8.12 | Understandability [owner —JC] | 5 |
| 8.13 | Interoperability [owner —AD] | 5 |
| 8.14 | Visibility/Transparency [owner —AD] | 5 |
| 8.15 | Reproducibility [owner —SS] | 5 |
| 8.16 | Productivity [owner —AD] | 5 |
| 8.17 | Sustainability [owner —SS] | 5 |
| 8.18 | Completeness [owner —AD] | 5 |
| 8.19 | Consistency [owner —AD] | 5 |
| 8.20 | Modifiability [owner —JC] | 5 |
| 8.21 | Traceability [owner —JC] | 5 |
| 8.22 | Unambiguity [owner —SS] | 5 |
| 8.23 | Verifiability [owner —SS] | 5 |
| 8.24 | Abstract [owner —SS] | 5 |
| 9 | Using Data to Rank Family Members | 5 |

1 Introduction

Purpose and scope of the document. [Needs to be filled in. Should reference the overall research proposal, and the “state of the practice” exercise in particular. —SS]

2 Overview of Steps in Assessing Quality of the Domain Software

1. Identify domain. (Provide criteria on a candidate domain.)
- 2.

3 Identify Candidate Software

1. Must be open source.
2. Must have GitHub repository.

4 Domain Analysis

Commonality analysis. Follow as for mesh generator (likely with less detail).

Commonality analysis document Steps:

1. Introduction
2. Overview of Domain

3. Add Commonalities - Split into simulation, input, output, and nonfunctional requirements
4. Add Variabilites - Split into simulation, input, output, system constraints, and nonfunctional requirements
5. Add Parameters of Variation - Split into simulation, input, output, system constraints, and nonfunctional requirements
6. Add Terminology, Definitions, Acronyms

Commonality analysis for Lattice Boltzmann Solvers can be found [here](#).

5 Empirical Measures

5.1 Raw Data

Measures that can be extracted from on-line repos.

[\[Still at brainstorm stage. —AD\]](#)

- number of contributors
- number of watches
- number of stars
- number of forks
- number of clones
- number of commits
- number of total/code/document files
- lines of total/logical/comment code
- lines/pages of documents (can pdf be extracted?)
- number of total/open/closed/merged pull requests
- number of total/open/closed issues
- number of total/open/closed issues with assignees

5.2 Processed Data

Metrics that can be calculated from the raw data.

[\[Still at brainstorm stage. —AD\]](#)

- percentage of total/open/closed issues with assignees - Visibility/Transparency
- lines of new code produced per person-day - Productivity
- lines/pages of new documents produced per person-day - Productivity
- number of issues closed per person-day - Productivity
- percentage of comment lines in the code - maintainability [\[Not Ao's qualities —AD\]](#)

5.3 Tool Tests

[\[This section is currently a note of unorganized contents. Most parts will beremoved or relocated. —AD\]](#)

[\[This citation needs to be deleted later. It's here because my compiler doesn't work with 0 citations —AD\]](#) [Emms \[2019\]](#)

Most tests were done targeting to the repo of 3D Slicer [GitHub repo](#)

5.3.1 git-stats

[GitHub repo](#)

Test results: <http://git-stats-slicer.ao9.io/> the results are output as webpages, so I hosted for you to check. Data can be downloaded as spreadsheets.

5.3.2 git-of-theseus

[GitHub repo](#)

Test results: It took about 100 minutes for one repo on a 8 core 16G ram Linux machine. It only outputs graphs.

5.3.3 hercules

[GitHub repo](#)

Test results: this one seems to be promising, but the installation is complicated with various errors.

5.3.4 git-repo-analysis

[GitHub repo](#)

5.3.5 HubListener

[GitHub repo](#)

The data that HubListener can extract.

Raw:

- Number of Files
- Number of Lines
- Number of Logical Lines
- Number of Comments

Cyclomatic: [Intro](#)

- Cyclomatic Complexity

Halstead: [Intro](#)

- Halstead Effort
- Halstead Bugs
- Halstead Length
- Halstead Difficulty
- Halstead Time
- Halstead Vocabulary
- Halstead Volume

Test results: HubListener works well on the repo of itself, but it did not work well on some other repos.

5.3.6 gitinspector

[GitHub repo](#)

Test results: it doesn't work well. Instead of creating output results, it prints the results directly in the console.

6 User Experiments

Describe experiments with users to assess usability, performance etc.

7 Analytic Hierarchy Process

Describe process. Domain expert review.

8 Quality Specific Measures

- 8.1 **Installability** [owner —OO]
- 8.2 **Correctness** [owner —OO]
- 8.3 **Verifiability/Testability** [owner —OO]
- 8.4 **Validatability** [owner —OO]
- 8.5 **Reliability** [owner —OO]
- 8.6 **Robustness** [owner —PM]
- 8.7 **Performance** [owner —PM]
- 8.8 **Usability** [owner —JC]
- 8.9 **Maintainability** [owner —PM]
- 8.10 **Reusability** [owner —PM]
- 8.11 **Portability** [owner —PM]
- 8.12 **Understandability** [owner —JC]
- 8.13 **Interoperability** [owner —AD]
- 8.14 **Visibility/Transparency** [owner —AD]
- 8.15 **Reproducibility** [owner —SS]
- 8.16 **Productivity** [owner —AD]
- 8.17 **Sustainability** [owner —SS]
- 8.18 **Completeness** [owner —AD]
- 8.19 **Consistency** [owner —AD]
- 8.20 **Modifiability** [owner —JC]
- 8.21 **Traceability** [owner —JC]
- 8.22 **Unambiguity** [owner —SS]
- 8.23 **Verifiability** [owner —SS]
- 8.24 **Abstract** [owner —SS]

9 Using Data to Rank Family Members

Describe AHP process (or similar).

References

Steve Emms. 16 best free linux medical imaging software. <https://www.linuxlinks.com/medicalimaging/>, 2019. [Online; accessed 02-February-2020].