## **Spencer Smith**

McMaster University, Canada smiths@mcmaster.ca

#### **Jacques Carette**

McMaster University, Canada carette@mcmaster.ca

#### Olu Owojaiye

McMaster University, Canada owojaiyo@mcmaster.ca

#### Peter Michalski

McMaster University, Canada michap@mcmaster.ca

#### Ao Dong

McMaster University, Canada donga9@mcmaster.ca

— Abstract —

...

2012 ACM Subject Classification Author: Please fill in 1 or more \ccsdesc macro

Keywords and phrases Author: Please fill in \keywords macro

#### **Contents**

1	Intr	oduction	2
2	Res	earch Questions	3
3	Ove	erview of Steps in Assessing Quality of the Domain Software	3
4	Ide	ntify Candidate Software	4
5	Dor	nain Analysis	4
6	Em	pirical Measures	4
	6.1	Raw Data	4
	6.2	Processed Data	4
	6.3	Tool Tests	5
		6.3.1 git-stats	5
		6.3.2 git-of-theseus	5
		6.3.3 hercules	5
		6.3.4 git-repo-analysis	5
		6.3.5 HubListener	5
		6.3.6 gitinspector	6

7	Use	r Experiments			
	7.1	Usability Experimental Procedure			
	7.2	Procedure			
	7.3	Task selection criteria			
	7.4	Usability Questionnaire			
8	Ana	dytic Hierarchy Process			
9	Quality Specific Measures				
	9.1	Installability [owner —OO]			
	9.2	Correctness [owner —OO]			
	9.3	Verifiability/Testability [owner —OO]			
	9.4	Validatability [owner —OO]			
	9.5	Reliability [owner —OO]			
	9.6	Robustness [owner —PM]			
	9.7	Performance [owner —PM]			
	9.8	Usability [owner —JC]			
	9.9	Maintainability [owner—PM]			
	9.10	Reusability [owner —PM]			
	9.11	Portability [owner —PM]			
	9.12	Understandability [owner —JC]			
	9.13	Interoperability [owner —AD]			
	9.14	Visibility/Transparency [owner —AD]			
		Reproducibility [owner —SS]			
	9.16	Productivity [owner —AD]			
	9.17	Sustainability [owner —SS]			
	9.18	Completeness [owner —AD]			
	9.19	Consistency [owner —AD]			
	9.20	Modifiability [owner —JC]			
	9.21	Traceability [owner —JC]			
	9.22	Unambiguity [owner—SS]			
	9.23	Verifiability [owner —SS]			
	9.24	Abstract [owner —SS]			
10	Usi	ng Data to Rank Family Members			
$\mathbf{A}$	Appendix				
_		Survey for the Selected Projects			
		A.1.1 Information about the developers and users			
		A.1.2 Information about the software			

## 1 Introduction

Purpose and scope of the document. [Needs to be filled in. Should reference the overall research proposal, and the "state of the practice" exercise in particular. Reference questions we are trying to answer. —SS]

## 2 Research Questions

In general questions:

- 1. Comparison between domains
- 2. How to measure qualities
- 3. How does the quality compare for projects with the most resources to those with the fewest?
- 4. What skills/knowledge are needed by future developers?
- **5.** How can the development process be improved?
- **6.** What are the common pain points?

For each domain questions"

- 1. Best examples within the domain
- 2. What software artifacts?
- **3.** What are the pain points?
- **4.** Any advice on what can be done about the pain points?

Measure the effort invested and the reward. Related to sustainability.

Collect the data and see what conclusions follow. For an individual domain, between domains. The process isn't so much about ranking the software as it is about looking at the software closely and see what conclusions arise. The measurements are intended to force scrutiny, from different perspectives.

## **3** Overview of Steps in Assessing Quality of the Domain Software

- 1. Start with state of practice research questions.
- 2. Identify domain. (Provide criteria on a candidate domain.)
- 3. Identify list of candidate software in the domain. (Section 4)
- **4.** Domain Expert: Vet domain software list.
- **5.** Domain Analysis. (Section 5)
- **6.** Domain Expert: Vet domain analysis
- 7. Measure using "shallow" measurement template.
- 8. Empirical measures.
- **9.** Use AHP process to rank the software. Tool for estimating AHP results? Tool for ranking and sorting by various criteria? Conditional formula to assess software within each measure, or just use opinion of measurer?
- 10. Identify short list for deeper exploration.
- 11. Domain Expert: vet AHP ranking and short list.
- 12. With short list:
  - a. Survey developers
  - **b.** Usability experiments
  - c. Performance benchmarks
  - d. Maintainability experiments
- 13. Compare shallow and deep measures and ranking
- 14. Answers for research questions.

[The domain expert is involved in multiple steps in the process. How best to get their feedback? The domain experts are busy and are unlikely to devote significant time to the project. We need to quickly get to the point. Maybe something around task based inspection? Directed interview? —SS

## 4 Identify Candidate Software

- 1. Must be open source.
- 2. Must have GitHub repository.

## 5 Domain Analysis

Commonality analysis. Follow as for mesh generator (likely with less detail). Final result will be tables of commonalities, variabilities and parameters of variation.

Commonality analysis document Steps:

- 1. Introduction
- 2. Overview of Domain
- 3. Add Commonalities Split into simulation, input, output, and nonfunctional requirements
- 4. Add Variabilities Split into simulation, input, output, system constraints, and nonfunctional requirements
- 5. Add Parameters of Variation Split into simulation, input, output, system constraints, and nonfunctional requirements
- 6. Add Terminology, Definitions, Acronyms

Commonality analysis for Lattice Boltzmann Solvers can be found here.

## 6 Empirical Measures

#### 6.1 Raw Data

Measures that can be extracted from on-line repos.

[Still at brainstorm stage. —AD]

- number of contributors
- number of watches
- number of stars
- number of forks
- number of clones
- number of commits
- number of total/code/document files
- lines of total/logical/comment code
- lines/pages of documents (can pdf be extracted?)
- number of total/open/closed/merged pull requests
- number of total/open/closed issues
- number of total/open/closed issues with assignees

Instead of only focus on the current status of the above numbers, we may find the time history of them to be more valuable. For example, the number of contributors over time, the number of lines of code over time, the number of open issues over time, etc.

#### 6.2 Processed Data

Metrics that can be calculated from the raw data.

[Still at brainstorm stage. —AD]

- percentage of total/open/closed issues with assignees Visibility/Transparency
- lines of new code produced per person-month Productivity

- lines/pages of new documents produced per person-month Productivity
- number of issues closed per person-month Productivity
- percentage of comment lines in the code maintainability [Not Ao's qualities —AD]

In the above calculations, a month can be determined to be 30 days.

#### 6.3 Tool Tests

[This section is currently a note of unorganized contents. Most parts will be removed or relocated. —AD]

[This citation needs to be deleted later. It's here because my compiler doesn't work with 0 citations —AD] Emms [2019]

Most tests were done targeting to the repo of 3D Slicer GitHub repo

#### 6.3.1 git-stats

#### GitHub repo

Test results: http://git-stats-slicer.ao9.io/ the results are output as webpages, so I hosted for you to check. Data can be downloaded as spreadsheets.

#### 6.3.2 git-of-theseus

#### GitHub repo

Test results: It took about 100 minutes for one repo on a 8 core 16G ram Linux machine. It only outputs graphs.

#### 6.3.3 hercules

#### GitHub repo

Test results: this one seems to be promising, but the installation is complicated with various errors.

#### 6.3.4 git-repo-analysis

GitHub repo

#### 6.3.5 HubListener

#### GitHub repo

The data that HubListener can extract.

Raw:

- Number of Files
- Number of Lines
- Number of Logical Lines
- Number of Comments

Cyclomatic: Intro

Cyclomatic Complexity

Halstead: Intro Halstead Effort

 $\blacksquare$  Halstead Bugs

- Halstead Length
- Halstead Difficulty
- Halstead Time
- Halstead Vocabulary
- Halstead Volume

Test results: HubListener works well on the repo of itself, but it did not work well on some other repos.

#### 6.3.6 gitinspector

#### GitHub repo

Test results: it doesn't work well. Instead of creating output results, it prints the results directly in the console.

## 7 User Experiments

#### 7.1 Usability Experimental Procedure

#### 7.2 Procedure

- 1. Survey participants to collect pre-experiment data
- 2. Participants perform tasks
- 3. Observe the study subjects (take notes, record sessions(OBS screen recorder), watch out for body languages and verbal cues)
- 4. Survey the study subjects to collect feedback (post experiment interview)
- **5.** Prepare experiment report
- **6.** Perform pairwise comparison analysis
- 7. Prepare analysis report

#### 7.3 Task selection criteria

- \*\*The task selection will be determined with the aid of the domain expert attached to any of the selected projects.
- \*\*The domain expert will be asked to consider the below criteria when defining a task.
- \*\*Domain experts will also be asked to identify what background knowledge is necessary for the suggested tasks Novice, Intermediate, Advanced
- 1. Collectively all tasks should not take no more than 2 hours.
- 2. Selected tasks should reflect common use cases of the software.
- 3. Include tasks that require a set of sequential or hierarchical steps to be completed

#### 7.4 Usability Questionnaire

Two sources of standardized usability questionnaire we could use.

- https://www.usabilitest.com/sus-pdf-generator- 20-29 SUS.
- https://uiuxtrend.com/pssuq-post-study-system-usability-questionnaire/ PSSUQ

## 8 Analytic Hierarchy Process

Describe process. Domain expert review.

```
9
     Quality Specific Measures
9.1
     Installability [owner —00]
9.2
     Correctness [owner —00]
9.3
     Verifiability/Testability [owner —00]
     Validatability [owner —00]
9.4
9.5
     Reliability [owner —00]
9.6
     Robustness [owner —PM]
9.7
     Performance [owner —PM]
     Usability [owner —JC]
9.8
9.9
     Maintainability [owner —PM]
9.10
      Reusability [owner —PM]
9.11
      Portability [owner —PM]
9.12
      Understandability [owner —JC]
9.13
      Interoperability [owner —AD]
9.14
      Visibility/Transparency [owner —AD]
9.15
      Reproducibility [owner —SS]
9.16
      Productivity [owner —AD]
9.17
      Sustainability [owner —SS]
9.18
      Completeness [owner —AD]
9.19
      Consistency [owner —AD]
9.20
      Modifiability [owner —JC]
9.21
      Traceability [owner —JC]
9.22
      Unambiguity [owner —SS]
9.23
      Verifiability [owner —SS]
9.24
      Abstract [owner —SS]
10
      Using Data to Rank Family Members
```

Describe AHP process (or similar).

## A Appendix

## A.1 Survey for the Selected Projects

[Several questions are borrowed from Jegatheesan 2016, and needed to be cited later. —AD]

#### A.1.1Information about the developers and users

- 1. Interviewees' current position/title? degrees?
- 2. Interviewees' contribution to/relationship with the software?
- **3.** Length of time the interviewee has been involved with this software?
- **4.** How large is the development group?
- **5.** What is the typical background of a developer?
- **6.** How large is the user group?
- **7.** What is the typical background of a user?

#### A.1.2Information about the software

- 1. [General—AD] What is the most important software quality(ies) to your work? (set of selected qualities plus "else")
- 2. [General —AD] Are there any examples where the documentation helped? If yes, how it helped. (yes\*, no)
- 3. [General —AD] Is there any documentation you feel you should produce and do not? If yes, what is it and why? (yes\*, no)
- 4. [Completeness —AD] Do you address any of your quality concerns using documentation? If yes, what are the qualities and the documents. (yes\*, no)
- 5. [Visibility/Transparency—AD] Is there a certain type of development methodologies used during the development? ({Waterfall, Scrum, Kanban, else})
- 6. [Visibility/Transparency—AD] Is there a clearly defined development process? If yes, what is it.  $(\{yes^*, no\})$
- 7. [Visibility/Transparency—AD] Are there any project management tools used during the development? If yes, what are they. ({yes\*, no})
- 8. [Visibility/Transparency—AD] Going forward, will your approach to documentation of requirements and design change? If not, why not. ({yes, no\*})
- 9. [Correctness and Verifiability —AD] During the process of development, what tools or techniques are used to build confidence of correctness? (string)
- 10. [Correctness and Verifiability —AD] Do you use any tools to support testing? If yes, what are they. (e.g. unit testing tools, regression testing suites) ({yes\*, no})
- 11. [Correctness and Verifiability —AD] Is there any document about the requirements specifications of the program? If yes, what is it. ({yes\*, no})
- 12. Portability —AD Do you think that portability has been achieved? If yes, how? ({yes\*, no})
- 13. [Maintainability AD] How was maintainability considered in the design? (string)
- 14. [Maintainability AD] What is the maintenance type? (set of {corrective, adaptive, perfective, unclear})
- 15. [Reusability —AD] How was reusability considered in the design? (string)
- **16.** [Reusability —AD] Are any portions of the software used by another package? If yes, how they are used. (yes\*, no)
- 17. [Reproducibility —AD] Is reproducibility important to you? (yes\*, no)
- 18. [Reproducibility—AD] Do you use tools to help reproduce previous software results? If yes, what are they. (e.g. version control, configuration management) (yes\*, no)
- 19. [Completeness—AD] Is any of the following documents used during the development?  $(yes^*, no)$

20. [General —AD] Will this experience influence how you develop software? Do you see yourself maintaining the same level of documentation, tool support as you go forward? (string)

- Module Guide
- Module Interface Specification
- Verification and Validation Plan
- Verification and Validation Report

# 10 REFERENCES

# References

Steve Emms. 16 best free linux medical imaging software. https://www.linuxlinks.com/medicalimaging/, 2019. [Online; accessed 02-February-2020].