

Database Design using ERDs



Hands-on Lab : Database Design using ERDs

Estimated time needed: 45 minutes

In this lab, you will learn how to design a database by creating an entity relationship diagram (ERD) in the PostgreSQL database service using the pgAdmin graphical user interface (GUI) tool. First, you will create an ERD of a database. Next, you will generate and execute an SQL script to create the database schema from its ERD. Finally, you will load the created database schema with data.

Software Used in this Lab

In this lab, you will use [PostgreSQL Database](#). PostgreSQL is a Relational Database Management System (RDBMS) designed to efficiently store, manipulate, and retrieve data.




To complete this lab you will utilize the PostgreSQL relational database service available as part of IBM Skills Network Labs (SN Labs) Cloud IDE. SN Labs is a virtual lab environment used in this course.

Database Used in this Lab

The HR database used in this lab comes from the following source: [HR Sample Database](#) [Copyright 2021 - Oracle Corporation].

You will use a modified version of the database for the lab, so to follow the lab instructions successfully please use the database provided with the lab, rather than the database from the original source.

The following ERD shows the tables of the HR database:



Objectives

After completing this lab, you will be able to use pgAdmin with PostgreSQL to:

- Create an ERD of a database.
- Generate and execute an SQL script from an ERD to create a schema.
- Load the database schema with data.

This lab is divided into two exercises, *Example Exercise* and *Practice Exercise*.

Example Exercise

In this example exercise through different tasks, first you will create a partial ERD of the HR database. Next, you will generate and execute an SQL script to create the partial schema of the HR database from its ERD. Finally, you will load the created database schema with data by using restore feature.

Task A: Create an Entity Relationship Diagram (ERD) of a database

In this task of the Example Exercise, you will create a partial ERD of the HR database.

1. Go to **Terminal > New Terminal** to open a terminal from the side-by-side launched Cloud IDE.



Instructions

A⁺A⁻

Helvetica N...



◀ Step 6 of 7 ▶



IBM Developer
SKILLS NETWORK

2. Start a PostgreSQL service session in the Cloud IDE using the command below in the terminal. Find your PostgreSQL service session password from the highlighted location of the terminal shown in the image below. Note down your PostgreSQL service session password because you may need to use it later in the lab.

```
1. 1
1. start_postgres
Copied!
```

```
theia@theiadocker-sandipsahajo:/home/project$ start_postgres
```

```
Starting your Postgres database....
```

```
This process can take up to a minute.
```

```
Postgres database started, waiting for all services to be ready....
[/]
```

```
Your Postgres database is now ready to use and available with username:
```

You can access your Postgres database via:

- The Browser with pgadmin
 - URL: <https://sandipsahajo-5050.theiadocker-27.proxy.cognitiveclass.ai/>
 - Database Password: MTQ5NTItc2FuZGlw
- CommandLine: psql --username=postgres --host=localhost

```
theia@theiadocker-sandipsahajo:/home/project$ █
```

3. Copy your pgAdmin weblink from the highlighted location of the terminal shown in the image below and paste it to a new tab of your web browser.

```
theia@theiadocker-sandipsahajo:/home/project$ start_postgres
Starting your Postgres database....
This process can take up to a minute.

Postgres database started, waiting for all services to be ready....
[/>
Your Postgres database is now ready to use and available with username: sandipsahajo and password: MTQ5NTItc2FuZGlw

You can access your Postgres database via:
• The Browser with pgadmin
  • URL: https://sandipsahajo-5050.theiadocker-27.proxy.cognitiveclass
  • Database Password: MTQ5NTItc2FuZGlw
• CommandLine: psql --username=postgres --host=localhost
theia@theiadocker-sandipsahajo:/home/project$
```

4. You will see the pgAdmin GUI tool.

← → ⌂ ⌄ 🔒 sandipsahajo-5050.theiadocker-27.proxy.cognitiveclass.ai

pgAdmin


File ▾ Object ▾ Tools ▾ Help ▾

Browser

Servers

Dashboard Properties SQL

Welcome



pgAdn
Management

Feature rich | Maximise

pgAdmin is an Open Source admin
is designed to answer the needs o


Quick Links

Getting Started



PostgreSQL Document

5. In the tree-view, expand **Servers > postgres > Databases**. Enter your PostgreSQL service session password if prompted during the process. Right-click on **Databases** and go to **Create > Database**. Type **HR** as name of the database and click **Save**.



Create - Database

General Definition Security Parameters Advanced SQL

Database

HR

Owner

postgres

Comment

i

?

X Cancel

6. In the tree-view, expand **HR**. Right-click on **HR** and select **Generate ERD (Beta)**.

The screenshot shows the pgAdmin 4 interface. In the top navigation bar, the tabs are File, Object, Tools, and Help. Below the tabs, there are several icons: a folder, a grid, a funnel, and a magnifying glass. The main area is titled "Browser". On the left, a tree view shows "Servers (1)" under "postgres", which has "Databases (2)" as children. One of these databases is "HR", which is highlighted with a red box. A context menu is open over the "HR" database, listing various options: Create, Refresh..., Delete/Drop, CREATE Script, Disconnect Database..., Generate ERD (Beta) (which is highlighted with a blue box and has a hand cursor icon), Maintenance..., Backup..., Restore..., Grant Wizard..., Search Objects..., Query Tool, and Properties... . To the right of the menu, there is a dashboard area with a dark header containing a folder icon, a document icon, and the text "HR/p".

7. Click the **Add table** button. On the **General** tab, in the **Name** box, type **employees** as name of the table. Don't click **OK**, proceed to the next step.

pgAdmin

File ▾ Object ▾ Tools ▾ Help ▾

Browser

Servers (1)

postgres

Databases (2)

HR

Casts

Catalogs

Dashboard Properties SQL

Add table

Option Ctrl A

The screenshot shows the pgAdmin interface. In the top navigation bar, there are tabs for File, Object, Tools, and Help. Below the navigation bar is a toolbar with several icons: a folder, a grid, a funnel, and a magnifying glass. To the right of the toolbar are tabs for Dashboard, Properties, and SQL. The main area is titled 'Browser' and shows a tree view of database objects. At the top level, there is one server entry: 'Servers (1)'. Underneath it is a single database entry: 'postgres'. Below 'postgres', there are two database entries: 'Databases (2)' and 'HR'. The 'HR' entry is selected, as indicated by a blue highlight. Under 'HR', there are two more entries: 'Casts' and 'Catalogs'. On the far right, there is a toolbar with various icons, including a plus sign for adding new objects. A tooltip for the plus sign icon says 'Add table'. Below the toolbar, there are three buttons labeled 'Option', 'Ctrl', and 'A'. The entire 'Add table' button is highlighted with a red box.

New table

General

Columns

Name

employees

Schema

public

Comment

-
8. Switch to the **Columns** tab and click the **Add new row** button to add the necessary column placeholders. Now enter the **employees** table definition information as shown in the image below to create its entity diagram. Then click **OK**.

New table

General

Columns

Columns

Name	Data type	Length/Precision

New table

General

Columns

Columns

	Name	Data type
 	employee_id	integer
 	first_name	character varying
 	last_name	character varying
 	email	character varying
 	phone_number	character varying
 	hire_date	date
 	job_id	character varying
 	salary	numeric
 	commission_pct	numeric
 	manager_id	integer
 	department_id	integer

9. Similarly, create entity diagrams for the other three tables following steps 7 and 8:

- ▶ [Click here] Create an entity diagram for the jobs table
- ▶ [Click here] Create an entity diagram for the departments table
- ▶ [Click here] Create an entity diagram for the locations table

10. After creating all four entity diagrams, the entities of the ERD are complete.

The screenshot shows a database management interface with a toolbar at the top containing various icons for file operations, search, and help. The title bar reads "/postgres@localhost". Below the toolbar, there is a large grid area for drawing entity diagrams. Two entity boxes are visible:

- locations**:
 - public
 - location_id integer (Primary Key)
 - street_address character varying(40)
 - postal_code character varying(12)
 - city character varying(30)
 - state_province character varying(25)
 - country_id character(2)
- departments**:
 - public
 - department_id integer (Primary Key)
 - department_name character varying(30)
 - manager_id integer
 - location_id integer

11. Next you will create relationships between the entities by adding foreign keys to the tables. Select the entity diagram **employees** and click the **One-to-Many link** button. Now enter the definition information for a foreign key on the **employees** table as shown in the image below to create the relationship. Then click **OK**.

The screenshot shows a database schema editor interface. At the top, there is a toolbar with various icons: folder, copy, paste, file, image, plus, edit, trash, 1M (highlighted with a red box), MM, square, pencil, eye, grid, and search. Below the toolbar, the connection information is displayed: HR/postgres@localhost. A message "One-to-Many link" is shown above the tables. The keyboard shortcut "Option Ctrl O" is also present.

employees

- employee_id integer (Primary Key)
- first_name character varying(20)
- last_name character varying(25)
- email character varying(100)
- phone_number character varying(20)
- hire_date date
- job_id character varying(10)
- salary numeric(8,2)
- commission_pct numeric(2,2)
- manager_id integer
- department_id integer

departments

- department_id integer (Primary Key)

One to many relation

General


Local Table	(public) employees
Local Column	department_id
Referenced Table	(public) departments
Referenced Column	department_id

 Cancel

12. Similarly, create the other relationships between the tables following the instructions in step 11:

- ▶ [Click here] Create a relationship between employees and jobs
- ▶ [Click here] Create a relationship between departments and locations
- ▶ [Click here] Create a relationship between departments and employees



13. After creating all four relationships, you have completed the ERD for this exercise. Proceed to Task B.



Task B: Generate and execute SQL script from ERD to create schema

In this task of the Example Exercise, you will generate and execute an SQL script from the ERD you created in Task A of the Example Exercise.

1. In the **Generate ERD (Beta)** window, click the **Generate SQL** button.



2. A new Query Editor window will open containing a SQL script generated from the ERD. Open the Execute/Refresh button to run the script. Proceed to Task C.

department_name character

varying(30)

manager_id integer

location_id integer



HR/postgres@localhost ▾

No lin

Query Editor Query History

```
1 -- This script was generated by a beta version of the ERD
2 -- Please log an issue at https://redmine.postgresql.org/p
3 ▼ BEGIN;
4
5
6 CREATE TABLE public.departments
7 (
8     department_id integer NOT NULL,
9     department_name character varying(30) NOT NULL,
10    manager_id integer,
11    location_id integer,
12    PRIMARY KEY (department_id)
13 );
14
15 CREATE TABLE public.employees
16 (
17     employee_id integer NOT NULL,
18     first_name character varying(20),
19     last_name character varying(25) NOT NULL,
20     email character varying(100) NOT NULL,
21     phone_number character varying(20),
22     hire_date date NOT NULL,
23     job_id character varying(10) NOT NULL,
24     salary numeric(8, 2) NOT NULL,
25     commission_pct numeric(2, 2).
```

Data Output Explain Messages Notifications

COMMIT

Query returned successfully in 99 msec.

Task C: Load the database schema with data.

In this task of the Example Exercise, you will load the database schema you created in Task B of the Example Exercise with data using the pgAdmin restore feature.

1. Download the **HR_pgsql_dump_data_for_example-exercise.tar** PostgreSQL dump file (containing the partial HR database data) using the link below to your local computer storage.

- [HR_pgsql_dump_data_for_example-exercise.tar](#)

2. Follow the instructions below to import/restore the data:

- In the tree-view, expand **HR**. Right-click **HR** and click **Restore**.

pgAdmin File ▾ Object ▾ Tools ▾ Help ▾

Browser Dashboard Properties

Servers (1) postres Databases (2) HR

Casts Catalogs Event Triggers Extensions Foreign Data Wrappers Languages Publications Schemas (1)

public Collations Domains FTS Configuration FTS Dictionaries FTS Parsers FTS Templates Foreign Tables Functions Materialized Views Procedures Sequences Tables Trigger Functions Types Views Subscriptions

Create Refresh... Delete/Drop CREATE Script Disconnect Database... Generate ERD (Beta) Maintenance... Backup... Restore... Grant Wizard... Search Objects... Query Tool Properties...

- On the General tab, click the **Select file** button by the Filename box.

Restore (Database: HR)

General

Restore options

Format

Custom or tar

Filename

Number of jobs

Role name

Select an item...



- Click the **Upload File** button.

Select file



/var/lib/pgadmin/



Name	Size
sessions	4.0 kB
storage	4.0 kB

Show hidden files and folders?

- Double-click on the drop files area and load the **HR_pgsql_dump_data_for_example-exercise.tar** you downloaded earlier from your local computer storage.

Select file



/var/lib/pgadmin/



Double click on this space

Drop files here to upload. The file size limit (per file) is 50

Show hidden files and folders?

- When the upload is complete, close the drop files area by clicking the X button.

Select file



/var/lib/pgadmin/



21 KB



HR_pgsql_dump...
exercise.tar

100%

Drop files here to upload. The file size limit (per file) is 50

Show hidden files and folders?

- Make sure Format is set to All Files, select the uploaded **HR_pgsql_dump_data_for_example-exercise.tar** file from the list, and then click the **Select** button.

Select file



/var/lib/pgadmin/HR_pgsql_dump_data_for_example-ex...



Name	Size
HR_pgsql_dump_data_for_example-exercise.tar	20.5 kB
pgadmin4.db	156.0 kB
sessions	4.0 kB
storage	4.0 kB

Show hidden files and folders?

- Now switch to **Restore options** tab.

Restore (Database: HR)

General Restore options 

Format

Custom or tar

Filename

/var/lib/pgadmin/HR_pgsql_dump_data_for_examp

Number of jobs

Role name

Select an item...



- Under Disable, set the Trigger option to Yes. Then click **Restore** button.

General Restore options

Queries

Include CREATE
DATABASE
statement

No

Clean before
restore

No

Single
transaction

No

Disable

Trigger

Yes

No data for
Failed Tables


No



Practice Exercise

In this practice exercise, first you will finish creating a partially complete ERD for the HR database. Next, you will generate and execute an SQL script to build the complete schema of the HR database from its ERD. Finally, you will load the complete database schema with data by using restore feature.

1. Download the **HR_pgsql_ERD_for_practice-exercise.pgerd** ERD file (containing a partial HR database ERD based on the one that you created in Task A of Example Exercise) below to your local computer storage.
 - [HR_pgsql_ERD_for_practice-exercise.pgerd](#)
2. In pgAdmin, create a new database named **HR_Complete**.
3. Open the ERD Tool and use the **Load from file** button to load the **HR_pgsql_ERD_for_practice-exercise.pgerd** file.



Tip: Follow Example Exercise Task C for how to load any file in pgAdmin.

4. You will see the previous four entity diagrams along with relationships that you created in the Example Exercise. You will also see three new entity diagrams for the **job_history**, **regions**, and **countries** tables as well as one new relationship within the entity diagram of the **employees** table between *manager_id* as local column and *employee_id* as referenced column.

pgAdmin

File ▾ Object ▾ Tools ▾ Help ▾

Browser

Servers (1)

postgres

Databases (2)

HR_Complete

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Publications

Schemas

Subscriptions

postgres

Login/Group Roles

Tablespaces

Dashboard Properties SQL

HR_Complete/postgres@post

Regions

public

regions

region_id integer


region_name character varying(25)




5. Create the remaining relationships between the tables:

- ▶ [Click here] Create a relationship between countries and regions
- ▶ [Click here] Create a relationship between job_history and departments
- ▶ [Click here] Create a relationship between job_history and employees
- ▶ [Click here] Create a relationship between job_history and jobs
- ▶ [Click here] Create a relationship between locations and countries

Tip: Follow Example Exercise Task A for how to create relationships between the entities by adding foreign keys to the tables.

6. After creating the remaining relationships, the complete ERD of the HR database will look like the following image:





7. Generate and execute an SQL script from the ERD to create the schema of the **HR_Complete** database.

Tip: Follow Example Exercise Task B.

8. Download the **HR_pgsql_dump_data.tar** PostgreSQL dump file (containing the complete HR database data) below to your local computer storage. Use the dump file to restore/import the data to the **HR_Complete** database.

- o [HR_pgsql_dump_data.tar](#)

Tip: Follow Example Exercise Task C.

Congratulations! You have completed this lab, and you are ready for the next topic.

Author(s)

- [Sandip Saha Joy](#)

Other Contributor(s)

Changelog

Date	Version	Changed by	Change Description
------	---------	------------	--------------------

2021-03-31	1.0	Sandip Saha Joy	Created initial version
------------	-----	-----------------	-------------------------

© IBM Corporation 2021. All rights reserved.