

Cucumber Report

Apr 19, 2024, 2:32:02 PM

Start : Apr 19, 2:31:17.818 PM

End : Apr 19, 2:32:01.910 PM

Duration : 44.092 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 6
FAILED - 3
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Invalid Credentials</u>	44.092 s	3	0	3	0	9	6	3	0

#	Feature Name	Scenario Name
1	<u>Invalid Credentials</u>	<u>Login with invalid credentials</u>
2		<u>Login with invalid credentials</u>
3		<u>Login with invalid credentials</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@InvalidCredentials	3	0	3	0	1	0	1	0
@tag	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Invalid Credentials</u>	3	0	3	0	44.092 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Invalid Credentials</u>	<u>Login with invalid credentials</u>	3	2	1	0	14.947 s
2		<u>Login with invalid credentials</u>	3	2	1	0	14.546 s
3		<u>Login with invalid credentials</u>	3	2	1	0	14.584 s

Invalid Credentials

FAILED	DURATION - 44.092 s	Scenarios		Steps	
/ 2:31:17.818 PM // 2:32:01.910 PM /		Total - 3		Total - 9	
		Pass - 0		Pass - 6	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 0	



Login with invalid credentials

<div>FAILED</div> <div>DURATION - 14.947 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:31:17.823 PM // 2:31:32.770 PM /				
Invalid Credentials				
@InvalidCredentials @tag				


#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.822 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	1.596 s
3	Then User should be able to see error message "errorMessage"	FAILED	10.067 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///*[@id='app']/div[1]/div/div[1]/div/div[2]/div/div[1]/div[1]/p"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9ef7a6e5fec27fb025fa9691d4f8dce, findElement {value=//*[@id='app']/div[1]/div/div[1]/div/div[2]/div/div[1]/div[1]/p, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63663}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:63663/devtoo..., se.cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9ef7a6e5fec27fb025fa9691d4f8dce</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.getText(Unknown Source) at com.example.actions.LoginPageActions.getErrorMessage(LoginPageActions.java:51) at com.example.definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:59) at ?.User should be able to see error message "errorMessage"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/InvalidCredentials.feature:27) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.299 s
	Login with invalid credentials		
			



Login with invalid credentials

FAILED		DURATION - 14.546 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0		
/ 2:31:32.777 PM // 2:31:47.323 PM /							
Invalid Credentials							
@InvalidCredentials @tag							

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.819 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	1.499 s
3	Then User should be able to see error message "errorMessage"	FAILED	10.023 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/div/div[1]/div[1]/p"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [58d998d2036f5e1467864e8a3eddd4ac, findElement {value=//*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/div/div[1]/div[1]/p, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63700}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63700/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 58d998d2036f5e1467864e8a3eddd4ac</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.getText(Unknown Source) at com.example.actions.LoginPageActions.getErrorMessage(LoginPageActions.java:51) at com.example.definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:59) at ?.User should be able to see error message "errorMessage"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/InvalidCredentials.feature:27) * Not displayable characters are replaced by '?'. </p>		
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.257 s
	Login with invalid credentials		

#	Step / Hook Details	Status	Duration
			

Login with invalid credentials

<div>FAILED</div> <div>DURATION - 14.584 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:31:47.326 PM // 2:32:01.910 PM /</div>				
<div>Invalid Credentials</div>				
<div>@InvalidCredentials @tag</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.953 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	0.458 s
3	Then User should be able to see error message "errorMessage"	FAILED	11.059 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='app']/div[1]/div/div[1]/div/div[2]/div/div[1]/div[1]/p"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b931ad3d480813681063b056c263fd80, findElement {value=//*[@id='app']/div[1]/div/div[1]/div/div[2]/div/div[1]/div[1]/p, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63740}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:63740/devtoo..., se.cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b931ad3d480813681063b056c263fd80</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.getText(Unknown Source) at com.example.actions.LoginPageActions.getErrorMessage(LoginPageActions.java:51) at com.example.definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:59) at ?.User should be able to see error message "errorMessage"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/InvalidCredentials.feature:27) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.245 s
	Login with invalid credentials		
	