Cucumber Report

| Start : Apr 19, 2:32:15.925 PM	End : Apr 19, 2:33:54.180 PM	Duration : 1 m 38.255 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 6 FAILED - 3 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Invalid Credentials	1 m 38.255 s	3	0	3	0	9	6	3	0

#	Feature Name	Scenario Name
1	*Invalid Credentials*	*Login with invalid credentials*
2		*Login with invalid credentials*
3		*Login with invalid credentials*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@InvalidCredentials	3	0	3	0	1	0	1	0
@tag	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Invalid Credentials*	3	0	3	0	1 m 38.255 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Invalid Credentials	Login with invalid credentials	3	2	1	0	50.838 s
2		Login with invalid credentials	3	2	1	0	22.124 s
3		Login with invalid credentials	3	2	1	0	25.262 s

Invalid Credentials

FAILED	DURATION - 1 m 38.255 s	Scenarios		Steps	
/ 2:32:15.925 PM // 2:33:54.180 PM /		Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Total - 9 Pass - 6 Fail - 3 Skip - 0	9

Login with invalid credentials

FAILED	DURATION - 50.838 s		Steps	
/ 2:32:15.933 PM // 2:33:06.771 PM /			Total - 3 Pass - 2 Fail - 1 Skip - 0	3
Invalid Credentials				
@InvalidCredentials @tag				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.941 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	28.522 s
3	Then User should be able to see error message "errorMessage"	FAILED	10.024 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/div/div[1]/div[1]/p"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [89821d6c1fad815aae85b7ef12cc1eac, findElement {using=xpath, value=//*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/div/div[1]/div[1]/p}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63789}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63789/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 89821d6c1fad815aae85b7ef12cc1eac
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy22.getText(Unknown Source) at com.example.actions.LoginPageActions.getErrorMessage(LoginPageActions.java:51) at com.example.definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:59) at ?.User should be able to see error message "errorMessage"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/InvalidCredentials.feature:27) * Not displayable characters are replaced by '?'.		
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario) Login with invalid credentials 	PASSED	9.107 s

Login with invalid credentials

FAILED	DURATION - 22.124 s		Steps	
/ 2:33:06.790 PM // 2:33:28.914 PM /			Total - 3 Pass - 2 Fail - 1 Skip - 0	
Invalid Credentials				
@InvalidCredentials @tag				

| #	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.914 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	6.090 s
3	Then User should be able to see error message "errorMessage"	FAILED	10.058 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/div/div[1]/div[1]/p"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4db6d982d26fafe5c8d30158c682eb62, findElement {using=xpath, value=//*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/div/div[1]/div[1]/p}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63854}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63854/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4db6d982d26fafe5c8d30158c682eb62 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy22.getText(Unknown Source) at com.example.actions.LoginPageActions.getErrorMessage(LoginPageActions.java:51) at com.example.definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:59) at ?.User should be able to see error message "errorMessage"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/InvalidCredentials.feature:27) * Not displayable characters are replaced by '?'.		
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	3.087 s
	Login with invalid credentials		

#	Step / Hook Details	Status	Duration

Login with invalid credentials

FAILED	DURATION - 25.262 s		Steps
/ 2:33:28.918 PM // 2:33:54.180 PM /			Total - 3
Invalid Credentials			Pass - 2
			Fail - 1
@InvalidCredentials @tag			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.981 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	12.344 s
3	Then User should be able to see error message "errorMessage"	FAILED	10.015 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/div/div[1]/div[1]/p For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy22.getText(Unknown Source)
	    at com.example.actions.LoginPageActions.getErrorMessage(LoginPageActions.java:51)
	    at com.example.definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:59)
	    at ?.User should be able to see error message "errorMessage"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/InvalidCredentials.feature:27)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94e1e1a395293f96f4607edfc47feade, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63898}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63898/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 94e1e1a395293f96f4607edfc47feade
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)
	  at com.example.definitions.Hooks.tearDown(Hooks.java:22)		