

Cucumber Report

Apr 19, 2024, 1:59:40 PM

Start : Apr 19, 1:55:08.635 PM

End : Apr 19, 1:59:39.769 PM

Duration : 4 m 31.134 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0


PASSED - 3
FAILED - 3
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Title of your feature</u>	4 m 31.134 s	4	1	3	0	9	3	3	3

#	Feature Name	Scenario Name
1	<u>Title of your feature</u>	<u>Login with invalid credentials</u>
2		<u>Login with invalid credentials</u>
3		<u>Login with invalid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	0	1	0
@tag	4	1	3	0	1	0	1	0
@InvalidCredentials	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	4	1	3	0	4 m 31.134 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	<u>Login with valid credentials</u>	3	3	0	0	14.351 s
2		<u>Login with invalid credentials</u>	2	0	1	1	24.650 s
3		<u>Login with invalid credentials</u>	2	0	1	1	1 m 15.454 s
4		<u>Login with invalid credentials</u>	2	0	1	1	2 m 36.657 s

Title of your feature



FAILED	DURATION - 4 m 31.134 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 9 Pass - 3 Fail - 3 Skip - 3	
/ 1:55:08.635 PM // 1:59:39.769 PM /					

Login with valid credentials

PASSED	DURATION - 14.351 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:55:08.638 PM // 1:55:22.989 PM /				
Title of your feature				
@ValidCredentials @tag				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	2.009 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	10.216 s
3	Then User should be able to login successfully and new page open	PASSED	0.034 s



Login with invalid credentials

FAILED	DURATION - 24.650 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 1:55:22.996 PM // 1:55:47.646 PM /				
Title of your feature				
@InvalidCredentials @tag				

#	Step / Hook Details	Status	Duration
1	<p>When User enters username as "Admin" and password as "admin12\$\$"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e64051f24f60404559727836c0e509f5, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63609}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63609/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e64051f24f60404559727836c0e509f5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.sendKeys(Unknown Source) at com.example.actions.LoginPageActions.setUserName(LoginPageActions.java:20) at com.example.actions.LoginPageActions.login(LoginPageActions.java:75) at com.exampledefinitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:35) at ?.User enters username as "Admin" and password as "admin12\$\$" (file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/login.feature:31) * Not displayable characters are replaced by '?'. </pre>	FAILED	23.402 s
2	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.001 s
	AFTER - com.exampledefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.316 s
	Login with invalid credentials		

#	Step / Hook Details	Status	Duration

Login with invalid credentials

<div>FAILED</div> <div>DURATION - 1 m 15.454 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:55:47.654 PM // 1:57:03.108 PM /</div>				
<div>Title of your feature</div>				
<div>@InvalidCredentials @tag</div>				

#	Step / Hook Details	Status	Duration
1	When User enters username as "admin\$\$" and password as "admin123" <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2485b180a0959d7e4bfe57d8c6f71a42, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63644}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63644/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2485b180a0959d7e4bfe57d8c6f71a42 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</pre>	FAILED	1 m 14.222 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.sendKeys(Unknown Source) at com.example.actions.LoginPageActions.setUserName(LoginPageActions.java:20) at com.example.actions.LoginPageActions.login(LoginPageActions.java:75) at com.example.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:35) at ?.User enters username as "admin\$\$" and password as "admin123"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/login.feature:31) * Not displayable characters are replaced by '?'. </pre>		
2	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.000 s
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.306 s
	Login with invalid credentials		

Login with invalid credentials

FAILED DURATION - 2 m 36.657 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 1:57:03.112 PM // 1:59:39.769 PM /			
Title of your feature			
@InvalidCredentials @tag			

#	Step / Hook Details	Status	Duration
1	When User enters username as "abc123" and password as "xyz\$\$"	FAILED	2 m 35.487 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a0baf07bc334d39359c3f3fec450128b, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63719}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63719/devtoo..., se.cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a0baf07bc334d39359c3f3fec450128b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.sendKeys(Unknown Source) at com.example.actions.LoginPageActions.setUserName(LoginPageActions.java:20) at com.example.actions.LoginPageActions.login(LoginPageActions.java:75) at com.example.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:35) at ?.User enters username as "abc123" and password as "xyz\$\$"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/login.feature:31) * Not displayable characters are replaced by '?'. </p>		
2	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.000 s
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.239 s
	Login with invalid credentials		

#	Step / Hook Details	Status	Duration