

Cucumber Report

Apr 19, 2024, 2:10:46 PM

Start : Apr 19, 2:10:11.158 PM

End : Apr 19, 2:10:45.781 PM

Duration : 34.623 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Invalid Credentials</u>	34.623 s	3	0	3	0	6	0	3	3

#	Feature Name	Scenario Name
1	<u>Invalid Credentials</u>	<u>Login with invalid credentials</u>
2		<u>Login with invalid credentials</u>
3		<u>Login with invalid credentials</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@InvalidCredentials	3	0	3	0	1	0	1	0
@tag	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Invalid Credentials</u>	3	0	3	0	34.623 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Invalid Credentials</u>	<u>Login with invalid credentials</u>	2	0	1	1	11.821 s
2		<u>Login with invalid credentials</u>	2	0	1	1	11.296 s
3		<u>Login with invalid credentials</u>	2	0	1	1	11.478 s

Invalid Credentials

FAILED	DURATION - 34.623 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 6 Pass - 0 Fail - 3 Skip - 3	
/ 2:10:11.158 PM // 2:10:45.781 PM /					



Login with invalid credentials

<div>FAILED</div> <div>DURATION - 11.821 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 2:10:11.164 PM // 2:10:22.985 PM /				
Invalid Credentials				
@InvalidCredentials @tag				

#	Step / Hook Details	Status	Duration
1	<p>When User enters username as "Admin" and password as "admin12\$\$"</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd93a718592a27e2b541439295d89c53, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51462}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51462/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fd93a718592a27e2b541439295d89c53</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p>	FAILED	10.088 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.sendKeys(Unknown Source) at com.example.actions.LoginPageActions.setUserName(LoginPageActions.java:20) at com.example.actions.LoginPageActions.login(LoginPageActions.java:75) at com.example.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:35) at ?.User enters username as "Admin" and password as "admin12\$\$"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/ resources/features/InvalidCredentials.feature:25) * Not displayable characters are replaced by '?'. </pre>		
2	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.002 s
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.299 s
	Login with invalid credentials		



Login with invalid credentials

FAILED DURATION - 11.296 s / 2:10:23.003 PM // 2:10:34.299 PM / Invalid Credentials @InvalidCredentials @tag		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	<p>When User enters username as "admin\$\$" and password as "admin123"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f2c85080e541f0b513e7cc3892d92e47, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51512}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51512/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f2c85080e541f0b513e7cc3892d92e47 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.sendKeys(Unknown Source) at com.example.actions.LoginPageActions.setUserName(LoginPageActions.java:20) at com.example.actions.LoginPageActions.login(LoginPageActions.java:75) at com.exampledefinitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:35) at ?.User enters username as "admin\$\$" and password as "admin123"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/InvalidCredentials.feature:25) * Not displayable characters are replaced by '?'. </pre>	FAILED	10.060 s
2	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.000 s
	AFTER - com.exampledefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.296 s
	Login with invalid credentials		

#	Step / Hook Details	Status	Duration

Login with invalid credentials

<div>FAILED</div> <div>DURATION - 11.478 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:10:34.303 PM // 2:10:45.781 PM /</div>				
<div>Invalid Credentials</div>				
<div>@InvalidCredentials @tag</div>				

#	Step / Hook Details	Status	Duration
1	<p>When User enters username as "abc123" and password as "xyz\$\$"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [59fdf19e5242d357ae6d49538c01b74e, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51725}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51725/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 59fdf19e5242d357ae6d49538c01b74e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</pre>	FAILED	10.034 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.sendKeys(Unknown Source) at com.example.actions.LoginPageActions.setUserName(LoginPageActions.java:20) at com.example.actions.LoginPageActions.login(LoginPageActions.java:75) at com.example.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:35) at ?.User enters username as "abc123" and password as "xyz\$\$"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/InvalidCredentials.feature:25) * Not displayable characters are replaced by '?'.		
2	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.000 s
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.290 s
	Login with invalid credentials		