**Duration: 12.307 s** Start: Apr 19, 2:15:06.171 PM End: Apr 19, 2:15:18.478 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Invalid Credentials	12.307 s	1	0	1	0	2	0	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Invalid Credentials	Login with invalid credentials


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@InvalidCredentials	1	0	1	0	1	0	1	0
@tag	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Invalid Credentials	1	0	1	0	12.307 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	Invalid Credentials	Login with invalid credentials	2	0	1	1	12.304 s	

DETAILED SECTION -- 7 --

## **Invalid Credentials**

FAILED	DURATION - 12.307 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 2:15:06.171 PM //	2:15:18.478 PM /	Pass - 0	1	Pass - 0	2
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## **Login with invalid credentials**



#	Step / Hook Details	Status	Duration
1	When User enters username as "username" and password as "password"	FAILED	10.088 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector", selector, se		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.sendKeys(Unknown Source) at com.example.actions.LoginPageActions.setUserName(LoginPageActions.java:20) at com.example.actions.LoginPageActions.login(LoginPageActions.java:75) at com.example.definitions.LoginPageActions.login(LoginPageActions.java:35) at ?.User enters username as "username" and password as "password"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/InvalidCredentials.feature:25) * Not displayable characters are replaced by '?'.		
2	Then User should be able to see error message "errorMessage"  username password errorMessage Admin admin12\$\$ Invalid credentials admin\$\$ admin123 Invalid credentials abc123 xyz\$\$ Invalid credentials	SKIPPED	0.004 s
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)  Login with invalid credentials	PASSED	0.290 s