

Cucumber Report

Apr 19, 2024, 12:33:18 PM

Start : Apr 19, 12:32:40.746 PM

End : Apr 19, 12:33:17.507 PM

Duration : 36.761 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0


PASSED - 3
FAILED - 3
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Title of your feature</u>	36.761 s	4	1	3	0	9	3	3	3

#	Feature Name	Scenario Name
1	<u>Title of your feature</u>	<u>Login with invalid credentials</u>
2		<u>Login with invalid credentials</u>
3		<u>Login with invalid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	0	1	0
@tag	4	1	3	0	1	0	1	0
@InvalidCredentials	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	4	1	3	0	36.761 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	<u>Login with valid credentials</u>	3	3	0	0	4.756 s
2		<u>Login with invalid credentials</u>	2	0	1	1	11.182 s
3		<u>Login with invalid credentials</u>	2	0	1	1	11.173 s
4		<u>Login with invalid credentials</u>	2	0	1	1	9.631 s

Title of your feature



FAILED	DURATION - 36.761 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 9 Pass - 3 Fail - 3 Skip - 3	
/ 12:32:40.746 PM // 12:33:17.507 PM /					

Login with valid credentials

PASSED	DURATION - 4.756 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:40.748 PM // 12:32:45.504 PM /				
Title of your feature				
@ValidCredentials @tag				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.653 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	1.344 s
3	Then User should be able to login successfully and new page open	PASSED	0.283 s



Login with invalid credentials

FAILED	DURATION - 11.182 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 12:32:45.512 PM // 12:32:56.694 PM /				
Title of your feature				
@InvalidCredentials @tag				

#	Step / Hook Details	Status	Duration
1	<p>When User enters username as "Admin" and password as "admin12\$\$"</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0c43851629d0745eef68b6350f45de61, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60430}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60430/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0c43851629d0745eef68b6350f45de61</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.sendKeys(Unknown Source) at com.example.actions.LoginPageActions.setUserName(LoginPageActions.java:20) at com.example.actions.LoginPageActions.login(LoginPageActions.java:75) at com.exampledefinitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:35) at ?.User enters username as "Admin" and password as "admin12\$\$" (file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/login.feature:31) * Not displayable characters are replaced by '?'. </p>	FAILED	10.020 s
2	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.000 s
	AFTER - com.exampledefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.221 s
	Login with invalid credentials		

#	Step / Hook Details	Status	Duration

Login with invalid credentials

<div>FAILED</div> <div>DURATION - 11.173 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:32:56.700 PM // 12:33:07.873 PM /				
Title of your feature				
@InvalidCredentials @tag				

#	Step / Hook Details	Status	Duration
1	When User enters username as "admin\$\$" and password as "admin123" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [98244ac0b6f7636597c08439932af5c8, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60455}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60455/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 98244ac0b6f7636597c08439932af5c8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)	FAILED	10.070 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.sendKeys(Unknown Source) at com.example.actions.LoginPageActions.setUserName(LoginPageActions.java:20) at com.example.actions.LoginPageActions.login(LoginPageActions.java:75) at com.example.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:35) at ?.User enters username as "admin\$\$" and password as "admin123"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/login.feature:31) * Not displayable characters are replaced by '?'. </pre>		
2	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.001 s
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.187 s
	Login with invalid credentials		

Login with invalid credentials

FAILED DURATION - 9.631 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 12:33:07.876 PM // 12:33:17.507 PM /			
Title of your feature			
@InvalidCredentials @tag			

#	Step / Hook Details	Status	Duration
1	When User enters username as "abc123" and password as "xyz\$\$"	FAILED	8.691 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=123.0.6312.123) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8e6b90d38f724c3d7a23963201ecb370, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60482}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60482/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8e6b90d38f724c3d7a23963201ecb370</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy22.sendKeys(Unknown Source) at com.example.actions.LoginPageActions.setUserName(LoginPageActions.java:20) at com.example.actions.LoginPageActions.login(LoginPageActions.java:75) at com.exampledefinitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:35) at ?.User enters username as "abc123" and password as "xyz\$\$"(file:///C:/Users/Suzanne/eclipse-workspace/ExtentReport5/src/test/resources/features/login.feature:31) * Not displayable characters are replaced by '?'. </p>		
2	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.000 s
	<p>AFTER - com.exampledefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=123.0.6312.123) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8e6b90d38f724c3d7a23963201ecb370, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\Suzanne\AppData\Lo...},</p>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<p>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60482}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60482/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8e6b90d38f724c3d7a23963201ecb370</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.example.definitions.Hooks.tearDown(Hooks.java:22)</p>		