

# SNU Beamer Template

Gildong Hong\*

Seoul National University

November 2, 2025

Target distribution  $\pi(C) \propto \exp[\beta(\mu N - E(C))]$

Using a Metropolis-Hastings scheme with uniform proposal over sites:

Target distribution  $\pi(C) \propto \exp[\beta(\mu N - E(C))]$

Using a Metropolis-Hastings scheme with uniform proposal over sites:

- Insertion proposal: choose one empty site uniformly and attempt  $(N \rightarrow N + 1)$

$$p_{\text{ins}} = \min\left(1, e^{\beta\mu} \frac{V - N}{N + 1}\right)$$

Target distribution  $\pi(C) \propto \exp[\beta(\mu N - E(C))]$

Using a Metropolis-Hastings scheme with uniform proposal over sites:

- Insertion proposal: choose one empty site uniformly and attempt  $(N \rightarrow N + 1)$

$$p_{\text{ins}} = \min\left(1, e^{\beta\mu} \frac{V - N}{N + 1}\right)$$

- Deletion proposal: choose one occupied site uniformly and attempt  $(N \rightarrow N - 1)$

$$p_{\text{del}} = \min\left(1, e^{-\beta\mu} \frac{N}{V - N + 1}\right)$$




Figure 1: Overview of molecular modeling of charged interfacial materials systems.[1]

# Two Columns



Alphabet	Number
A	1
B	2
C	3
D	4

Table 1: Table



Figure 2: Seoul National University

# Takeaways



- Item A
- Item B



- [1] K.-j. Jeong et al. Predictive Molecular Models for Charged Materials Systems: From Energy Materials to Biomacromolecules. *Adv. Mater.* **2023**, 35, 2204272.



**Thank you**

Questions?