

```
1  #include <stdio.h>
2  int main() {
3      int a[10],n,i,sum=0;
4      float avg;
5
6      scanf("%d",&n);
7      for(i=0;i<n;i++) {
8          scanf("%d",&a[i]);
9          sum += a[i];
10     }
11
12     avg=(float)sum/n;
13     printf("Sum = %d\nAverage = %.2f",sum,avg);
14     return 0;
15 }
```



input

```
0 20 30 40 50
um = 150
verage = 30.00
```

```
..Program finished with exit code 0
ress ENTER to exit console.
```

```
1  #include <stdio.h>
2  int main() {
3      int a[10],n,i;
4      scanf("%d",&n);
5
6      for(i=0;i<n;i++) scanf("%d",&a[i]);
7
8      printf("Reverse: ");
9      for(i=n-1;i>=0;i--) printf("%d ",a[i]);
10     return 0;
11 }
```



input

```
5
10 20 30 40 50
Reverse: 50 40 30 20 10
```

```
...Program finished with exit code 0
Press ENTER to exit console.
```

```
1  #include <stdio.h>
2  int main() {
3      int a[10],n,i,pos,x;
4      scanf("%d",&n);
5
6      for(i=0;i<n;i++) scanf("%d",&a[i]);
7
8      scanf("%d%d",&pos,&x);
9
10     for(i=n;i>=pos;i--) a[i]=a[i-1];
11     a[pos-1]=x;
12     n++;
13
14     for(i=0;i<n;i++) printf("%d ",a[i]);
15     return 0;
16 }
```



input

```
4
10 20 30 40
8 25
10 20 25 30 40
```

```
...Program finished with exit code 0
Press ENTER to exit console.
```

```
1  #include <stdio.h>
2  int main() {
3      int a[5],b[5],n,m,i;
4      scanf("%d",&n);
5      for(i=0;i<n;i++) scanf("%d",&a[i]);
6
7      scanf("%d",&m);
8      for(i=0;i<m;i++) scanf("%d",&b[i]);
9
10     for(i=0;i<n;i++) printf("%d ",a[i]);
11     for(i=0;i<m;i++) printf("%d ",b[i]);
12
13     return 0;
14 }
```



input

```
3
10 20 30
3
40 50 60
10 20 30 40 50 60
```

```
...Program finished with exit code 0
Press ENTER to exit console.
```

```
1  #include <stdio.h>
2  int main() {
3      int a[10],b[10],n,i;
4      scanf("%d",&n);
5
6      for(i=0;i<n;i++) scanf("%d",&a[i]);
7
8      for(i=0;i<n;i++) b[i]=a[i];
9
10     printf("Copied array: ");
11     for(i=0;i<n;i++) printf("%d ",b[i]);
12     return 0;
13 }
```



input

```
5 10 15 20
Copied array: 5 10 15 20
```

```
...Program finished with exit code 0
Press ENTER to exit console.
```

```
1  #include <stdio.h>
2  int main() {
3      int a[10],n,i,j;
4      scanf("%d",&n);
5
6      for(i=0;i<n;i++) scanf("%d",&a[i]);
7
8      printf("Duplicates: ");
9      for(i=0;i<n;i++)
10         for(j=i+1;j<n;j++)
11             if(a[i]==a[j]) {
12                 printf("%d ",a[i]);
13                 break;
14             }
15
16     return 0;
17 }
```



input

```
6
10 20 20 30 40 50
Duplicates: 20

...Program finished with exit code 0
Press ENTER to exit console.
```

```
1  #include <stdio.h>
2  int main() {
3      int a[10],n,i,pos;
4      scanf("%d",&n);
5
6      for(i=0;i<n;i++) scanf("%d",&a[i]);
7
8      scanf("%d",&pos);
9
10     for(i=pos-1;i<n-1;i++) a[i]=a[i+1];
11     n--;
12
13     for(i=0;i<n;i++) printf("%d ",a[i]);
14     return 0;
15 }
```

input

```
3
10 20 30
2
10 30
```

```
...Program finished with exit code 0
Press ENTER to exit console.
```

main.c

```
1  #include <stdio.h>
2  int main() {
3      int a[10],n,i,e=0,o=0;
4      scanf("%d",&n);
5
6      for(i=0;i<n;i++) {
7          scanf("%d",&a[i]);
8          if(a[i]%2==0) e++;
9          else o++;
10     }
11
12     printf("Even = %d\nOdd = %d",e,o);
13     return 0;
14 }
15
```



input

```
6
10 15 20 25 30 35
Even = 3
Odd = 3
```

```
...Program finished with exit code 0
Press ENTER to exit console.
```

```
1  #include <stdio.h>
2  int main() {
3      int a[10],n,i,max,min;
4      scanf("%d",&n);
5
6      for(i=0;i<n;i++) scanf("%d",&a[i]);
7
8      max=min=a[0];
9      for(i=1;i<n;i++) {
10         if(a[i]>max) max=a[i];
11         if(a[i]<min) min=a[i];
12     }
13
14     printf("Largest = %d\nSmallest = %d",max,min);
15     return 0;
16 }
17
```



input

```
5
25 10 45 5 30
Largest = 45
Smallest = 5
```

```
...Program finished with exit code 0
Press ENTER to exit console.
```

main.c

```
1  #include <stdio.h>
2  int main() {
3      int a[10], n, i;
4      scanf("%d",&n);
5
6      for(i=0;i<n;i++) scanf("%d",&a[i]);
7
8      printf("Array: ");
9      for(i=0;i<n;i++) printf("%d ",a[i]);
10     return 0;
11 }
12
```



input

```
5
10 20 30 40 50
Array: 10 20 30 40 50
```

```
...Program finished with exit code 0
Press ENTER to exit console.
```