

Name		Aftera Begum		ID1	020		Gender	Female	Age	70	Weight (kg)	28.00	Height (cm)	152.0			
Company		--		D.O.B.	1/2/1949		ID2	BMI (kg/m2)		12.1	Smoke	--	Smoking Years	--	Cig/Day	--	
Occupation		--		Operator				Physician								--	
Ethnic		South East Asia		Room		--		Set								GLI (Spirometry)	

**Interpretation:**

The subject has a FEV1/FVC% ratio of 76.3% which is within the normal limit and a FVC value of 1.07 L which is below the LLN. Test results indicate a POSSIBLE RESTRICTION.

Additional test to measure Total Lung Capacity is required to confirm or exclude this interpretation.

**\*\* Unconfirmed \*\*** - Automatically generated interpretation










Confirm Report

**Signature:** \_\_\_\_\_

**Forced Vital Capacity**

@ 5:50 PM

PRE						
		Meas.	Normal Range	Pred	% Pred	z score
FVC	L	<b>1.07</b>	1.49 - 2.71	2.09	51	
FEV1	L	<b>0.82</b>	1.19 - 2.16	1.68	48	
FEV1/FVC%	%	<b>76.3</b>	69.2 - 91.2	80.9	94	
PEF	L/s	<b>1.69</b>	---	-	-	-
FEF25-75%	L/s	<b>0.78</b>	0.78 - 2.79	1.62	48	
MEF25%	L/s	<b>0.34</b>	0.16 - 1.08	0.42	81	
MEF50%	L/s	<b>1.03</b>	---	-	-	-
MEF75%	L/s	<b>1.41</b>	---	-	-	-
FEV6	L	<b>1.03</b>	---	-	-	-
FEV1/FEV6%	%	<b>79.1</b>	---	-	-	-
MIF/MEF50%	---	<b>0.6</b>	---	-	-	-
FEV1/VCmax%	%	<b>76.3</b>	69.2 - 91.2	80.9	94	



System QC Pre: A B C **D** E F Barely Passing

Operator QC Pre: A B C D E F