

Name		Shalekha Begum			ID1	073	Gender	Female	Age	65	Weight (kg)	56.00	Height (cm)	157.0
Company		--			D.O.B.	3/2/1954	ID2	--	BMI (kg/m2)	22.7	Smoke	--	Smoking Years	--
Occupation		--			Operator			Physician						
Ethnic		Room			Set									
South East Asia		--			GLI (Spirometry)									

**Interpretation:**

The subject has a FEV1/FVC% ratio of 88.1% which is within the normal limit and a FVC value of 1.17 L which is below the LLN. Test results indicate a POSSIBLE RESTRICTION.

Additional test to measure Total Lung Capacity is required to confirm or exclude this interpretation.







**\*\* Unconfirmed \*\*** - Automatically generated interpretation




Confirm Report

**Signature:**
**Forced Vital Capacity**

@ 4:18 PM

PRE						
		Meas.	Normal Range	Pred	% Pred	z score
FVC	L	<b>1.17</b>	1.74 - 3.05	2.37	49	
FEV1	L	<b>1.03</b>	1.39 - 2.44	1.92	53	
FEV1/FVC%	%	<b>88.1</b>	70.2 - 91.0	81.3	108	
PEF	L/s	<b>1.49</b>	---	-	-	-
FEF25-75%	L/s	<b>1.13</b>	0.94 - 3.13	1.86	61	
MEF25%	L/s	<b>0.78</b>	0.21 - 1.29	0.53	147	
MEF50%	L/s	<b>1.25</b>	---	-	-	-
MEF75%	L/s	<b>1.45</b>	---	-	-	-
FEV6	L	<b>0.00</b>	---	-	-	-
FEV1/FEV6%	%	<b>0.0</b>	---	-	-	-
MIF/MEF50%	---	<b>1.4</b>	---	-	-	-
FEV1/VCmax%	%	<b>88.1</b>	70.2 - 91.0	81.3	108	


 System QC Pre: A B C **D** E F Barely Passing

Operator QC Pre: A B C D E F