

Name		Dilara Begum		ID1		060	Gender	Female	Age	45	Weight (kg)	38.00	Height (cm)	152.0	
Company		--		D.O.B.		3/2/1974	ID2		--	BMI (kg/m2)	16.4	Smoke	--	Smoking Years	Cig/Day
Occupation		--		Operator		--		Physician							
Ethnic		Room		Set		GLI (Spirometry)									
South East Asia		--		GLI (Spirometry)											

Interpretation:

The subject has a FEV1/FVC% ratio of 46.8% and a FVC value of 1.79 L which are below the LLN. Test results indicate a POSSIBLE OBSTRUCTION.

Additional test to measure Total Lung Capacity is required to confirm or exclude this interpretation.







**** Unconfirmed **** - Automatically generated interpretation


☐

Confirm Report

Signature:
Forced Vital Capacity

@ 4:57 PM

PRE						
		Meas.	Normal Range	Pred	% Pred	z score
FVC	L	1.79	2.05 - 3.23	2.63	68	
FEV1	L	0.84	1.71 - 2.70	2.21	38	
FEV1/FVC%	%	46.8	74.6 - 92.4	84.2	56	
PEF	L/s	0.75	---	-	-	-
FEF25-75%	L/s	0.51	1.54 - 3.83	2.57	20	
MEF25%	L/s	0.27	0.46 - 1.91	0.98	27	
MEF50%	L/s	0.56	---	-	-	-
MEF75%	L/s	0.64	---	-	-	-
FEV6	L	1.78	---	-	-	-
FEV1/FEV6%	%	47.1	---	-	-	-
MIF/MEF50%	---	2.1	---	-	-	-
FEV1/VCmax%	%	46.8	74.6 - 92.4	84.2	56	


 System QC Pre: A B C **D** E F Barely Passing

Operator QC Pre: A B C D E F