

Data Processing

Team 2

2025-11-03

Data reading

```
data <- read.csv("00_ProstateCancer_Data.csv", header=T)
head(data)
```

```
## Hasta_ID Yas Tani_Tarihi PSA_Tani Klinik_Evre Biyopsi_Gleason Risk_Grubu
## 1 0 59 2022-12-09 41.3 cT3a 3+5 3
## 2 1 69 2023-08-26 12.9 cT2b 4+3 2
## 3 2 66 2021-11-17 32.0 cT3b 3+5 3
## 4 3 59 2022-01-15 142.7 cT3b 4+4 3
## 5 4 70 2021-07-07 16.2 cT2b 3+4 2
## 6 5 73 2023-06-17 55.7 cT3b 5+4 3
## Albumin Lenfosit CRP NLR CALLY_Index Komorbidite_Skor Tedavi_Tipi
## 1 4.1 2227 0.58 1.7 1.6 2 1
## 2 4.6 1168 0.12 1.7 4.5 0 1
## 3 4.1 1125 0.16 3.5 2.9 1 4
## 4 3.5 1623 1.76 1.7 0.3 0 2
## 5 4.3 1399 0.53 2.3 1.1 2 2
## 6 4.2 2103 0.10 2.2 8.8 4 2
## Tedavi_Tarihi RT_Dozu ADT_Tipi ADT_Suresi Patolojik_Evre Cerrahi_Sinir
## 1 2023-02-14 NA NA NA pT2c 0
## 2 2023-10-08 NA NA NA pT2a 1
## 3 2022-01-19 70 1 12 NA
## 4 2022-03-30 74 NA NA NA
## 5 2021-07-28 70 NA NA NA
## 6 2023-07-28 70 NA NA NA
## Final_Gleason PSA_Nadir PSA_Takip_3ay PSA_Takip_6ay PSA_Takip_12ay BCR_Durum
## 1 3+5 0.14 0.14 0.17 0.21 True
## 2 4+5 0.04 0.04 0.04 0.06 False
## 3 0.30 1.03 0.33 0.38 False
## 4 0.20 0.61 0.63 0.71 False
## 5 0.28 0.90 0.38 0.46 False
## 6 0.81 2.38 1.57 4.47 True
## BCR_Tarihi Metastaz_Durum Metastaz_Tarihi Son_Durum Son_Takip_Tarihi
## 1 2028-01-11 0 NA 1 2029-05-22
## 2 0 NA 1 2029-06-12
## 3 0 NA 0 2022-03-05
## 4 0 NA 1 2023-11-06
## 5 0 NA 1 2027-11-16
## 6 2025-04-06 0 NA 1 2029-04-19
```

```
str(data)
```

```
## 'data.frame': 600 obs. of 31 variables:
## $ Hasta_ID : int 0 1 2 3 4 5 6 7 8 9 ...
## $ Yas : int 59 69 66 59 70 73 72 72 63 57 ...
## $ Tani_Tarihi : chr "2022-12-09" "2023-08-26" "2021-11-17" "2022-01-15" ...
## $ PSA_Tani : num 41.3 12.9 32 142.7 16.2 ...
## $ Klinik_Evre : chr "cT3a" "cT2b" "cT3b" "cT3b" ...
## $ Biyopsi_Gleason : chr "3+5" "4+3" "3+5" "4+4" ...
## $ Risk_Grubu : int 3 2 3 3 2 3 3 3 3 3 ...
## $ Albumin : num 4.1 4.6 4.1 3.5 4.3 4.2 4.8 4.2 4 4.5 ...
## $ Lenfosit : int 2227 1168 1125 1623 1399 2103 2038 1418 1936 1348 ...
## $ CRP : num 0.58 0.12 0.16 1.76 0.53 0.1 0.46 0.27 0.11 0.62 ...
## $ NLR : num 1.7 1.7 3.5 1.7 2.3 2.2 4 2.8 2.3 1.8 ...
## $ CALLY_Index : num 1.6 4.5 2.9 0.3 1.1 8.8 2.1 2.2 7 1 ...
## $ Komorbidite_Skor : int 2 0 1 0 2 4 0 2 3 5 ...
## $ Tedavi_Tipi : int 1 1 4 2 2 2 2 1 1 3 ...
## $ Tedavi_Tarihi : chr "2023-02-14" "2023-10-08" "2022-01-19" "2022-03-30" ...
## $ RT_Dozu : num NA NA 70 74 70 70 76 NA NA NA ...
## $ ADT_Tipi : num NA NA 1 NA NA NA NA NA NA 2 ...
## $ ADT_Suresi : num NA NA 12 NA NA NA NA NA NA 12 ...
## $ Patolojik_Evre : chr "pT2c" "pT2a" "" "" ...
## $ Cerrahi_Sinir : num 0 1 NA NA NA NA NA 1 1 NA ...
## $ Final_Gleason : chr "3+5" "4+5" "" "" ...
## $ PSA_Nadir : num 0.14 0.04 0.3 0.2 0.28 0.81 0.36 0.04 0.04 0.39 ...
## $ PSA_Takip_3ay : num 0.14 0.04 1.03 0.61 0.9 2.38 1.28 0.04 0.05 1.5 ...
## $ PSA_Takip_6ay : num 0.17 0.04 0.33 0.63 0.38 1.57 0.94 0.04 0.04 0.82 ...
## $ PSA_Takip_12ay : num 0.21 0.06 0.38 0.71 0.46 4.47 0.56 0.08 0.04 0.39 ...
## $ BCR_Durum : chr "True" "False" "False" "False" ...
## $ BCR_Tarihi : chr "2028-01-11" "" "" "" ...
## $ Metastaz_Durum : int 0 0 0 0 0 0 0 0 0 0 ...
## $ Metastaz_Tarihi : logi NA NA NA NA NA NA ...
## $ Son_Durum : int 1 1 0 1 1 1 1 1 1 1 ...
## $ Son_Takip_Tarihi : chr "2029-05-22" "2029-06-12" "2022-03-05" "2023-11-06" ...
```

```
summary(data)
```

```
## Hasta_ID Yas Tani_Tarihi PSA_Tani
## Min. : 0.0 Min. :50.00 Length:600 Min. : 2.50
## 1st Qu.:149.8 1st Qu.:62.00 Class :character 1st Qu.: 18.10
## Median :299.5 Median :67.00 Mode :character Median : 59.35
## Mean :299.5 Mean :67.09 Mean : 64.70
## 3rd Qu.:449.2 3rd Qu.:72.00 3rd Qu.:108.42
## Max. :599.0 Max. :85.00 Max. :150.00
##
## Klinik_Evre Biyopsi_Gleason Risk_Grubu Albumin
## Length:600 Length:600 Min. :1.00 Min. :3.500
## Class :character Class :character 1st Qu.:2.00 1st Qu.:4.000
## Mode :character Mode :character Median :3.00 Median :4.200
## Mean :2.62 Mean :4.219
## 3rd Qu.:3.00 3rd Qu.:4.500
## Max. :3.00 Max. :5.000
##
```

```

##      Lenfosit      CRP      NLR      CALLY_Index
## Min.      :1000    Min.      :0.100    Min.      :1.000    Min.      : 0.200
## 1st Qu.:1561    1st Qu.:0.130    1st Qu.:2.000    1st Qu.: 1.100
## Median :1834    Median :0.345    Median :2.500    Median : 2.100
## Mean      :1827    Mean      :0.518    Mean      :2.503    Mean      : 3.346
## 3rd Qu.:2093    3rd Qu.:0.690    3rd Qu.:3.000    3rd Qu.: 5.425
## Max.      :2936    Max.      :3.590    Max.      :5.000    Max.      :13.000
##
## Komorbidite_Skor  Tedavi_Tipi  Tedavi_Tarihi  RT_Dozu
## Min.      :0.000    Min.      :1.000    Length:600    Min.      :70.00
## 1st Qu.:1.000    1st Qu.:1.000    Class :character  1st Qu.:74.00
## Median :3.000    Median :2.000    Mode  :character  Median :76.00
## Mean      :2.515    Mean      :2.005                      Mean      :74.63
## 3rd Qu.:4.000    3rd Qu.:3.000                      3rd Qu.:76.00
## Max.      :5.000    Max.      :4.000                      Max.      :78.00
##                                     NA's      :325
##      ADT_Tipi      ADT_Suresi  Patolojik_Evre  Cerrahi_Sinir
## Min.      :1.000    Min.      : 6    Length:600    Min.      :0.0000
## 1st Qu.:1.000    1st Qu.:12    Class :character  1st Qu.:0.0000
## Median :2.000    Median :24    Mode  :character  Median :0.0000
## Mean      :2.012    Mean      :21                      Mean      :0.4764
## 3rd Qu.:3.000    3rd Qu.:36                      3rd Qu.:1.0000
## Max.      :3.000    Max.      :36                      Max.      :1.0000
## NA's      :436    NA's      :436                      NA's      :346
## Final_Gleason      PSA_Nadir      PSA_Takip_3ay  PSA_Takip_6ay
## Length:600          Min.      :0.0100    Min.      :0.0100    Min.      :0.0100
## Class :character    1st Qu.:0.0400    1st Qu.:0.0500    1st Qu.:0.0700
## Mode  :character    Median :0.1900    Median :0.7300    Median :0.4700
##                      Mean      :0.2847    Mean      :0.7633    Mean      :0.7016
##                      3rd Qu.:0.4400    3rd Qu.:1.2800    3rd Qu.:0.8925
##                      Max.      :1.0000    Max.      :2.4900    Max.      :2.9900
##
## PSA_Takip_12ay      BCR_Durum      BCR_Tarihi      Metastaz_Durum
## Min.      :0.0100    Length:600      Length:600      Min.      :0
## 1st Qu.:0.0800      Class :character  Class :character  1st Qu.:0
## Median :0.4100      Mode  :character  Mode  :character  Median :0
## Mean      :0.9256                      Mean      :0
## 3rd Qu.:0.6700                      3rd Qu.:0
## Max.      :4.9700                      Max.      :0
##
## Metastaz_Tarihi      Son_Durum      Son_Takip_Tarihi
## Mode:logical          Min.      :0.0000    Length:600
## NA's:600              1st Qu.:1.0000    Class :character
##                      Median :1.0000    Mode  :character
##                      Mean      :0.8817
##                      3rd Qu.:1.0000
##                      Max.      :1.0000
##

```

Dataset Variables

Initial Diagnosis

Hasta_ID (Categorical): Patient ID

Yas (Discrete): Age

Tani_Tarihi (Date): Diagnosis Date

PSA_Tani (Continuous): Serum Prostate-Specific Antigen (PSA) level at diagnosis (ng/mL)

Klinik_Evre (Ordinal/Categorical): Clinical cT-Stage determined by pre-treatment examinations (cT1c < cT2a < cT2b < cT2c < cT3a < cT3b for increasing extent of tumor invasion)

Biyopsi_Gleason (Ordinal/Categorical): Biopsy Gleason Score (3+3 < 3+4 < 4+3 < 3+5 < 4+4 < 4+5 < 5+4 < 5+5, higher score indicates higher aggressiveness)

Risk_Grubu (Ordinal/Categorical): Risk Group Classification (1 for Low, 2 for Intermediate, 3 for High)

Risk Factors

Albumin (Continuous): A Serum albumin level (g/dL). Indicator of nutritional status and systemic health

Lenfosit (Discrete): Lymphocyte (Immune system component) Count

CRP (Continuous): C-Reactive Protein (mg/L). Indicator of inflammation

NLR (Continuous): Neutrophil-to-Lymphocyte Ratio. A prognostic indicator for systemic inflammation and cancer aggressiveness.

CALLY_Index (Continuous): CALLY Index. A composite index, likely related to inflammation or blood components.

Komorbidite_Skor (Ordinal/Categorical): Comorbidity Score indicating the severity of other co-existing chronic diseases (0 (No comorbidities) < ... < 5 (Severe comorbidities))

Treatment Information

Tedavi_Tipi (Categorical): Main Treatment Type received (1 for Radical Prostatectomy, 2 for Radiotherapy/RT, 3 for Hormone Therapy, 4 for Combination of Radiotherapy and Hormone Therapy)

Tedavi_Tarihi (Date): Treatment Date

RT_Dozu (Continuous): Total Radiation Dose (in Gy), if radiotherapy was performed

ADT_Tipi (Categorical): Androgen Deprivation Therapy (ADT, hormone therapy) Type used

ADT_Suresi (Continuous): ADT(hormone therapy) Duration

Pathological Markers

Patolojik_Evre (Ordinal/Categorical): Final Tumor Pathological Stage determined after surgery on the removed tissue (pT2a < pT2b < pT2c < pT3a < pT3b < pT4, NaN indicates patient did not undergo surgery)

Cerrahi_Sinir (Binary/Categorical): Surgical Margin Status indicating if cancer cells were present at the edge of the removed tissue. Crucial for recurrence prediction (0: Negative, 1: Positive, NaN indicates patient did not undergo surgery).

Final_Gleason (Ordinal/Categorical): Final Gleason Score confirmed from the final excised tissue (3+3 < 3+4 < 4+3 < 3+5 < 4+4 < 4+5 < 5+4 < 5+5, higher score indicates higher aggressiveness)

Follow-up & Outcomes

PSA_Nadir (Continuous): The lowest PSA level reached after treatment (ng/mL). A lower nadir generally indicates better treatment success

PSA_Takip_3ay / 6ay / 12ay (Continuous): Follow-up PSA levels (ng/mL) measured at at 3/6/12 Months

BCR_Durum (Binary/Categorical): Biochemical Recurrence (BCR) Status whether the PSA level rise above a recurrence threshold? (True for Recurrence occurred, False for no Recurrence occurred)

BCR_Tarihi (Date): Date when biochemical recurrence was confirmed

Metastaz_Durum (Binary/Categorical): Metastasis Status whether distant metastasis occur during follow-up? (0 for No, 1 for Yes)

Metastaz_Tarihi (Date): Date when metastasis was confirmed

Son_Durum (Binary/Categorical): Patient's Survival Status at the last follow-up (0 for Alive, 1 for Deceased)

Son_Takip_Tarihi (Date): Date of the last recorded patient information.

Data handling 1: Remove variables that we will not use for analysis

```
cols1 <- c("Tani_Tarihi", "Tedavi_Tarihi", "PSA_Takip_3ay", "PSA_Takip_6ay", "PSA_Takip_12ay", "BCR_Tar  
data <- data[, !(names(data) %in% cols1)]
```

Data handling 2: Turning all categorical variables to factors

```
cols2 <- c("Klinik_Evre", "Biyopsi_Gleason", "Risk_Grubu", "Komorbidite_Skor", "Tedavi_Tipi", "ADT_Tipi  
data[cols2] <- lapply(data[cols2], as.factor)
```

```
str(data)
```

```
## 'data.frame':    600 obs. of  23 variables:  
## $ Hasta_ID      : int  0 1 2 3 4 5 6 7 8 9 ...  
## $ Yas           : int  59 69 66 59 70 73 72 72 63 57 ...  
## $ PSA_Tani      : num  41.3 12.9 32 142.7 16.2 ...  
## $ Klinik_Evre   : Factor w/ 6 levels "cT1c","cT2a",...: 5 3 6 6 3 6 6 6 5 6 ...  
## $ Biyopsi_Gleason : Factor w/ 9 levels "3+3","3+4","3+5",...: 3 4 3 5 2 8 7 5 6 5 ...  
## $ Risk_Grubu     : Factor w/ 3 levels "1","2","3": 3 2 3 3 2 3 3 3 3 3 ...  
## $ Albumin       : num  4.1 4.6 4.1 3.5 4.3 4.2 4.8 4.2 4 4.5 ...  
## $ Lenfosit      : int  2227 1168 1125 1623 1399 2103 2038 1418 1936 1348 ...  
## $ CRP           : num  0.58 0.12 0.16 1.76 0.53 0.1 0.46 0.27 0.11 0.62 ...  
## $ NLR           : num  1.7 1.7 3.5 1.7 2.3 2.2 4 2.8 2.3 1.8 ...  
## $ CALLY_Index    : num  1.6 4.5 2.9 0.3 1.1 8.8 2.1 2.2 7 1 ...  
## $ Komorbidite_Skor: Factor w/ 6 levels "0","1","2","3",...: 3 1 2 1 3 5 1 3 4 6 ...  
## $ Tedavi_Tipi    : Factor w/ 4 levels "1","2","3","4": 1 1 4 2 2 2 2 1 1 3 ...  
## $ RT_Dozu       : num  NA NA 70 74 70 70 76 NA NA NA ...  
## $ ADT_Tipi       : Factor w/ 3 levels "1","2","3": NA NA 1 NA NA NA NA NA NA 2 ...
```

```
## $ ADT_Suresi      : num  NA NA 12 NA NA NA NA NA NA 12 ...
## $ Patolojik_Evre  : Factor w/ 7 levels "", "pT2a", "pT2b",...: 4 2 1 1 1 1 1 2 6 1 ...
## $ Cerrahi_Sinir   : Factor w/ 2 levels "0", "1": 1 2 NA NA NA NA NA 2 2 NA ...
## $ Final_Gleason   : Factor w/ 10 levels "", "3+3", "3+4",...: 4 7 1 1 1 1 1 7 2 1 ...
## $ PSA_Nadir       : num   0.14 0.04 0.3 0.2 0.28 0.81 0.36 0.04 0.04 0.39 ...
## $ BCR_Durum       : Factor w/ 2 levels "False", "True": 2 1 1 1 1 2 1 1 1 1 ...
## $ Metastaz_Durum  : Factor w/ 1 level "0": 1 1 1 1 1 1 1 1 1 1 ...
## $ Son_Durum       : Factor w/ 2 levels "0", "1": 2 2 1 2 2 2 2 2 2 2 ...
```

Data Visualization 1: Frequency of Treatment Type (Tedavi_Tipi)

```
sum(is.na(data$Tedavi_Tipi))
```

```
## [1] 0
```

```
table(data$Tedavi_Tipi)
```


```
##
##      1      2      3      4
## 254 182   71   93
```

```
round(prop.table(table(data$Tedavi_Tipi)), 3)
```

```
##
##      1      2      3      4
## 0.423 0.303 0.118 0.155
```

```
frequencies <- table(data$Tedavi_Tipi)
barplot(
  frequencies,
  main = "Frequency of Treatment Type (Tedavi_Tipi)",
  xlab = "Treatment Type",
  ylab = "Number of Patients",
  col = rainbow(4),
  ylim = c(0, max(frequencies) * 1.1)
)
```

Frequency of Treatment Type (Tedavi_Tipi)



Data Visualization 2: Frequency of Biochemical Recurrence Status (BCR_Durum)

```
sum(is.na(data$BCR_Durum))
```

```
## [1] 0
```

```
table(data$BCR_Durum)
```

```
##  
## False  True  
##   416   184
```

```
round(prop.table(table(data$BCR_Durum)), 3)
```


```
##  
## False  True  
## 0.693 0.307
```

```
frequencies <- table(data$BCR_Durum)  
barplot(  
  frequencies,
```

```

main = "Frequency of Biochemical Recurrence Status (BCR_Durum)",
xlab = "Recurrence Status",
ylab = "Number of Patients",
col = c("blue", "red"),
ylim = c(0, max(frequencies) * 1.1)
)

```



Data Visualization 3: Frequency of Survival Status (Son_Durum)

```
sum(is.na(data$Son_Durum))
```

```
## [1] 0
```

```
table(data$Son_Durum)
```


```
##
##  0  1
## 71 529
```

```
round(prop.table(table(data$Son_Durum)), 3)
```



```
##
##      0      1
## 0.118 0.882
```

```
frequencies <- table(data$Son_Durum)
barplot(
  frequencies,
  main = "Frequency of Survival Status (Son_Durum)",
  xlab = "Survival Status",
  ylab = "Number of Patients",
  col = c("blue", "red"),
  ylim = c(0, max(frequencies) * 1.1)
)
```



Data Visualization 4: Serum Prostate-Specific Antigen (PSA) level at diagnosis & after treatment

```
PSA <- c("PSA_Tani", "PSA_Nadir")
sapply(data[, PSA], function(x) sum(is.na(x)))
```

```
## PSA_Tani PSA_Nadir
##      0      0
```

```
summary(data[, PSA])
```


```
##      PSA_Tani      PSA_Nadir  
## Min.   : 2.50   Min.   :0.0100  
## 1st Qu.: 18.10   1st Qu.:0.0400  
## Median : 59.35   Median :0.1900  
## Mean   : 64.70   Mean    :0.2847  
## 3rd Qu.:108.42   3rd Qu.:0.4400  
## Max.   :150.00   Max.    :1.0000
```

```
par(mfrow = c(1, 2))
```

```
boxplot(data[["PSA_Tani"]],  
        main = "Box Plot of PSA level at diagnosis",  
        col = "grey")
```

```
boxplot(data[["PSA_Nadir"]],  
        main = "Box Plot of PSA level after treatment",  
        col = "green")
```

Box Plot of PSA level at diagnosis Box Plot of PSA level after treatment



Data Visualization 5: Summary & Boxplots, Barplot of Risk Factors

```
risk_factors <- c("Albumin", "Lenfosit", "CRP", "NLR", "CALLY_Index", "Komorbidite_Skor")
sapply(data[, risk_factors], function(x) sum(is.na(x)))
```

```
##           Albumin           Lenfosit           CRP           NLR
##           0           0           0           0
##      CALLY_Index Komorbidite_Skor
##           0           0
```

```
summary(data[, risk_factors])
```


```
##      Albumin           Lenfosit           CRP           NLR
##  Min.   :3.500   Min.   :1000   Min.   :0.100   Min.   :1.000
## 1st Qu.:4.000   1st Qu.:1561   1st Qu.:0.130   1st Qu.:2.000
## Median :4.200   Median :1834   Median :0.345   Median :2.500
## Mean   :4.219   Mean   :1827   Mean   :0.518   Mean   :2.503
## 3rd Qu.:4.500   3rd Qu.:2093   3rd Qu.:0.690   3rd Qu.:3.000
## Max.   :5.000   Max.   :2936   Max.   :3.590   Max.   :5.000
##      CALLY_Index      Komorbidite_Skor
##  Min.   : 0.200      0:100
## 1st Qu.: 1.100      1:101
## Median : 2.100      2: 87
## Mean   : 3.346      3:102
## 3rd Qu.: 5.425      4:122
## Max.   :13.000      5: 88
```

```
continuous_risks <- c("Albumin", "CRP", "NLR", "CALLY_Index")
plot_colors <- rainbow(4)
```

```
par(mfrow = c(1,4))
```

```
for (i in 1:length(continuous_risks)) {
  var_name <- continuous_risks[i]
  var_data <- data[[var_name]]

  boxplot(var_data,
    main = paste("Box Plot of", var_name),
    ylab = var_name,
    col = plot_colors[i])
}
```



```
par(mfrow = c(1,1))

frequencies <- table(data$Komorbidite_Skor)
barplot(
  frequencies,
  main = "Frequency of Comorbidity Score (Komorbidite_Skor)",
  xlab = "Comorbidity Score",
  ylab = "Number of Patients",
  col = rainbow(6),
  ylim = c(0, max(frequencies) * 1.1)
)
```

Frequency of Comorbidity Score (Komorbidite_Skor)

