PATZ1 promoter-reporter architectures

5′ → 3′ display, genomic 31351605 → 31324004 | strand − | assembly GRCh38 | annotation Ensembl 116 prepared GRCh38; selected reporter transcripts | upstream 5000 bp | downstream 1000 bp

Canonical reporter comparison: 2 TSS classes), 3 transcript(s), 9 exploit architecture row(s). normalized evidence remains observational/predictive context.

chr22:31351605 1000 bp chr22:31324004

Legend (annotation-derived transcript features)

exon (light blue); intron (line) | coding sequence (CDS) | annotated start codon | annotated stop codon

TSS stretches: reference for similarity below

Transcript models and annotation-derived metrics



Proposed reporter architectures

Reporter materials


genomic source interval | spliced exon (+)cDNA | schematic UJC (not genomic scale)

source intervals use the shared axis; synthetic tails are schematic



Ensembl-annotated regulatory regions

Ensembl Regulation | release 2020.08 | pipeline 2.1 | GRCh38



* exact-geometry ePWM row(s) combined with matching displayed features; complete rows remain in JSON.

Projected occupancy grouped by declared biological context


TP73 occupancy — SAOS-2 | shared within group | observed group max 4.000



TP73 occupancy — SK-MEL-29-2 | shared within group | observed group max 16.000




H3K4me3 chromatin context — SAOS-2 | shared within group | observed group max 34.000



H3K4me3 chromatin context — SK-MEL-29-2 | shared within group | observed group max 62.000



Predicted TF binding scores



TSS-local Ensembl-feature promoterome similarity

Transcript-centered ±5000/+1000 bp; features clipped to the displayed stretch. BLASTN w40 bp, ≥80% identity, Exle-05; self-locus and same-gene targets excluded.

Blue frequency strips count distinct other genes by query position. Numbered blocks give target-promoter order; red outlines mark orderconservation breaks.

PATZ1_tss_stretch_1 GRCh38: 22:31,346,146–31,347,105 (−)



Similarity is structural evidence; Ensembl classes, predicted TFBS and CUT&RUN enrichment do not prove reporter activity or sufficiency.

Reporter interpretation boundaries

Transcript annotation alone does not establish which TSS is used in the assayed cells.

CUTSRUN overlap is occupancy/enrichment evidence, not proof of TSS usage, promoter activity, direct regulation, biochemical affinity, or luciferase output.

Reporter geometry does not verify the identity of a physical laboratory construct.

Warnings / interpreted checks

Evidence provenance

ensembl_regulation_annotation_index: ensembl_regulation_2020_08_grch38
ensembl_regulation_annotation_intervals: ensembl_regulation_2020_08_grch38
occupancy_group_count: 4
occupancy_tracks: tp73_saos2_tp73_saos2|TA_2.5|dna|1_saos2.5|dna|1_saos2|TA_2
predicted_tf_score_jaspar_pwm: local_jaspar_registry
projected_occupancy_track: 1 · MTA0_CUTRUN-5|dna|1-saos2-DN-R1
projected_occupancy_track: 1 · MTA0_CUTRUN-5|dna|1-saos2-GFP-R1
projected_occupancy_track: 1 · MTA0_CUTRUN-5|dna|1-saos2-TA-R1
projected_occupancy_track: 1 · MTA0_CUTRUN-5|dna|1-skmel29-2-DN-R1
projected_occupancy_track: 1 · MTA0_CUTRUN-5|dna|1-skmel29-2-GFP-R1