

```
mysql> create database tup;
Query OK, 1 row affected (0.01 sec)

mysql> use tup;
Database changed
mysql> CREATE TABLE Student (
  ->     RegNo INT PRIMARY KEY,
  ->     StudentName VARCHAR(50),
  ->     DOB DATE,
  ->     Gender VARCHAR(10),
  ->     City VARCHAR(30)
  -> );
Query OK, 0 rows affected (0.07 sec)

mysql>
mysql> INSERT INTO Student VALUES
  -> (111, 'Naveen', '2007-09-13', 'Male', 'Chennai'),
  -> (121, 'Praveen', '2007-10-21', 'Male', 'Coimbatore'),
  -> (131, 'Divya', '2007-12-10', 'Female', 'Trichy'),
  -> (141, 'Arjun', '2007-05-23', 'Male', 'Madurai'),
  -> (151, 'Kaviya', '2007-08-02', 'Female', 'Chennai'),
  -> (161, 'Lokesh', '2007-01-18', 'Male', 'Salem'),
  -> (171, 'Harsh', '2007-04-15', 'Male', 'Salem'),
  -> (181, 'Amritha', '2007-11-09', 'Female', 'Salem'),
  -> (191, 'Ramesh', '2007-03-27', 'Male', 'Erode'),
  -> (201, 'Sham', '2007-06-30', 'Male', 'Salem');
Query OK, 10 rows affected (0.01 sec)
Records: 10  Duplicates: 0  Warnings: 0

mysql>
mysql> CREATE TABLE Course (
  ->     CourseCode VARCHAR(10) PRIMARY KEY,
  ->     CourseName VARCHAR(50),
  ->     HallNo VARCHAR(10)
  -> );
Query OK, 0 rows affected (0.05 sec)

mysql>
mysql> INSERT INTO Course VALUES
  -> ('C001', 'Database Management System', 'H001'),
  -> ('C002', 'Java Programming', 'H002'),
  -> ('C003', 'Python Programming', 'H003'),
  -> ('C004', 'Computer Networks', 'H001'),
  -> ('C005', 'Operating Systems', 'H004');
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0
```

```

mysql> create database tup;
Query OK, 1 row affected (0.01 sec)

mysql> use tup;
Database changed
mysql> CREATE TABLE Student (
    ->     RegNo INT PRIMARY KEY,
    ->     StudentName VARCHAR(50),
    ->     DOB DATE,
    ->     Gender VARCHAR(10),
    ->     City VARCHAR(30)
    -> );
Query OK, 0 rows affected (0.07 sec)

mysql>
mysql> INSERT INTO Student VALUES
    -> (111, 'Naveen', '2007-09-13', 'Male', 'Chennai'),
    -> (121, 'Praveen', '2007-10-21', 'Male', 'Coimbatore'),
    -> (131, 'Divya', '2007-12-10', 'Female', 'Trichy'),
    -> (141, 'Arjun', '2007-05-23', 'Male', 'Madurai'),
    -> (151, 'Kaviya', '2007-08-02', 'Female', 'Chennai'),
    -> (161, 'Lokesh', '2007-01-18', 'Male', 'Salem'),
    -> (171, 'Harsh', '2007-04-15', 'Male', 'Salem'),
    -> (181, 'Amritha', '2007-11-09', 'Female', 'Salem'),
    -> (191, 'Ramesh', '2007-03-27', 'Male', 'Erode'),
    -> (201, 'Sham', '2007-06-30', 'Male', 'Salem');
Query OK, 10 rows affected (0.01 sec)
Records: 10  Duplicates: 0  Warnings: 0

mysql>
mysql> CREATE TABLE Course (
    ->     CourseCode VARCHAR(10) PRIMARY KEY,
    ->     CourseName VARCHAR(50),
    ->     HallNo VARCHAR(10)
    -> );
Query OK, 0 rows affected (0.05 sec)

mysql>
mysql> INSERT INTO Course VALUES
    -> ('C001', 'Database Management System', 'H001'),
    -> ('C002', 'Java Programming', 'H002'),
    -> ('C003', 'Python Programming', 'H003'),
    -> ('C004', 'Computer Networks', 'H001'),
    -> ('C005', 'Operating Systems', 'H004');
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0

```

WHERE

1)

```
mysql> SELECT RegNo, StudentName, DOB
-> FROM Student;
```

RegNo	StudentName	DOB
111	Naveen	2007-09-13
121	Praveen	2007-10-21
131	Divya	2007-12-10
141	Arjun	2007-05-23
151	Kaviya	2007-08-02
161	Lokesh	2007-01-18
171	Harsh	2007-04-15
181	Amritha	2007-11-09
191	Ramesh	2007-03-27
201	Sham	2007-06-30

10 rows in set (0.03 sec)

2)

```
mysql> SELECT *
-> FROM Student
-> WHERE Gender = 'Female';
```

RegNo	StudentName	DOB	Gender	City
131	Divya	2007-12-10	Female	Trichy
151	Kaviya	2007-08-02	Female	Chennai
181	Amritha	2007-11-09	Female	Salem

3 rows in set (0.00 sec)

3)

```
mysql> SELECT S.RegNo, S.StudentName, R.CourseCode
-> FROM Student S
-> JOIN Registration R
-> ON S.RegNo = R.RegNo
-> WHERE R.CourseCode = 'C001';
```

RegNo	StudentName	CourseCode
111	Naveen	C001
131	Divya	C001
171	Harsh	C001
201	Sham	C001

4 rows in set (0.03 sec)

4)

```
mysql> SELECT *
-> FROM Faculty
-> WHERE DOJ < '2014-11-01';
```

FacultyID	FacultyName	DOJ
1	Ramesh	2012-05-15
2	Priya	2014-10-20
4	Anitha	2013-08-18
5	Suresh	2014-09-05

4 rows in set (0.00 sec)

5)

```
mysql> SELECT *
-> FROM Course
-> WHERE HallNo <> 'H001';
```

CourseCode	CourseName	HallNo
C002	Java Programming	H002
C003	Python Programming	H003
C005	Operating Systems	H004

3 rows in set (0.00 sec)

LIKE

6)

```
mysql> SELECT *
-> FROM Student
-> WHERE StudentName LIKE '%sh';
```

RegNo	StudentName	DOB	Gender	City
161	Lokesh	2007-01-18	Male	Salem
171	Harsh	2007-04-15	Male	Salem
191	Ramesh	2007-03-27	Male	Erode

3 rows in set (0.04 sec)

7)

```
mysql> SELECT *
-> FROM Student
-> WHERE StudentName LIKE '%sh%';
```

RegNo	StudentName	DOB	Gender	City
161	Lokesh	2007-01-18	Male	Salem
171	Harsh	2007-04-15	Male	Salem
191	Ramesh	2007-03-27	Male	Erode
201	Sham	2007-06-30	Male	Salem

```
4 rows in set (0.00 sec)
```

8)

```
mysql> SELECT *
-> FROM Student
-> WHERE StudentName LIKE '%sh%';
```

RegNo	StudentName	DOB	Gender	City
161	Lokesh	2007-01-18	Male	Salem
171	Harsh	2007-04-15	Male	Salem
191	Ramesh	2007-03-27	Male	Erode
201	Sham	2007-06-30	Male	Salem

```
4 rows in set (0.00 sec)
```

9)

```
mysql> SELECT *
-> FROM Student
-> WHERE StudentName NOT LIKE '_____';
```

RegNo	StudentName	DOB	Gender	City
121	Praveen	2007-10-21	Male	Coimbatore
131	Divya	2007-12-10	Female	Trichy
141	Arjun	2007-05-23	Male	Madurai
171	Harsh	2007-04-15	Male	Salem
181	Amritha	2007-11-09	Female	Salem
201	Sham	2007-06-30	Male	Salem

```
6 rows in set (0.02 sec)
```

10)

```
mysql> SELECT *  
-> FROM Student  
-> WHERE StudentName LIKE '%am%';
```

RegNo	StudentName	DOB	Gender	City
181	Amritha	2007-11-09	Female	Salem
191	Ramesh	2007-03-27	Male	Erode
201	Sham	2007-06-30	Male	Salem

3 rows in set (0.00 sec)