

FAIRFIELD

2005

BIKES

THE 1ST AND LAST NAME IN MOUNTAIN BIKING.





Light meets all-mountain. We bake each Cake from scratch using Genesis Geometry, a low-maintenance single-pivot design, and the Manitou Swinger SPV Shock for an efficient pedaling platform. That's why Cake is irresistible. That's also why it's the lightest and most efficient all-mountain bike available.

CAKE DLX bikes feature 5" front and 5" rear wheel travel for incredibly light and efficient, yet slightly more burly, all-mountain performance.



↑ CAKE 1 DLX

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel WHEELS Bontrager Race Lite disc-specific wheelsystem w/24mm thru-axle and OSB rear | Bontrager ACX 26x2.2 folding tires SUSPENSION Maverick SC 32, 80mm–125mm adjustable travel | Manitou Swinger 3-Way Air w/SPV COMPONENTRY Shimano XT rear derailleur + shifters + front derailleur | Shimano XT 44/32/22 crank w/integral BB | Shimano XT hydraulic disc brakes, 8" front/6" rear, w/Shimano XT levers SIZES SM (16") | MD (17.5") | LG (19") | XL (21") COLOR Matte Black + Matte Blue ALSO AVAILABLE AS A FRAMESET

CAKE DLX = 5x5
CAKE = 4x4

CAKE bikes feature 4" front and 4" rear wheel travel for all-mountain performance with race-ready versatility.



↑ CAKE 1

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis

Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel WHEELS Bontrager Race Lite disc-specific wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires

SUSPENSION Fox FRL Air w/Lock-Out, 100mm travel | Manitou Swinger 3-Way Air w/SPV
COMPONENTRY Shimano XTR rear derailleur + XT shifters + front derailleur | Shimano XT 44/32/22 crank w/integral BB | Shimano XT 6" hydraulic disc brakes
w/Shimano XT levers SIZES SM (16") | MD (17.5") | LG (19") | XL (21") COLOR Metallic Green + Metallic Silver

↓ CAKE 2 DLX

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Race disc-specific wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Fox Float R Air, 130mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano XT SGS rear derailleur + LX shifters + front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Warm Silver + Matte Silver



↑ CAKE 2

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Select disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Super Air, 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano XT rear derailleur + shifters + LX front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 6" hydraulic disc brakes w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Matte Black + Matte Khaki



↑ CAKE 3 DLX

Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Select disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Elite, 120mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Silver + Metallic Black

↓ CAKE 3

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Skareb Elite, 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9.6" hydraulic disc brakes w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Matte Black + Metallic Matte Silver

Cake



CAKE 4 DLX

FRAME Platinum Series ZR8000 double-butted aluminum | Genesis

Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5° travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Comp, 120mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano Deore SGS rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 HD hydraulic disc brakes, 8° front/6° rear, w/Hayes levers | Shimano M505 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black + Metallic Red





↑ CAKE 4

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 tires **SUSPENSION** Manitou Splice Comp w/Lock-Out, 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano Deore SGS rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Shimano M430 cartridge V brakes w/Avid FR5 levers | Shimano M505 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Silver + Metallic Blue

Free
ride
START>



Built to go down. Built to go off. Fisher Freeride — efficient and evil-genius tough. Built for anyone who insists on riding stuff that has no good business being ridden.

Gary's fascination with gravity began the moment he pointed his first Klonker down a fire road on Mt. Tam. Before mountain biking became so structured with start lines and gold medals there was nothing but freeriding. Gary is probably lucky he didn't have big suspension back in those days, he might not be the old man of mountain biking if he did.



↑ KING FISHER 1

downtube | 1.5" externally reinforced headtube | 6061 T6 aluminum asymmetric swingarm | Cartridge bearings | Replaceable dropouts | WHEELS Bontrager Big Earl freeride Fox DHX 4.0, coil over, adjustable ProPedal, tuning range and rebound | SUSPENSION Manitou Sherman Breakout Plus, 170mm travel, 20mm thru-axle | derailleurs | Shimano Saint 32/22 crank | Hayes HFX-MAG HD 8" hydraulic disc brakes w/Hayes HFX-MAG levers | 6061 CNC platform pedals w/cartridge bearings & cromoly spindles | SIZES SM (15.5") | MD (17.5") | LG (19") | COLOR Gloss Gray



↑ KING FISHER 2

FRAME King Fisher 6061 T6 aluminum | Hydroformed top and downtube | 1.5" externally reinforced headtube | 6061 T6 aluminum asymmetric swingarm | Cartridge bearings | Replaceable dropouts **WHEELS** Bontrager Earl freeride wheelsystem w/20mm thru-axe and OSB rear | Bontrager Big Earl 26x2.5 tires **SUSPENSION** Manitou Stance Flow, 170mm travel, 20mm thru-axe | Fox DHX 4.0, coil over, adjustable ProPedal, tuning range, and rebound **COMPONENTRY** SRAM X.9 1:1 rear derailleur + X-7 Trigger 1:1 shifters + Shimano Deore LX front derailleur | Bontrager Big Earl 32/22 crank w/Rock Ring | Hayes HFX-MAG HD 8" hydraulic disc brakes w/Hayes HFX-MAG levers | 6061 CNC platform pedals w/cartridge bearings & cromoly spindles **SIZES** SM (15.5") | MD (17.5") | LG (19") **COLOR** Matte Black

BIGG'NS STORY

It's a beautiful thing to see the tangents the world of mountain bikes has taken over the years. Dirt, vert, urban, trail, free. Gary's Bigg'ns hardtails are meant to be the Jack-of-all-trades bike for the hardcore. Designed to do everything well. You name it, Bigg'ns rides it.


Extreme box section of top and down tubes disperses forces for optimum ride quality.

Reinforced headtube, externally butted for maximum strength (and safety) when landing jumps.

Top tube and seat tube are gusseted for rock-solid strength when landing.

Compact rear maximizes maneuverability for going over and around obstacles.

Frame geometry is aggressively sloped to make the bike easier to move under the rider during tricks and jumps.



↑ GED

FRAME Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | 26x2.5 tires | SUSPENSION Marzocchi Drop Off | 130mm travel | COMPONENTRY Shimano LX rear dérailleur + Deore shifters + front dérailleur | Bontrager Earl 32/22 crank w/Rock Ring | Hayes HFX-9 hydraulic disc brakes, 8' front/6' rear, w/Hayes levers | Alloy BMX pedals | SIZES XS (13') | SM (15.5') | MD (17.5') | LG (19.5') | XL (21.5')

Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts | WHEELS Shimano M525 Disc hubs | Sun Ryno Lite rims | Bontrager Big Earl K w/Rock Ring | Hayes HFX-9 hydraulic disc brakes, 8' front/6' rear, w/Hayes levers | Alloy BMX pedals | SIZES XS (13') | SM (15.5') | MD (17.5') | LG (19.5') | XL (21.5')



↓ BITTER

Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts | **WHEELS** Shimano M475 Disc hubs | Sun Ditchwitch rims | Bontrager Earl 26x Ring crank | Hayes Sole XC hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Alloy BMX pedals | **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21")
COLOR Metallic Silver



↓ MULLET


Reinforced headtube | Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts **WHEELS** Shimano M475 Disc hubs | WTB Speed Disc rims | Bontrager Earl 26x2.4 tires **SUSPENSION** Manitou Splice comp | 100mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + Acera front derailleur | Shimano MC08 42/32/22 crank | Hayes Linx-2 mechanical disc brakes, 8° front/6° rear, w/alloy levers | Alloy BMX pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21") **COLOR** Candy Blue



↑ OPIE

Reinforced headtube | Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts **WHEELS** Alloy QR front hub w/ Shimano RM30 rear hub | WTB Dual Duty rims | Bontrager Earl 26x2.4 tires **SUSPENSION** InSync Edge 4 | 100mm travel **COMPONENTRY** Shimano Acera rear derailleur + EF29 shifters + C050 front derailleur | SR XCC-150 42/34/24 crank | Tektro V brakes w/alloy levers | Nylon BMX pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21") **COLOR** Red

Free
ride



Sugar is the ultimate performance enhancer. When Gary introduced Sugar, he had no idea what it would change the cross-country racing world. Or did he? Sugar full-suspension bikes are efficient, lightweight, and wicked fast. The Sugar team has found a way to nail a pure, hardtail-like connection to the trail without the hard edge.



↑ SUGAR 292

FRAME Platinum Series ZR9000 double-butted aluminum | b
suspension | Genesis 29° Geometry WHEELS Bontrager Race Lite 29" disc-specific wheelset w/OSB rear | Bontrager ACX 29x2.2 folding tires | SUSPENSION RockShox Team 29", 100mm travel | Fox Float R | COMPONENTRY SRAM X.0 1:1 alloy rear derailleur + X-9 Trigger 1:1 alloy shifters + Shimano XT front derailleur | Bontrager Race Lite 44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M520 clipless pedals | SIZES SM (16") | MD (17.5") | LG (19") | XL (21") | COLOR Red

↓ SUGAR 29

FRAME Platinum Series ZR9000 double-butted aluminum | b-link suspension | Genesis 29° Geometry | WHEELS Bontrager Race 29" disc-specific wheelsystem w/OSB rear | Bontrager ACX 29x2.2 folding tires | SUSPENSION RockShox Reba Race 29", 100mm travel | Fox Float R | COMPONENTRY SRAM X.9 rear derailleur + X-7 Trigger 1:1 shifters + Shimano Deore front derailleur | Bontrager Race 44/32/22 crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Shimano M520 clipless pedals | SIZES SM (16") | MD (17.5") | LG (19") | XL (21") | COLOR Black



↑ SUGAR 4+


FRAME Gold Series 6061 T6 double-butted aluminum | Sybil-link suspension | Genesis Geometry | WHEELS Shimano M525 Disc hubs | WTB Dual Duty rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires | SUSPENSION Manitou Splice Super, 70-100mm adjustable travel | RockShox BAR Adjust | COMPONENTRY Shimano LX SGS rear derailleur + Deore shifters + LX front derailleur | Bontrager Select 44/32/22 crank | Shimano V brakes w/Avid FR5 levers | Shimano M505 clipless pedals | SIZES SM (15.5") | MD (17.5") | LG (19") | XL (21") | COLOR Metallic Orange + Metallic Black




29ER STORY

Gary Fisher is wise about size. Once upon a time he realized that increasing the size of a wheel effectively decreases the size of all obstacles. The 29er was born. By increasing wheels by three inches, Gary created bikes that are less affected by dips, bumps, and soft terrain. They also help maintain speed and lower the rider's center of gravity in relation to the wheels, making for exceptionally stable ride. And a study by Pepperdine University found that 29" wheels ride 6% faster on uphill courses and 3% faster on cross-country courses than their 26" cousins. All things considered, Fisher 29ers are pretty cool. Pretty cool, indeed.

29" wheels are versatile. Dirt. Asphalt. It really doesn't matter. Fisher 29ers let you turn a great mountain bike into a great city/path bike by simply swapping 700c road tires onto the 29er wheels. Yep — standard road tires fit like a glove. Or like a tire should.



29" wheels decrease your angle of attack. Why should you care? Decreasing the angle of attack lets you roll over obstacles faster, smoother, and easier than you can with smaller wheels.



29" wheels create a longer tire contact patch. To make a longer-contact-patch story short, this helps you float through mud, sand, and snow. No getting bogged down helps you maintain your momentum. Which is a good thing.

PARAGON →

FRAME Platinum Series ZR8000 internally and externally butted aluminum | Disc specific | Genesis 29" Geometry | WHEELS Bontrager Race 29" disc-specific wheel system w/ O/SB rear | Bontrager A1C X29 2 folding tires | SUSPENSION RockShox Reba Race 29" 1.80mm travel | COMPONENTRY SRAM X.9 rear derailleur + X.9 Trigger 11 alloy shifter + Shimano LX front derailleur | Shimano levers | Shimano M520 clipless pedals | SIZES SM (15.5) | MD (17.5) | LG (19") | XL (21") | COLOR Ice Red



Gen
esis

START>

↓ X-CALIBER


FRAME Platinum Series ZR9000 internally and externally butted aluminum | Disc specific | Genesis 29" Geometry **WHEELS** Bontrager Super stock 29" disc-specific wheelsystem w/OSB rear | Bontrager ACX 29x2.2 folding tires **SUSPENSION** RockShox Reba SL 29" | 80mm travel **COMPONENTRY** SRAM X.7 rear derailleur + X-7 Trigger 1:1 shifters + Shimano Deore front derailleur | Bontrager Select 44/32/22 crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black



↑ RIG

FRAME Platinum Series SS internally and externally butted aluminum w/eccentric bottom bracket | Genesis 29" Geometry **WHEELS** Bontrager Race Disc front hub w/ Bontrager Race Disc SS rear hub | Bontrager Mustang 29" disc rims | Bontrager Jones ACX K 29x2.2 tires **SUSPENSION** Rock Shox Reba SL 29" | 80mm travel **COMPONENTRY** Bontrager Race Lite SS 32T crank | Avid BB7 mechanical disc brakes w/Avid Speed Dial 7 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Pearl Purple





Engineered for those who demand an honest, undiluted connection to the trail, these bikes are the ultimate evolution of a beautifully simple design. All new for 2005, Fisher Hardtails improve on perfection with two platforms: Platinum Series Aluminum and Aluminum Carbon Damping Composite (AC/DC) frames.




↑ ZIGGURAT

FRAME AC/DC ZR9000 internally and externally butted aluminum

main frame w/carbon composite seat and chainstays | Genesis Geometry **WHEELS** Bontrager Race disc-compatible wheelsystem w/OSB rear | Bontrager Jones XR 26x2.2 front/26x2.2 rear tubeless-ready tires **SUSPENSION** Fox FRL w/Lock-Out | 100mm travel **COMPONENTRY** SRAM X.0 1:1 alloy rear derailleur + X-9 Trigger 1:1 alloy shifters + Shimano XT front derailleur | Bontrager Race Lite 44/32/22 crank | Avid SD-SL cartridge V brakes w/Avid FR5 levers | Shimano M520 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Silver + Metallic Black

AC/DC STORY

AC/DC? Yep. Aluminum Carbon Damping Composite. When Ryder Hesjedal (runner up in the 2003 Elite World Championships!) of the Subaru Gary Fisher Mountain Bike Team came to Gary and said "Hey, any chance I could get a little more relief for these long World Cup races, yet stay on a hardtail?" Gary said, "Hmmm." Next thing you know, we're introducing Genesis AC/DC technology. By combining an aluminum front end with a full carbon composite back end, we built a hardtail that's light, stiff, efficient, and offers saintly forgiveness from the abuse of the trail.



Front end based on Gary's all-new Platinum Series ZR9000 aluminum frame. It's got a reinforced head tube and highly manipulated main tubes that have been internally and externally butted for optimum weight and premium ride quality.

27.2mm seat post diameter allows a more forgiving ride than more rigid, larger-diameter posts.

Full carbon composite rear end dampens vibration and tunes out the small stuff that wears a rider down.

Disc-specific dropouts have been scalloped and optimized for weight savings and stiffness.



NON-DISC MODEL ALSO AVAILABLE.
SEE PAGE 45 FOR DETAILS.

↑ BIG SUR DISC

FRAME AC/DC ZR9000 internally and externally butted aluminum

main frame w/carbon composite seat and chainstays | Genesis Geometry WHEELS Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager Jones XR 26x2.2 tires SUSPENSION Manitou Skareb Super w/TPC Lock-Out | 100mm travel | COMPONENTRY Shimano XT rear derailleur + LX shifters + front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M505 clipless pedals SIZES SM (15.5") | MD (17.5") | LG (19") | XL (21") COLOR Ice Purple



GENESIS GEOMETRY

It's what makes a Fisher a Fisher. It's what creates the unmistakable "Fisher Feel." If you've ridden one, you know exactly what we're talking about: the feeling of being in control, comfortable, and confident. Of course, as any Boston fan knows, it's more than a feeling — it's about placing the rider's center of gravity in a better position for better climbing and more confident descending. Genesis Geometry can actually help make a beginning rider good, and a good rider great.




CLIMB.

By shortening the chainstays, Genesis Geometry concentrates more of your weight on the rear wheel, aiding traction.



DESCEND.

Genesis Geometry moves your center of gravity further behind the front wheel so you're less likely to go over the handlebars.



STEER.

A shorter stem requires less hand movement to steer, creating more precise maneuvering.



MAINTAIN.

Your normal riding position is maintained to keep you comfortable.

HOO KOO E KOO →

FRAME Platinum Series ZR9000 internally and externally butted aluminum | Genesis Geometry
WHEELS Alloy Disc DH hubs | Bontrager Maverick rims | Bontrager ACX 26x2.2 folding tires
SUSPENSION RockShox Prior SL | 100mm travel
COMONENTRY Shimano IX SGS rear derailleur + IX shifters + front derailleur | Bontrager Select 44/32/22 crank | Shimano 420 V brakes w/Avid BB5evers | Shimano M505 clipless pedals SIZES XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") COLOR Ice Blue



↓ TASSAJARA DISC

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry **WHEELS** Shimano M525 Disc hubs | WTB Speed Disc rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Elite w/TPC Lock-Out 100mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes Sole XC hydraulic disc brakes w/alloy levers | Shimano M505 clipless pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black



↑ TASSAJARA

Geometry **WHEELS** Shimano M525 hubs | WTB Dual Duty rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Elite w/TPC Lock-Out 100mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Promax V brakes w/alloy levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21.5") **COLOR** Metallic Black + Metallic Red



↑↑ MARLIN

FRAME Gold Series butted aluminum | Genesis

Geometry WHEELS Alloy QR front hub w/ Shimano RM60 rear hub | WTB Dual Duty rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires SUSPENSION Manitou Axel Comp w/TPC Lock-Out | 100mm travel | COMPONENTRY Shimano Deore rear derailleur + Shimano Alivio shifters + Alivio front derailleur | Bontrager Sport 42/32/22 crank | Promax V brakes w/alloy levers | Alloy platform pedals SIZES XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") COLORS Green | Candy Blue + Silver

Gen-e
sis

↓↓ WAHOO

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry WHEELS Alloy QR front hub w/Shimano RM60 rear hub | WTB Dual Duty rims | Bontrager Jones XR 26X2.25 front/2.2 rear tires SUSPENSION RS Judy | 100mm travel COMPONENTRY Shimano Alivio rear derailleur + EF29 shifters + C050 front derailleur | Shimano MC08 42/32/22 crank | Tektro V brakes w/alloy levers | Nylon platform pedals SIZES XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") COLORS Blue | Black + Metallic Dark Gray





Bikes designed for women that fit right and build on a woman's strengths. Genesisters bikes refine Fisher's famous Genesis Geometry, taking advantage of a woman's lower center of gravity. Properly positioned, a rider's center of gravity is key to improved climbing and safer, more confident descents.



↑ CAKE 3 DLX GS

FRAME Platinum Series ZR9000 double-butted aluminum |

Genesisters Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel WHEELS Bontrager Select disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires SUSPENSION Manitou Black Elite Diva | 120mm travel | Manitou Swinger 3-Way Air w/SPV
COMPONENTRY Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/23 crank | Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear,
w/Hayes levers | Shimano M520 clipless pedals SIZES XS (13") | MD (17") COLOR Metallic Black + Metallic Green



↑ CAKE 3 GS

FRAME Platinum Series ZR9000 double-butted aluminum |

Genisisters Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires | **SUSPENSION** Manitou Skareb Elite Diva | 100mm travel | Manitou Swinger 3-Way Air w/SPV | **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 WSD hydraulic disc brakes w/Hayes WSD levers | Shimano M520 clipless pedals | **SIZES** XS (13") | MD (17") | **COLOR** Metallic Light Blue + Metallic Silver



↓ BIG SUR GS


FRAME AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Genesisters Geometry **WHEELS** Bontrager Superstock disc-compatible wheelsystem | Bontrager Jones XR 26x2.2 tires **SUSPENSION** Manitou Skareb Super Diva w/TPC Lock-Out | 100mm travel **COMPONENTRY** Shimano XT rear derailleur + LX shifters + front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M505 clipless pedals **SIZES** XS (13') | SM (15.5') | MD (17.5') **COLOR** Moritz Sky Blue



↑ TASSAJARA GS

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesisters Geometry **WHEELS** Shimano M525 Disc hubs | WTB Dual Duty rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Elite w/TPC Lock-Out | 100mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Promax V brakes w/alloy levers | Alloy platform pedals **SIZES** XS (13') | SM (15.5') | MD (17.5') **COLOR** Metallic Silver





Classic

START>

Simple, reliable mountain bikes. But they are Fishers through and through. Durable. Fun to ride. Easy to maintain. Loaded with the features and technology that have made Gary a bike-building legend. And they're priced to be budget friendly.





← ↑ ADVANCE

FRAME Silver Series aluminum ATB WHEELS

Alloy QR front hub w/Shimano RM30 rear hub | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires | SUSPENSION RST Capa T5 | 75mm travel | COMPONENTRY Shimano Alivio rear derailleuer + EF29 shifters + C050 front derailleuer | SR XCC-150 42/34/24 crank | Tektro V brakes w/alloy levers | Nylon platform pedals | SIZES XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Steptrough SM (16") | Steptrough MD (18") | COLORS Metallic Black + Metallic Blue | Metallic Orange

↓↓ TARPON

FRAME Silver Series aluminum ATB WHEELS Alloy QR
hubs | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires SUSPENSION RST 191CS | 63mm travel COMPONENTRY Shimano Acera rear
derailleur + EF29 shifters + C051 front derailleur | SR XCC-100 48/38/28 crank | Tektro V brakes w/alloy levers | Nylon platform pedals SIZES
XS (13') | SM (16') | MD (18') | LG (19.5') | XL (21.5') | Steptrough SM (16') | Steptrough MD (18') COLORS Metallic Black | Metallic Light
Silver + Metallic Medium Silver






↑↑MAKO

550 rims | Bontrager Connection Trail 26x2.0 tires | **FORK** Hiten ATB | **COMPONENTRY** Shimano TX50 rear derailleur + EF29 shifters + C051 front derailleurs | SR XCC-100 48/38/28 crank | Tektro V brakes w/alloy levers | Nylon platform pedals | **SIZES** XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Stepthrough SM (16") | Stepthrough MD (18") | **COLOR** Metallic Red | Metallic Light Silver + Metallic Blue

Classic





Road bike fast and mountain bike durable.
Fisher Dual Sport bikes are a lot like the man who created them. Just like Gary, they love to wander — off road, or on. Featuring fast 700c wheels, Dual Sport bikes are light, efficient, and oh so very versatile. If you had to have only one bike, this would be the one.

MONTARE →

FRAME Platinum Series ZR9000 internally butted aluminum | Genesis 29° Geometry
WHEELS Bontrager Superstack 29° disc specific wheel system w/O/SB rear | WTB Speed Disc rims
 Myros CX Slick 700x42c tires **SUSPENSION** Manitou South Elite | 75mm travel
COMPONENTRY Shimano XT SSS rear derailleur + LX shifters | Deore front derailleur | Bontrager Select 48/36/26 crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Silver

UTOPIA →

FRAME Gold Series 6061 T6 internally butted aluminum | Genesis 29° Geometry
WHEELS Shimano M525 Disc hubs | WTB Speed Disc rims | Myros CX Slick 700x42c tires **SUSPENSION** RS Metro GPS | 50mm travel **COMPONENTRY** Shimano XT rear derailleur + Deore shifters + front derailleur | Bontrager Select 48/36/26 crank | Avid BB5 mechanical disc brakes w/ alloy levers | Alloy ATB pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Blue



NIRVANA S →

FRAME Silver Series aluminum hybrid **WHEELS** Alloy QR front hub w/Shimano RM60 rear hub | WTB Dual Duty rims | Mythos CX Slick 700x42c tires **SUSPENSION** RS Metro GPS | 50mm travel **COMPONENTRY** Shimano Deore rear derailleur + Alivio shifters + C102 front derailleur | Shimano T303 48/38/28 crank w/CG | Shimano M420 V brakes w/alloy levers | Alloy ATB pedals **SIZES** SM (15') | MD (17.5') | LG (20') | XL (22.5') | Steptrough SM (15') | Steptrough MD (17.5') | Steptrough LG (20') **COLOR** Metallic Light Silver + Metallic Red



ZEBRANO S →

FRAME Silver Series aluminum hybrid **WHEELS** Alloy QR front hub w/Shimano RM60 rear hub | WTB Dual Duty rims | Mythos CX Slick 700x42c tires **SUSPENSION** RST CT FREE T5 | 50mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + C102 front derailleur | Shimano TX71 48/38/28 crank w/CG | Tektro V brakes w/alloy levers | Dual-density platform pedals **SIZES** SM (15') | MD (17.5') | LG (20') | XL (22.5') | XXL (25') | Steptrough SM (15') | Steptrough MD (17.5') | Steptrough LG (20') **COLOR** Metallic Warm Silver + Metallic Black



TIBURON S →

FRAME Silver Series aluminum hybrid **WHEELS** Alloy QR hubs | Matrix 750 rims | Mythos CX Slick 700x42c tires **SUSPENSION** RST CT FREE C5 | 50mm travel **COMPONENTRY** Shimano Acera rear derailleur + EF29 shifters + C102 front derailleur | SR XCC-100 48/38/28 crank w/CG | Tektro V brakes w/alloy levers | Dual-density platform pedals **SIZES** SM (15') | MD (17.5') | LG (20') | XL (22.5') | Steptrough SM (15') | Steptrough MD (17.5') | Steptrough LG (20') **COLOR** Metallic Warm Silver + Metallic Blue



NIRVANA AND ZEBRANO
ARE ALSO AVAILABLE WITH A RIGID FORK.
SEE PAGE 47 FOR DETAILS.

Take the easy way out. Fisher Sport Utility Bikes are just the thing for folks who crave comfort, convenience, and extra utility. They're mountain bikes ready for the urban assault, featuring softer saddles, an upright riding position and the coolest slick tires on the planet. Add in our user-friendly Accessories Port™ and Quick Attach Mount for kid trailers and you'll realize that Gary has thought of everything.

S.U.B.

START>



↑CRONUS

FRAME Gold Series 6061 T6 internally and externally butted aluminum |

Genesis Geometry **WHEELS** Shimano M475 Disc hubs | WTB Speed Disc rims | Bontrager Hank Semi-Slick 26x2.2 tires **FORK** Bontrager Switchblade 26° **COMPONENTRY** SRAM X.7 rear derailleur + X-7 Trigger shifter | Bontrager 38T crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Gloss Black

↑ NAPA


w/Shimano RM60 rear hub | Matrix 550 rims | Bontrager Comfort 26x1.95 tires | **SUSPENSION** RST Gila T5 | 63mm travel | **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + C102 front derailleur | Shimano TX71 48/38/28 crank w/CG | Tektro V brakes w/alloy levers | Dual-density platform pedals | **SIZES** SM (14.5") | MD (16.5") | LG (18.5") | XL (21") | Steptrough SM (14.5") | Steptrough MD (16.5") | Steptrough LG (18.5") | **COLOR** Metallic Silver + Brushed Aluminum



↑ CAPITOLA

Matrix 550 rims | Bontrager Comfort 26x1.95 tires | **SUSPENSION** RST Capa C5 | 63mm travel | **COMPONENTRY** Shimano Acera rear derailleur + SRAM MRX Plus shifters + Shimano C051 front derailleur | SR XCC-100 48/38/28 crank w/CG | Tektro V brakes w/alloy levers & bell | Dual-density platform pedals | **SIZES** SM (14.5") | MD (16.5") | LG (18.5") | XL (21") | Steptrough SM (14.5") | Steptrough MD (16.5") | Steptrough LG (18.5") | **COLOR** Metallic Warm Silver + Red





Gary knows kids ('cause he still is one). Gary knows parents ('cause he still is one).
He knows kids want fun and function. Parents want durability, safety, and value. Gary's kids' bikes are high performance, yet built to last, built to grow, and most important, built to be safe. With features like adjustable components, shorter-reach brakes, and a lower standover height, these bikes aren't just super fun, they're super smart too. Kids' stuff? We think not.



↑↑ TYRO

FRAME Fisher Great Fit aluminum WHEELS

24" alloy rims + hubs | Shimano 7-speed freewheel | Bontrager Connection multitrack tires | SUSPENSION Great Fit suspension fork | 50mm travel | COMPONENTRY Great Fit over-adjustable stem + padded O-zone saddle + pedals | SRAM 3.0 rear derailleur + 21-speed shifters | Great Fit adjustable alloy crank | Cartridge BB | Linear pull brakes w/Great Fit levers | COLORS Metallic Blue (boys) | Purple Metallic (girls)

↓↓ COSMO


FRAME Fisher Great Fit aluminum WHEELS
20" alloy rims + hubs | 6-speed freewheel | Bontrager Connection multitrack tires SUSPENSION Great Fit suspension fork | 50mm travel COMPONENTRY Great Fit over-adjustable stem + padded O-zone saddle + pedals | Shimano TY-23 rear derailleur + SRAM MRX 6-speed shifters | Great Fit adjustable crank | Sealed BB | Linear pull brakes w/Great Fit levers COLORS Metallic Red (boys') | Dark Metallic Pink (girls')



↑↑ ASTRO

FRAME Fisher Great Fit aluminum WHEELS
20" alloy rims | Coaster brake & rear hand brake | Multitrack tires COMPONENTRY Great Fit adjustable saddle + pedals + grips + handlebar | Painted steel chainguard | Stem & handlebar pads | Moto fender on boys' | Basket & tassels on girls' COLORS Metallic Blue (boys') | Pink Metallic (girls')





↑↑ GAMMA RAY

frame Fisher Great Fit steel **wheels** 16" steel rims | Coaster
brake | Multitrack tires **componentry** Great Fit adjustable saddle + pedals + grips + handlebar | Great Fit Super Strong training wheels | Painted steel chainguard |
Stem & handlebar pads | Moto fender on boys' | Basket & tassels on girls' **colors** Metallic Red (boys') | Pink Metallic (girls')



↑↑ SUN SPOT


Multitrack tires **componentry** Great Fit adjustable saddle + pedals + grips + handlebar | Great Fit Super Strong training wheels | Plastic fully enclosed chainguard |
Stem & handlebar pads | Basket & tassels on girls' | Moto fender on boys' **colors** Pink Metallic (girls') | Metallic Black (boys')



↑↑ STAR FISH

steel rims | Coaster brake | Balloon cruiser tires **componentry** Great Fit adjustable saddle + pedals + grips + handlebar | Great Fit Super Strong training wheels | Plastic
fully enclosed chainguard | Cruiser fenders **colors** Metallic Blue + Metallic Silver (boys') | Pink Metallic + Pearl White (girls')

Geometry Tables



TERM	ABBR.	UNIT	GEOMETRY GLOSSARY
STANDOVER	SO	"	The vertical distance from the ground to the point on the top tube where you straddle the bike.
EFFECTIVE TOP TUBE	TT	"	The horizontal measure from the center of the headset to the center of the seatpost. The most important measurement when buying a bike, because it cannot be changed.
COCKPIT LENGTH	CP	"	The horizontal measure from the center of the handlebar to the center of the seatpost. This is where you spend your time. (The next two measurements show how it can be adjusted.)
MINIMUM COCKPIT	minCP	"	The shortest the cockpit can be made by changing the stem to the shortest one available.
MAXIMUM COCKPIT	maxCP	"	The longest the cockpit can be made by changing the stem to one which is 30mm longer than original—the maximum recommended to retain optimum handling.
STEM LENGTH	SL	mm	The original stem; measured from the center of the steerer tube to the center of the handlebar.
CRANK LENGTH	CL	mm	The distance from the center of the bottom bracket to the center of the pedal axle. A rider with long legs can benefit from longer cranks.
HEADTUBE LENGTH	HTL	mm	The distance between the upper and lower headset. Affects how high your handlebar is relative to your saddle.
HEAD ANGLE	HA	"	The angle of headtube to the ground. Tailored to optimize steering precision on each frame size.
SEATUBE ANGLE	STA	"	The angle of seattube to the ground. Tailored to optimize power transmission on each frame size.
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	The distance from the center of the bottom bracket to the center of the rear axle.
BOTTOM BRACKET HEIGHT*	BBH	mm	The vertical distance from the center of the bottom bracket to the ground. Expresses clearance of the frame over obstacles.
BOTTOM BRACKET DROP*	BBG	mm	The vertical distance the bottom bracket is below an imaginary horizontal line drawn through the axles. The greater the bottom bracket drop, the lower the rider's center of gravity.
WHEELBASE	WB	mm	The distance between the axles. Tailored to optimize weight distribution on each frame size.

All sizing and geometry specifications are calculated with a standard wheel size and fork axle to race. Larger air volume tires as well as different fork lengths will change the dimensions in these charts.

MODELS	CAKE 1 DLX CAKE 2 DLX CAKE 3 DLX CAKE 4 DLX				CAKE 3 DLX GS	CAKE 1 CAKE 2 CAKE 3 CAKE 4				CAKE 3 GS				
	SM (16")	MD (17.5")	LG (19")	XL (21")		SM (16")	MD (17.5")	LG (19")	XL (21")					
STANDOVER	SO	"	29.2	30.4	31.6	33.1	27.2	30.1	28.4	29.6	30.8	32.3	28.4	29.3
EFFECTIVE TOP TUBE	TT	"	22.9	23.9	24.7	25.5	22.3	23.4	22.9	23.9	24.7	25.5	22.3	23.4
COCKPIT LENGTH	CP	"	24.8	25.5	27.9	28.9	24.4	25.4	24.8	26.5	27.9	28.9	24.4	25.4
MINIMUM COCKPIT	minCP	"	24.6	26.2	27.7	28.7	24.2	25.2	24.6	26.2	27.7	28.7	24.2	25.2
MAXIMUM COCKPIT	maxCP	"	25.4	27.0	28.4	29.4	25.0	26.4	25.4	27.0	28.4	29.4	25.0	26.4
STEM LENGTH	SL	mm	75	90	105	105	75	75	75	90	105	105	75	75
CRANK LENGTH	CL	mm	170	175	175	175	170	175	170	175	175	175	170	175
HEADTUBE LENGTH	HTL	mm	90	105	125	145	90	105	90	105	125	145	90	105
HEAD ANGLE	HA	"	70	70.5	70.5	70.5	70.0	70.5	70	70.5	70.5	70.5	70.0	70.5
SEATUBE ANGLE	STA	"	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	417	417	417	417	417	417	417	417	417	417	417	417
BOTTOM BRACKET HEIGHT*	BBH	mm	343.2	343.2	343.2	343.2	343.2	343.2	322.5	322.5	322.5	322.5	322.5	322.5
BOTTOM BRACKET DROP*	BBG	mm	-13	-13	-13	-13	-13	-13	8	8	8	8	8	8
WHEELBASE	WB	mm	1070.2	1090.5	1112.2	1132.7	1054.6	1078.5	1070.2	1090.5	1112.2	1132.7	1054.6	1078.5

*Before recommended 125–30% sag-in

MODELS	KING FISHER 1 KING FISHER 2				
	SM (15.5")	MD (17.5")	LG (19")		
STANDOVER	SO	"	29.5	30.5	31.5
EFFECTIVE TOP TUBE	TT	"	22.4	23.0	24.3
COCKPIT LENGTH	CP	"	24.4	24.9	27.1
MINIMUM COCKPIT	minCP	"	24.4	24.9	26.3
MAXIMUM COCKPIT	maxCP	"	25.2	25.7	27.1
STEM LENGTH	SL	mm	50	50	70
CRANK LENGTH	CL	mm	170	175	175
HEADTUBE LENGTH	HTL	mm	115	115	125
HEAD ANGLE	HA	"	67	67	67
SEATUBE ANGLE	STA	"	73	73	73
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	434	434	434
BOTTOM BRACKET HEIGHT	BBH	mm	364.5	364.5	364.5
BOTTOM BRACKET DROP	BBG	mm	24.5	24.5	24.5
WHEELBASE	WB	mm	1128.1	1140.3	1173.2

Geometry Tables continued

MODELS	SIZES	GED	BITTER	PIE	MULLET	
STANDOVER	SD	XS(17")	SM(155")	MD(175")	LG(19")	XL(21")
EFFECTIVE TOP TUBE	TT	26.3	27.5	28.7	29.6	30.8
COCKPIT LENGTH	CP	21.4	22.5	23.6	24.4	25.1
MINIMUM COCKPIT	minCP	23.4	24.8	26.4	27.2	27.8
MAXIMUM COCKPIT	maxCP	23.4	24.8	25.6	26.4	27.1
STEM LENGTH	SL	25.0	26.0	26.4	27.2	28.8
CRANK LENGTH	CL	50	50	70	70	70
HEADTUBE LENGTH	HTL	170	170	175	175	170
HEAD ANGLE	HA	90	105	117.5	130	145
SEATUBE ANGLE	STA	70	70	70	70	70
EFFECTIVE CHAINSTAY LENGTH	CSL	71	71	71	71	71
BOTTOM BRACKET HEIGHT	BBH	413	413	413	413	413
BOTTOM BRACKET DROP	BBD	317.5	317.5	317.5	317.5	317.5
WHEELBASE	WB	28	28	28	28	28
		1064.9	1234.6	1091.3	1091.3	1100.6

MODELS	SIZES	SUGAR 292	SUGAR 293	SUGAR4+			
STANDOVER	SD	SM(15")	MD(175")	LG(19")	XL(21")		
EFFECTIVE TOP TUBE	TT	26.9	27.9	29	29.2		
COCKPIT LENGTH	CP	23.2	23.9	24.7	25.5		
MINIMUM COCKPIT	minCP	25.1	26.6	28.0	28.7		
MAXIMUM COCKPIT	maxCP	24.9	26.4	27.7	28.5		
STEM LENGTH	SL	25.6	27.2	28.5	29.3		
CRANK LENGTH	CL	75	90	105	105		
HEADTUBE LENGTH	HTL	170	175	175	175		
HEAD ANGLE	HA	80	80	90	110		
SEATUBE ANGLE	STA	71.5	71.5	71.5	71.5		
EFFECTIVE CHAINSTAY LENGTH	CSL	73.5	73.5	73.5	73.5		
BOTTOM BRACKET HEIGHT	BBH	450	460	460	460		
BOTTOM BRACKET DROP	BBD	315	315	315	315		
WHEELBASE	WB	50	50	50	50		
		1092.3	1110.4	1130.55	1150		
				1056.8	1082.8	1103.3	1122.9

MODELS	SIZES	PARAGON	X-CALIBER	RIGI	MONTARE	UTOPIA
STANDOVER	SD	SM(15")	MD(175")	LG(19")	XL(21")	
EFFECTIVE TOP TUBE	TT	28.9	29.9	30.8	31.2	
COCKPIT LENGTH	CP	23.2	24	24.7	25.5	
MINIMUM COCKPIT	minCP	26.2	26.9	28.8	29.6	
MAXIMUM COCKPIT	maxCP	25.5	27.5	28.3	29	
STEM LENGTH	SL	26.8	28.1	28.4	30.2	
CRANK LENGTH	CL	75	90	105	105	
HEADTUBE LENGTH	HTL	170	175	175	175	
HEAD ANGLE	HA	90	90	90	105	
SEATUBE ANGLE	STA	70.5	71.0	71.5	71.5	
EFFECTIVE CHAINSTAY LENGTH	CSL	74.0	74.0	75.5	73.0	
BOTTOM BRACKET HEIGHT	BBH	440	440	440	440	
BOTTOM BRACKET DROP	BBD	315	315	315	315	
WHEELBASE	WB	50	50	50	50	
		1083.2	1101.2	1110.4	1124.4	

MODELS	SIZES	ZIGGURAT	BIG SUR & DISC	HOO KOO E KOO	TASSAJARA	I	CRONUS
STANDOVER	SD	XS(13")	SM(155")	MD(175")	LG(19")	XL(21")	
EFFECTIVE TOP TUBE	TT	26.8	27.8	29.0	30.1	31.5	
COCKPIT LENGTH	CP	21.7	22.9	23.9	24.7	25.5	
MINIMUM COCKPIT	minCP	24.1	25.8	27.4	28.8	29.6	
MAXIMUM COCKPIT	maxCP	23.5	25.3	26.8	28.3	29.0	
STEM LENGTH	SL	24.7	26.4	28.0	29.4	30.2	
CRANK LENGTH	CL	60	75	90	105	105	
HEADTUBE LENGTH	HTL	170	170	175	175	175	
HEAD ANGLE	HA	90	90	105	125	145	
SEATUBE ANGLE	STA	70.0	70.5	71.0	71.0	71.0	
EFFECTIVE CHAINSTAY LENGTH	CSL	74.0	73.5	73.5	73.0	72.5	
BOTTOM BRACKET HEIGHT	BBH	413	413	413	413	413	
BOTTOM BRACKET DROP	BBD	312	317	317	317	323	
WHEELBASE	WB	35	30	30	30	25	
		1032.7	1054.1	1076.2	1091.6	1107.6	

BIG SUR GS	TASSAJARA GS
SM(13")	SM(155")
MD(175")	LG(19")
26.6	27.8
21.7	22.3
24.1	25.2
23.5	24.6
24.7	25.8
60	75
170	170
90	90
70.0	70.5
74.0	73.5
413	413
312	317
35	30
1032.7	1038.9
	1062.6

MODELS		ADVANCE TARPON MAKO					WOMEN'S STEPTHROUGH FRAMES	
SIZES		XS(13")	SM(15")	MD(17")	LG(19.5")	XL(21.5")	SM(15")	MD(16")
STANDOVER	SD	25.4	27.6	29.3	30.4	31.9	23.8	23.9
EFFECTIVE TOP TUBE	TT	21.5	22.4	23.1	23.8	24.5	21.8	23.0
COCKPIT LENGTH	CP	23.0	24.2	25.6	26.3	27.5	24.0	25.3
MINIMUM COCKPIT	minCP	23.1	24.3	25.6	25.3	27.6	23.4	24.7
MAXIMUM COCKPIT	maxCP	23.4	24.7	26.0	26.7	28.0	24.6	25.9
STEM LENGTH	SL	50	50	110	110	130	55	60
CRANK LENGTH	CL	170	170	175	175	175	170	170
HEADTUBE LENGTH	HTL	105	125	145	165	185	125	165
HEAD ANGLE	HA	70.5	71	71.5	71.5	71.5	71	71.5
SEATTUBE ANGLE	STA	74.5	74	74	73.5	73.5	74	74
EFFECTIVE CHAINSTAY LENGTH	CSL	412	412	412	412	412	420	415
BOTTOM BRACKET HEIGHT	BBH	298	291	295	295	295	291	295
BOTTOM BRACKET DROP	BBD	45.0	42.0	38.0	33.0	33.0	42.0	38.0
WHEELBASE	WB	1021.5	1037.3	1052.9	1066.5	1085.2	1028.4	1052.8

MODELS		NIRVANA & S ZEBRANO & S TIBURON & S					WOMEN'S STEPTHROUGH FRAMES			
SIZES		XS(15")	MD(17.5")	LG(20")	XL(22.5")		XS(15")	MD(17.5")	LG(20")	
STANDOVER	SD	27.0	28.6	30.3	32.2		23.5	23.7	23.8	
EFFECTIVE TOP TUBE	TT	21.4	21.6	22.2	22.9		21.4	21.5	22.2	
COCKPIT LENGTH	CP	23.1	23.3	23.9	24.7		22.3	23.2	23.0	
MINIMUM COCKPIT	minCP	23.3	23.5	24.1	24.8		22.3	23.4	23.5	
MAXIMUM COCKPIT	maxCP	23.4	23.6	24.3	25.0		22.6	23.6	23.3	
STEM LENGTH	SL	105	105	105	105		90	105	110	
CRANK LENGTH	CL	170	170	170	170		170	170	170	
HEADTUBE LENGTH	HTL	90	105	105	125		105	125	145	
HEAD ANGLE	HA	70	70.5	70.5	71.5		70	70.5	70.5	
SEATTUBE ANGLE	STA	74	74	73	73		74	74	73	
EFFECTIVE CHAINSTAY LENGTH	CSL	440	440	440	440		440	440	440	
BOTTOM BRACKET HEIGHT	BBH	280.9	280.9	280.9	280.9		280.9	280.9	280.9	
BOTTOM BRACKET DROP	BBD	65.0	65.0	65.0	65.0		65.0	65.0	64.9	
WHEELBASE	WB	1055.8	1058.3	1061.9	1069.4		1055.8	1056.3	1061.9	

MODELS		NAPA CAPITOLA					WOMEN'S STEPTHROUGH FRAMES			
SIZES		SM(14.5")	MD(16.5")	LG(18.5")	XL(21")		SM(14.5")	MD(16.5")	LG(18.5")	
STANDOVER	SD	25.9	27.4	29.1	30.3	32.2	23.2	23.2	23.4	
EFFECTIVE TOP TUBE	TT	20.9	21.7	22.8	23.4	20.9	21.7	22.4		
COCKPIT LENGTH	CP	25.0	25.8	27.7	28.3	25.0	25.8	27.7		
MINIMUM COCKPIT	minCP	22.8	23.6	24.8	25.5	22.9	23.2	24.5		
MAXIMUM COCKPIT	maxCP	25.8	26.6	28.0	28.7	25.8	26.6	28.0		
STEM LENGTH	SL	105	105	125	125	105	105	125		
CRANK LENGTH	CL	170	170	170	170	170	170	170		
HEADTUBE LENGTH	HTL	135	155	215	235	135	155	215		
HEAD ANGLE	HA	70.5	70.5	70.5	70.5	70.5	70.5	70.5		
SEATTUBE ANGLE	STA	72.5	72.5	72.5	72.5	72.5	72.5	72.5		
EFFECTIVE CHAINSTAY LENGTH	CSL	423	423	423	423	423	423	423		
BOTTOM BRACKET HEIGHT	BBH	287	287	287	287	283	283	283		
BOTTOM BRACKET DROP	BBD	45.0	45.0	45.0	45.0	50.0	50.0	50.0		
WHEELBASE	WB	1010.9	1031.7	1058.9	1079.6	1010.9	1031.7	1058.9		

GARY FISHER LIMITED LIFETIME WARRANTY

Gary Fisher Bicycles provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized Gary Fisher dealer. Gary Fisher Bicycles likewise warrants all original parts on the bicycle, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Gary Fisher dealer. Proof of purchase is required. A warranty registration card must be completed and received by Gary Fisher Bicycles before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized International Gary Fisher distributor or Gary Fisher dealer within the country of purchase.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse, or neglect, or modification of the frame, fork, or components. Gary Fisher Bicycles shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Gary Fisher reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications, and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non-U.S. equipment. Some models may be shown with optional equipment.

All Gary Fisher bikes are sold exclusively through our network of Authorized Dealers who we entrust with professional assembly and service of your bicycle. Gary Fisher Bicycles extends a Limited Lifetime Warranty on every frame. Warranty duration and detail may differ by frame type and/or by country.

All specifications are subject to change without notice. Gary Fisher Mountain Bikes, Gary Fisher, the double mountain logo, Cake, Sugar, Genesisters, OCLV, sylvairk, b•link, Accessories Port, Cake 1, Cake 2, Cake 3, Cake 4, King Fisher, King Fisher 2, Biggins, Ged, Bitter, Opie, Mullet, Sugar4+, Sugar 292, Sugar 293, Rig, Dual Sport, Montare, Ziggurat, Big Sur, Hoo Koo E Koo, Tassajara, Marin, Wahoo, Advance, Taron, Utopia, Nirvana, Zebra, Tiburon, Cronus, Napa, Capitola, Tyro, Cosmo, Astro, Gamma Ray, and Sun Spot are trademarks of Trek Bicycle Corporation. All rights reserved. ©2004 Trek Bicycle Corporation. Copyright 2004 Trek Bicycle Corporation. All Rights Reserved. Fisher is a Registered Trademark of Trek Bicycle Corporation. US Patent Numbers: 5,445,439, 5,624,519, 5,931,544, 6,270,104, 6,497,042 and others pending.

The following riding practices increase your risk of injury: jumping your bicycle, performing bicycle stunts, severe off-road riding, downhill riding and any abnormal bike riding. Each of these conditions increases the stress on every part of your bicycle. Frames or parts under high stress may fatigue prematurely, causing them to fail and increasing the risk of injury to the rider. Avoid these riding practices to decrease your risk of injury.

MODEL	MAKO	MONTARE	UTOPIA	NIRVANA S	ZEBRANO S	TIBURON S	CORONUS	NAPA	CAPITOLA
PAGE	33	34	34	35	35	35	35	36	37
COLORS	Metallic Light Silver + Metallic Blue / Metallic Red	Metallic Blue	Metallic Blue + Metallic Red	Metallic Light Silver + Metallic Red	Metallic Silver + Metallic Black	Metallic Silver + Metallic Black	Metallic Silver + Metallic Black	Metallic Silver + Metallic Blue	Metallic Silver + Red
SIZES	XS (13) S (15) M (17) L (19) XL (21)	XS (13) S (15) M (17) L (19) XL (21)	XS (13) S (15) M (17) L (20) XL (22.5)	XS (13) M (17) L (20) XL (22.5)	XS (13) M (17) L (20) XL (22.5)	XS (13) M (17) L (20) XL (22.5)	XS (13) M (17) L (20) XL (22.5)	XS (13) M (17) L (20) XL (22.5)	XS (13) M (17) L (20) XL (22.5)
DETAIL FRAME	Silver Series aluminum AB	Silver Series aluminum AB	Platinum Series 7075T0	Gold Series 6061 T6 internally internally and externally aluminum / aluminum	Silver Series aluminum hybrid				
SWINGARM	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FORK	Hium ATB	Manitou Smith Elite 75mm travel	RS Metro GPS 50mm travel	Crusader ATB	Crusader ATB	IST CI FREE TS 50mm travel	Electroge Schmidlein 20"	IST Giai TS Comm travel	IST Capri CS 52mm travel
REAR SHOCK	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HEADSET	Sum-cartridge, sealed	Absolut, semi-cartridge, sealed	Absolut, semi-cartridge, sealed	Semi-cartridge, sealed	Semi-cartridge, sealed	Absolut, semi-cartridge, sealed	Absolut, semi-cartridge, sealed	Absolut, semi-cartridge, sealed	Absolut, semi-cartridge, sealed
BOTTOM BRACKET	Cartridge	ISIS Bottom	ISOS Crimp Pipe	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge
CRANK	SR XC2-C01 40/30/29	Bentley Select 40/36/26	Shimano 7003 40/36/26/w/CG	Shimano XTR 40/36/26/w/CG	Shimano XTR 40/36/26/w/CG	SR XC2-C01 40/36/26/w/CG	Bentley 30T w/CG	Shimano XTR 40/36/26/w/CG	SR XC2-C01 40/36/26/w/CG
PEDALS	Nylon platform	Shimano 4050 cleatless	Alloy ATB	Alloy ATB	Alloy ATB	Dual-density platform	Dual-density platform	Dual-density platform	Dual-density platform
FRONT DERAILLEUR	Shimano C051	Shimano Deore	Shimano C102	Shimano C102	Shimano C102	Shimano Acera	Shimano Alivio	Shimano Alivio	Shimano Acera
REAR DERAILLEUR	Shimano TX50	Shimano XT SG5	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Acera	Shimano Alivio	Shimano Alivio	Shimano Acera
SHIFTERS	Shimano EF95	Shimano LX	Shimano Alivio	Shimano EF73	Shimano EF73	SRAM X7/Tigres	SRAM X7/Tigres	SRAM X7/Tigres	SRAM X7/Tigres
CASSETTE	SR XC2-C01 11-34/17 speed	SRAM PG3011 11-34/17 speed	SRAM PG3011 11-32/18 speed	SRAM PG3011 11-32/18 speed	SRAM PG3011 11-32/18 speed	SRAM PG3011 11-34/19 speed	Shimano HG11	KMC Z51	KMC Z51
CHAIN	KMC Z51	Shimano HG53	Shimano HG53	Shimano HG51	Shimano HG51	Shimano HG51	Shimano HG11	Shimano HG11	Shimano HG11
FRONT WHEEL									
FRONT HUB	Alloy OR	Shimano M25 Disc	Alloy OR	Alloy OR	Alloy OR	Shimano M475 Disc	Alloy OR	Shimano M475 Disc	Alloy OR
FRONT RIM	Matrix 550	WTB Speed Disc	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty	WTB Speed Disc	Matrix 550	Matrix 550	Matrix 550
FRONT SPOKES	14G	14G Stainless Steel	14G Stainless Steel	14G Stainless Steel	14G Stainless Steel	14G Stainless Steel	14G stainless steel	14G stainless steel	14G stainless steel
REAR WHEEL		Bentley Superlock 29"							
REAR HUB	Alloy OR	Shimano M25 Disc	Shimano M25 Disc	Shimano M25 Disc	Shimano M25 Disc	Shimano M475 Disc	Shimano M475 Disc	Shimano M475 Disc	Shimano M475 Disc
REAR RIM	Matrix 550	WTB Speed Disc	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty	WTB Speed Disc	Matrix 550	Matrix 550	Matrix 550
REAR SPOKES	14G	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel
FRONT TIRE	Bentley Connection Trail 2022.0	Bentley Connection Trail 2022.0	Bentley Invent HC 700x25	Bentley Invent HC 700x25	Bentley Invent HC 700x25	Bentley Invent HC 700x25	Bentley Invent HC 700x25	Bentley Invent HC 700x25	Bentley Invent HC 700x25
REAR TIRE	Bentley Connection Trail 262.0	IHC Mythes CX Slck 700x26c	IHC Mythes CX Slck 700x26c	IHC Mythes CX Slck 700x26c	IHC Mythes CX Slck 700x26c	IHC Mythes CX Slck 700x26c	IHC Mythes CX Slck 700x26c	IHC Mythes CX Slck 700x26c	IHC Mythes CX Slck 700x26c
FRONT BRAKE	Tektro V	Avd BB5 mechanical disc	Shimano M420 V	Shimano M420 V	Shimano M420 V	Tektro V	Tektro V	Tektro V	Tektro V
REAR BRAKE	Tektro V	Avd BB7 mechanical disc	Shimano M420 V	Shimano M420 V	Shimano M420 V	Tektro V	Tektro V	Tektro V	Tektro V
BRAKE LEVERS	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy
HANDLEBAR	HiM	Bentley Control Select	Bentley Control Select	Bentley Control Select	Bentley Control Select	Bentley Control Sport	Bentley Control Sport	Bentley Control Sport	Bentley Control Sport
STEM	Him 25 deg rise	HiS Mythes CX Slck 700x26c	HiS Mythes CX Slck 700x26c	HiS Mythes CX Slck 700x26c	HiS Mythes CX Slck 700x26c	Bentley Control Sport	Bentley Control Sport	Bentley Control Sport	Bentley Control Sport
GRIP									
SADDLE	Bentley Race Line Hollow carbon rail 5	Bentley Race Line	Bentley Race Line	Bentley Race Line	Bentley Race Line	Bentley Websprung Comfort	Bentley Websprung Comfort	Bentley Websprung Comfort	Bentley Websprung Comfort
SEATPOST	Bentley Sport	Bentley Sport	Bentley Sport	Bentley Sport	Bentley Sport	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension