

## 1992 GARY FISHER BICYCLE COMPANY.






# THE BIKES THAT MAKE ALL OTHERS SEEM LIKE HISTORY.





New Fisher Design Evolution Light Weight Butted Columbus Nivachrome Tubing and Fork Blades Light Weight Fisher/Control Tech Evolution 6061 Aluminum Stem New Light Weight Fisher GrassTrax 1.9 Kevlar Bead Tires Shimano Deore XT Clipless Pedals Shimano Deore XTR 8-St eed Drivetrain Mavic 23 Silver Anodized Rims w/ Butted Spokes and Joy Nipples PROCALIBER The ProCaliber is a proven racing thoroughbred with the ultimate in super light steel tubing, aggressive geometry, and an incredible component group. The way a racer would have spec'd it. Shimano Deore DX Top Mount Shifters and Two Finger Brake Levers Fisher Design Evolution Tange Double-Butted Cro-mo Tubing w/ Curved, Tapered Seat Tube Super Short 15.6 A Evated Chainstays

Unn Von E Von



Fisher Evolution Tange-Seiki Super Light 7075 Aluminum Headset

Fisher Design7075 Aluminum Seat Collar

Fisher Design Evolution Sandvik 3-2.5 Titanium Frame with Geometry Adjustment for Rock Shox II

Fisher Evolution Cro-Mo, 30 Degree Rise;

N/A

85mm on 17", 115mm on 19", 145mm on 21"

061 Aluminum Bulge Bar

New Rock Shox II with Magnesium Blades

Shimano 13-30,

N/A

7 SP Hyperglide Cassette

Fisher/Phantom Titanium Spindle Bottom-Bracket with Sealed Bearings

### Prometheus Rs

Specifically engineered for front suspension, the Prometheus RS is the ultimate titanium speed machine.

The best of everything.

(Frameset only)

DLEBAR:	STEM:	BRAKES:	LEVERS:	F HUB:	R HUB:	COGS:
6061 Aluminum Bulge Bar;	Fisher/Control Tech Evolution 6061 Aluminum,	F: Dia Compe 987,	Dia Compe SS-7,	Campagnolo Centaur,	Fisher/Campagnolo Cen-	Campagnolo Centaur,
ep on 16", Butted on 18"-20"	5 Degree Rise; 130mm on 16°, 145mm on 18°, 160mm on 20°	<b>R</b> : Pro Stop Disc, Designed for Fisher	Dipped Lever	32 Hole, 100mm	taur, 32 Hole, 135mm	12-28, 8 SP Cassette
6061 Aluminum Bulge Bar;	Fisher/Control Tech Evolution 6061 Aluminum,	Shimano XTR	Shimano XTR	Shimano XTR,	Shimano XTR,	Shimano XTR,13-32,
p on 16°, Butted on 18°-20°	5 Degree Rise;115mm on 16°, 130mm on 18°, ** 145mm on 19°, 160mm on 20°			32 Hole, 100mm	32 Hole, 135mm	8 SP Hyperglide Cassette
6061 Aluminum Bulge Bar; Tri-	Fisher Lightweight Evolution Cro-Mo, 5 Degree Rise;	Shimano Deore XT	Shimano Deore XT,	Shimano Deore XT,	Shimano Deore XT,	Shimano, 13-30,
n 13.5"-15", Butted on 18"-21.5"	115mm on 13.5", 130mm on 16 <sup>16</sup> 18", 145mm on 19", 160mm on 20"-21.5"	Low Profile Cant.	Two Finger	32 Hole, 100mm	32 Hole, 135mm	7 SP Hyperglide Cassette
6061 Aluminum Bulge Bar;	Fisher Lightweight Evolution Cro-Mo, 5 DegreeRise;	♥ Dia Compe 986 Cant.	Dia Compe SS-7,	Suntour XC Comp,	Suntour XC Comp, Micro	Suntour Micro Drive 11-24,
p on 16°, Butted on 18°-20°	115mm on 15.5", 130mm on 17.5", 145mm on 19", 160mm on 20.5"		Dipped Lever	32 Hole, 100mm	Drive, 32 Hole, 135mm	7 SP Powerflow Cassette
6061 Aluminum Bulge Bar;	Fisher Evolution Cro-Mo, 15 Degree Rise; 115mm on	Shimano Deore DX	Shimano Deore DX	Shimano Deore DX,	Shimano Deore DX,	Shimano 13-30,
o on 14.5"-16", Butted on 18"-20	14.5°, 130mm on 16°, 145mm on 18°,160mm on 20°	Low Profile Cant.	Two Finger	32 Hole, 100mm	32 Hole, 135mm	7 SP Hyperglide Cassette
COCT Al D. L D	EL ELC O'M ACD D' ME	CL! A FOL			- Aug	0.1
6061 Aluminum Bulge Bar;	Fisher Evolution Cro-Mo, 15 Degree Rise; 115mm on	Shimano M-501	Shimano Deore DX,	Shimano 500 LX,	Shimano 500 LX,	Shimano 13-30,
o on 14.5"-16", Butted on 18"-20"	14.5", 130mm on 16", 145mm on 18", 160mm on 20"	Low Profile Cant.	Two Finger	32 Hole, 100mm	32 Hole, 135mm	7 SP Hyperglide Cassette
6061 Aluminum Bulge Bar;	Fisher Evolution Cro-Mo, 15 Degree Rise; 100mm on	Shimano M-501	Shimano-Exage 400	Shimano Exage 400,	Shimano Exage 400,	Shimano, 13-30,
on 14.5"-16", Butted on 18"-20"	12.5", 115mm on 16", 130mm on 18", 145mm on 19", 160mm on 20"	Low Profile Cant.	Two Finger	36 Hole, 100mm	36 Hole, 135mm	7 SP Hyperglide Cassette

Shimano Deore DX

Low Profile Cant.

N/A

Shimano Deore DX,

Two Finger

N/A

Shimano Deore LX,

32 Hole, 100mm

N/A

Shimano Deore LX,

32 Hole, 135mm

N/A

Fisher Design Evolution Tange-Seiki Super Light 7075 Aluminum Headset

Fisher Design 7075 Aluminum Seat Collar

Fisher Evolution Super Light Butted Tange Prestige Cro-Mo Forks

Fisher Design Evolution Sandvik 3.25 Titanium Frame

Fisher/Phantom Titanium Spindle Bottom-Bracket with Sealed Bearings

## PROMETHEUS SL

The extremely light weight and durable Prometheus SL has the perfect blend of liveliness and rigidity.

Stiff and responsive climbing, smooth and predictable descending.

(Frameset only)

HEADSET:	CRANKSET:	BB SET:	PEDALS:	CHAIN:	DERAIL:	SHIFTERS:
Fisher Evolution Tange-Seiki Superlight 7075 Aluminum	Sugino XP 46A/36A/24S, 170mm on 16", 175mm on 18"-20"	Fisher Kajito BB 132mm Spindle, 104mm BB Shell, Sealed Bearings	Shimano Deore XT SPD, Clipless	Rohloff	F and R: Campagnolo Centaur	Campagnolo Centaur, Top Mount
Fisher Evolution Tange-Seiki Superlight 7075 Aluminum	Shimano XTR 46A/36A/24S Round, 170mm on 16°, 175mm on 18°-20°	Fisher Evolution 113mm Spindle, 80mm BB Shell, Sealed Bearings	Shimano Deore XT SPD, Clipless	Shimano XTR	F and R: Shimano XTR	Shimano XTR, Rapidfire Plus STI
Fisher Evolution Tange-Seiki Superlight 7075 Aluminum	Shimano Deore XT 46A/36A/24S Round Superglide, 170mm on 13.5°-16°,	Fisher Evolution 128mm Spindle, 80mm BB Shell, Sealed Bearings	Shimano Deore XT SPD, Clipless	Shimano HG-91	F and R: Shimano Deore XT	Shimano Deore XT, Top Mount
Fisher Evolution Tange-Seiki Superlight 7075 Aluminum	175mm on 18"-21.5" Suntour XC Comp, Micro Drive 42A/32A/20S, 170mm on 15.5",	Fisher Evolution 119 mm Spindle, 80mm BB Shell, Sealed Bearings	Fisher Power Link II Alloy, Low Profile Body, Alloy Cage	Suntour XC Comp	F and R: Suntour XC Comp	Suntour XC Comp, Top Mount
Fisher Evolution YST	175mm on 17.5"-20.5" Shimano Deore DX, 46A/36A/24S Round Superglide, 170 on 14.5"-16",	Fisher Evolution 128mm Spindle, 88mm BB Shell, Sealed Bearings	Fisher Powerlink II Alloy, Low Profile Body, Alloy Cage	Shimano HG-70	F and R: Shimano Deore DX, Top Pull	Shimano Deore DX, Top Mount
Fisher Evolution YST Steel	175 on 18"-20" Shimano Exage 500 LX, 46A/36A/24S Round Superglide, 170mm on 14.5"-16",	Fisher Evolution 128mm Spindle, 88mm BB Shell, Sealed Bearings	Fisher Power Link, Alloy Body and Cage	Shimano HG-50	F and R: Shimano 500 LX, Top Pull	Shimano Deore DX, Top Mount
Fisher Evolution YST Steel (Negative Stack Headset on 12.5°)	175mm on 18"-20", Shimano Exage 400, 48S/38S/28S Biopace, 170mm on 16",	English Threaded and Sealed, 73mm BB Shell, Bolt-On Crank	Victor, Black Cage	Shimano HG-50	F and R: Shimano Exage 400	Shimano Exage 400, Rapidfire
Fisher Evolution YST Steel	175mm on 18"-20". Shimano Deore LX 46A/36A/24S, Round Superglide, 170mm on 17",	Spindle Fisher Evolution 128mm Spindle, 88mm BB Shell, Sealed Bearings	Fisher Power Link II Alloy, Low Profile Body, Alloy Cage	Shimano HG-70	F and R: Shimano Deore LX	Shimano Deore DX, Top Mount
Fisher Evolution Tange-Seiki	175mm on 19"-21" N/A	Fisher/Phantom Titanium 128mm	N/A	N/A	N/A	N/A

Spindle, 88mm BB Shell, Sealed

Superlight 7075 Aluminum

Shimano Deore DX Top-Mount Shifters and Two Finger Brake Levers

Fisher Evolution 30 Degree High-Rise Cro-Mo Stem

Fisher Design Evolution Tange Double-Butted Cro-Mo Tubing

Fisher Design Evolution Headset



#### SPHINX

Designed for smoother surfaces and their higher speeds, this hybrid has all the strength and durability of a Fisher Mountain Bike.

Comfortable and efficient on all terrain.

		1	
-1	COLORS:		SIZES:
*RS-1	Lapis w/ Silver Decals	0	16", 18 20"
*PROCALIBER	Team Issue Hot Tri-Color w/ Jet Black Decals	•	16", 18", 19", 20"
*PARAGON	Comflower Blue w/ Hot Red Decals Black Spruce w/ Gun Metal Decals	0	13.5", 16", 18", 19". 20", 21.5"
*SUPERCALIBER	Day-Glo Yellow w/ Blue Decals Bead Blast w/ Lapis Decals	•	15.5", 17.5", 19", 20.5"
*MONTARE	Rocket Red w/ Silver Decals Mercury w/ Day-Glo Yellow Decals	0	14.5", 16", 18", 20"
H00-K00-E-K00	Midnight Blue w/ Silver Decals Hot Red Matte w/ Indigo Decals	0	14.5", 16", 18", 20"
TASSAJARA	Jade w/ Silver Decals Jet Black w/ Iris Decals	0	12.5", 16", 18", 19", 20"
SPHINX	Rocket Red w/Jet Black Decals	•	17*, 19*, 21*
PROMETHEUS SI	Au Naturel w/ Indigo Decals	•	16",18", 20"

#### FRAME:

Fisher Design Evolution Double-Butted Easton Varilite 7005 Aluminum Tubing, Mert Lawwill Patented 7005 Aluminum Suspension, Bullet Cable Stops, Aluminum Seat Collar New Fisher Design Evolution Butted Columbus Nivachrome Tubing, Bullet Gable Stops, Fisher Investment Cast Dropouts, Drilled Investment Cast Fisher Seat Collar Fisher Design Evolution Tange Quad-Butted Prestige Cro-Mo Tubing, Fisher Investment Cast Dropouts and Seat Collar, Bullet Cable Stops, Triple Water Bottle Cage Mounts, Rear Rack Mounts Fisher Design Evolution Double-Butted Easton Varilite 7005 Aluminum Tubing, Bullet Cable Stops, Dia Compe Slotted Rear Brake Cable Hanger, Aluminum Seat Collar Fisher Design Evolution Tange Double-Butted Cro-Mo Tubing w/ Curved, Tapered Seat Tube, Elevated Chainstays, Investment Cast Seat Collar, Bullet Top Route Cable Stops, Forged Dropouts Fisher Design Evolution Tange Double-Butted Cro-Mo Tubing w/ Curved, Tapered Seat Tube, Elevated Chainstays, Investment Cast Seat Collar, Bullet Top Route Cable Stops, Forged Dropouts Fisher Design Evolution Cro-Mo Tubing, Cro-Mo Tapered Stays, Fisher Investment Cast Seat Collar, Forged Dropouts, Triple Water Bottle Cage mounts, (double on 12.5"), Bullet Cable Stops, Rear Rack Mounts Fisher Design Evolution Tange Double-Butted Cro-Mo Tubing, Forged Dropouts, Investment Cast Seat Collar, Bullet Cable Stops, Triple Water Bottle Cage-Mounts, Rear Rack Mounts Fisher Design Evolution Sandvik 3-2.5 Titanium

(Geometry Adjustment for Rock Shox II on RS Model)

#### FORK:

Dia Compe Rock Shox II, Evolution w/ Magnesium Blades

Fisher Design Evolution Butted Columbu Nivachrome, Investment Cast Dropouts

Fisher Design Evolution True Temper St Tange Butted Blades, Investment Cast Dropouts, Lowrider Rack Mounts Fisher Design Evolution True Temper St Triple-Butted Cro- Mo Blades, Investme Cast Dropouts

Fisher Design Evolution True Temper St Cro-Mo Blades, Investment Cast Dropo

Fisher Evolution True Temper Steerer, Cro-Mo Blades, Investment Cast Dropo

Fisher Evolution True Temper Steerer, Cro-Mo Blades, Investment Cast Dropo

Fisher Evolution True Temper Steerer, Cro-Mo Blades, Forged Dropouts

Fisher Evolution Superlight Butted.Tan Prestige, Invest-ment Cast Fork Ends, (Dia Compe Rock Shox II, Evolution on RS Mode Heavy Duty Fisher Design Evolution True-Temper Cro-Mo Frame and Fork

Suntour XC Comp Low Profile Self-Energizing Rear Brakes

Blackburn Low Poer Mounts

Suntour Second Micro-Drive Drivetrain 11-24 Powerflow Cogs and 46A/36A/22S Chainrings

#### GEMINI

Designed with strength and stiffness where it counts, this no-compromise mountain tandem provides exceptional control and speed on all terrain.

Twice the excitement.

	TIRES:	SPOKES:	SADDLE:	SEATPOST:	TOECLIPS:		
400 Pro, 32 Hole, dized	Fisher 26 x 2.2 Dusttrax Kevlar Bead	Stainless Steel 14/15 Ga., Alloy Nipples	Fisher Leather Trail Tail	Nitto Superlight 7N Aluminum, Micro-Adjust, 31.6 x 350mm	Fisher Powerlink Nylon Clip Powerlink Toestraps	RS-1	
1, 32 Hole, ized	Fisher 26 x 1.9 Grasstrax Kevlar Bead	Stainless Steel 14/15 Ga., Alloy Nipples	Fisher Leather Trail Tail	Nitto Superlight 7N Aluminum, Micro-Adjust, 28.6 x 350mm	N/A	PROCALIBER	
400 Pro, 32 Hole, lized	Fisher 26 x 2.2 Fattrax Kevlar Bead	Stainless Steel 14/15 Ga., Alloy Nipples	Fisher Leather Trail Tail	Nitto Superlight 7N Aluminum, Micro-Adjust, 28.6 x 350mm, (300mm on 13.5")	N/A	PARAGON	
400 Pro, 32 Hole, lized	Fisher 26 x 2.2 Fattrax Kevlar Bead	Stainless Steel 14/15 Ga., Alloy Nipples	Fisher Leather Trail Tail	Proponent 6061 Aluminum, Micro-Adjust, 31.6 x 350mm	Fisher Powerlink Nylon Clip Powerlink Toestraps	SUPERCALIBER	
20, 32 Hole, dized	Fisher 26 x 2.2 Fattrax	Stainless Steel 14 Ga.	Fisher Leather Trail Tail	Proponent 6061 Aluminum, Micro-Adjust, 28.6 X 350 mm, (300mm on 145')	Fisher Powerlink Nylon Clip Powerlink Toestraps	MONTARE <sub>,</sub>	
7, 32 Hole, dized	Fisher 26 x 1.9 Switchbax	Stainless Steel 14 Ga.	Avocet Racing	Proponent 6061 Aluminum, Micro-Adjust, 28.6 x 350mm, (300mm on 14.5")	Fisher Powerlink Nylon Clip Powerlink Toestraps	H00-K00-E-K00	
20, 36 Hole, dized	Fisher 26 x 1.9 Switchbax	Stainless Steel 14 Ga.	Avocet Racing	Proponent 6061 Aluminum, Micro-adjust, 28.6 X 350mm, (300mm on 14.51)	Fisher Powerlink Nylon Clip Powerlink Toestraps	TASSAJARA	
100, 32 Hole, dized	Cheng Shin 700X40C	Stainless Steel 14 Ga.	Fisher Leather Trail Tail	Proponent 6061 Aluminum, Micro-Adjust, 28.6 x 300mm	Fisher Powerlink Nylon Clip Powerlink Toestraps	SPHINX	
	N/A	N/A	N/A	N/A	N/A	PROMETHEUS SĻ and RS	