



LeMond Racing Cycles

2001

Frame ~ Reynolds double butted titanium | Fork ~ Icon® Carbon Air Rail™ | Wheelset ~ Rolf Sestriere | Gruppo ~ Shimano Dura-Ace > 9-speed | Crank ~ 53/39 | Sizes ~ 49, 51, 53, 55, 57, 59, 61



Frame ~ Reynolds double butted titanium | Fork ~ Icon Carbon Air Rail | Wheelset ~ Rolf Vector Comp | Gruppo ~ Shimano Ultegra > 9-speed | Crank ~ 53/39 | Sizes ~ 49, 51, 53, 55, 57, 59, 61



Frame ~ Reynolds 853 Steel Alloy | Fork ~ Icon Carbon Air Rail | Wheelset ~ Rolf Sestriere | Gruppo ~ Shimano Dura-Ace > 9-speed | Crank ~ 53/39 | Sizes ~ 49, 51, 53, 55, 57, 59, 61



Frame ~ Reynolds 853 Steel Alloy | Fork ~ Icon Carbon Air Rail | Wheelset ~ Rolf Vector Comp | Gruppo ~ Shimano Utegra > 9-speed | Crank ~ 53/39 or 52/42/30 | Sizes ~ 47, 49, 51, 53, 55, 57, 59, 61



Frame ~ 6061 T6 butted Aeroluminum | Fork ~ Icon Carbon Air Rail | Wheelset ~ Rolf Vector Comp | Gruppo ~ Shimano Ultegra > 9-speed | Crank ~ 53/39 | Sizes ~ 50, 53, 55, 58, 61



Frame ~ 6061 T6 butted Aeroluminum | Fork ~ Icon Carbon Classic | Wheelset ~ Rolf Vector | Gruppo ~ Shimano 105 > 9-speed | Crank ~ 53/39 | Sizes ~ 50, 53, 55, 58, 61



Frame ~ Reynolds 853 and 525 Steel Alloy | Fork ~ Icon Carbon Classic | Wheelset ~ Rolf Vector | Gruppo ~ Shimano 105 > 9-speed | Crank ~ 53/39 or 52/42/30 | Sizes ~ 47, 49, 51, 53, 55, 57, 59, 61



Frame ~ Reynolds 853 and 525 Steel Alloy | Fork ~ Aero Chromoly | Wheelset ~ Alloy QR/Aurora | Gruppo ~ Shimano Tiagra > 9-speed | Crank ~ 53/39 or 52/42/30 | Sizes ~ 47, 49, 51, 53, 55, 57, 59, 61



22

Tourmalet™

853 Steel Alloy

[Too-er-mah-lay] A 2,115-meter-high pass in the French Pyrenees. The Tourmalet is a fabled Tour de France pass, site of many epic battles. On the Tourmalet in 1990, overworked but stubborn, Greg LeMond attacked again and again, chipping away at Claudio Chiappucci's lead. Soon, LeMond reclaimed the yellow jersey winning his third Tour.



A Tourmalet, despite its reasonable price, is made from Reynolds steel tubing, a strategic mix of 853 and 525. Its LeMond Geometry means you sit on it in that balanced position we always mention, and it rides and handles in a way that riders always like. We make Tourmalets in eight sizes; you can surely find a perfect fit. Each size has size-specific handlebar width, stem length and crankarm length. If you're normally proportioned, your new bike may fit you perfectly on initial assembly. LeMond Tourmalet bicycles will be equipped with Shimano Tiagra groups, double or triple cranksets at your option. Reynolds, Shimano, LeMond Geometry... good company for the miles ahead.

Frame ~ Reynolds 853 and 525 Steel Alloy | Fork ~ Aero Chromoly | Wheelset ~ Alloy QR/Aurora | Gruppo ~Shimano Sora > 8-speed | Crank ~ 52/42/30 | Sizes ~ 47, 49, 51, 53, 55, 57, 59, 61



We have never offered a LeMond as affordable as the new Nevada City. We have never tried anything at the NC's price-point that we felt rode like a LeMond - until we built up and rode a LeMond Geometry, Reynolds 853 Select frame. It rode and handled like a thoroughbred, like a LeMond. You'll feel balanced over the bike in a position of control and power, just like other LeMonds. Each Nevada City (8 sizes!) comes with three chainrings so you and your bike can go nearly anywhere, up the steepest hills. It has proven Shimano STI shifting, strong, light 32-spoke wheels, a fine San Marco saddle. And it's a real LeMond. Only affordable.

Nevada City™

853 Steel Alloy

[Nevada City] For 40 years, the Nevada City Classic has been northern California's most honored race. A lap race through downtown streets, the course either climbs or plummets: no flat sections, no place to rest. Greg LeMond, who lived not far away in Nevada, appeared at the Classic as a Junior in the mid-'70s, looking about 12 years old, and cleaned everyone's clocks. As cycling fans say, he stamped his name on the race, and earned his nickname: Le Monster. Nevada City's a perfect name for a LeMond model. Greg imprinted his name on the Nevada City Classic. Now he's put Nevada City's name on a LeMond.

Frame ~ Reynolds 853 and 525 Steel Alloy | Fork ~ Chromoly Cyclocross | Wheelset ~ Alloy QR/Aurora | Gruppo ~ Shimano Sora > 8-speed | Crank ~ 52/39 | Sizes ~ 49, 53, 55, 57, 59, 61



| MODEL | TETE DE COURSE | VICTOIRE | CHAMBERY | ALPE D'HUEZ | MAILLOT JAUNE | ZÜRICH | BUENOS AIRES | TOURMALET | NEVADA CITY | POPRAD |
|--------------------|---|---|---|---|--|--|--|--|--|--|
| COLOR | Nude | Nude | Black Red | Red White | Black Red | Navy Yellow | Yellow White | Black Silver | Navy White | White Green |
| SIZES | 49, 51, 53, 55, 57, 59, 61 | 49, 51, 53, 55, 57, 59, 61 | 50, 53, 55, 58, 61 | 50, 53, 55, 58, 61 | 49, 51, 53, 55, 57, 59, 61 | 47, 49, 51, 53, 55, 57, 59, 61 | 47, 49, 51, 53, 55, 57, 59, 61 | 47, 49, 51, 53, 55, 57, 59, 61 | 47, 49, 51, 53, 55, 57, 59, 61 | 49, 52, 55, 57, 59 |
| MAINFRAME | Reynolds 3/2.5 double butted titanium | Reynolds 3/2.5 double butted titanium | 6061 T6 butted Aeroluminum | 6061 T6 butted Aeroluminum | Reynolds 853 pro double butted steel alloy | Reynolds 853 pro double butted steel alloy | Reynolds 853 designer select double butted steel alloy | Reynolds 853 designer select double butted steel alloy | Reynolds 853 designer select double butted steel alloy | Reynolds 853 designer select double butted steel alloy |
| FORK | Icon Air Rail OS Carbon 1 7/8" threadless | Icon Air Rail OS Carbon 1 7/8" threadless | Icon Air Rail Carbon threadless | Icon Carbon Classic carbon fiber | Icon Air Rail OS Carbon 1 7/8" threadless | Icon Air Rail OS Carbon 1 7/8" threadless | Icon Carbon Classic carbon fiber | Aero cromoly | Aero Chromoly | Straightblade Cyclocross |
| HEADSET | Cane Creek Internal | Cane Creek Internal | Cane Creek S2 | VP Modus | Cane Creek S6 | Cane Creek S2 | VP Modus | VP Modus | VP Modus | Cane Creek STS |
| BOTTOM BRACKET | Shimano Ultegra | Shimano Ultegra | Shimano Ultegra | Shimano 105 | Shimano Ultegra | Shimano Ultegra | Shimano 105 | Shimano BB-UN40 | Shimano BB-UN40 | Shimano BB-UN40 |
| CRANK | Shimano Dura-Ace DOUBLE 53/39 | Shimano Ultegra DOUBLE 53/39 | Shimano Ultegra DOUBLE 53/39 | Shimano 105 DOUBLE 53/39 | Shimano Dura-Ace DOUBLE 53/39 | Shimano Ultegra DOUBLE 53/39 TRIPLE 52/42/30 | Shimano 105 DOUBLE 53/39 TRIPLE 52/42/30 | Shimano Tiagra DOUBLE 53/39 TRIPLE 52/42/30 | Shimano Sora TRIPLE 52/42/30 | Shimano Sora DOUBLE 53/39 |
| PEDALS | NA | NA | NA | NA | NA | NA | NA | Alloy road sealed w/clips&straps | Alloy road sealed w/clips&straps | Shimano M515 clipless |
| FRONT DERAILLEUR | Shimano Dura-Ace | Shimano Ultegra | Shimano Ultegra | Shimano 105 | Shimano Dura-Ace | Shimano Ultegra | Shimano 105 | Shimano Tiagra | Shimano Sora Triple | Shimano Sora |
| REAR DERAILLEUR | Shimano Dura-Ace | Shimano Ultegra | Shimano Ultegra | Shimano 105 | Shimano Dura-Ace | Shimano Ultegra DOUBLE SS TRIPLE GS | Shimano 105 DOUBLE SS TRIPLE GS | Shimano Tiagra DOUBLE SS TRIPLE GS | Shimano Sora TRIPLE GS | Shimano Sora |
| SHIFT/BRAKE LEVERS | Shimano Dura-Ace STI Dual Control | Shimano Ultegra STI Dual Control | Shimano Ultegra STI Dual Control | Shimano 105 STI Dual Control | Shimano Dura-Ace STI Dual Control | Shimano Ultegra STI Dual Control | Shimano 105 STI Dual Control | Shimano Tiagra STI Dual Control | Shimano Sora STI Dual Control | Shimano Ultegra Bar-Cons Dia-Compe 287 |
| CASSETTE | Shimano Dura-Ace 9-speed 12-23 | Shimano Ultegra 9-speed 12-25 | Shimano Ultegra 9-speed 12-25 | Shimano HG70 9-speed 12-25 | Shimano Dura-Ace 9-speed 12-23 | Shimano Ultegra 9-speed 12-25 | Shimano HG70 9-speed 12-25 | Shimano Tiagra 9-speed 12-25 | Shimano HG50 8-speed 13-26 | Shimano HG50 8-speed 13-26 |
| CHAIN | Shimano Dura Ace | Shimano HG92 | Shimano HG92 | Shimano HG72 | Shimano Dura-Ace | Shimano HG92 | Shimano HG72 | Shimano HG72 | Shimano HG50 | Shimano HG50 |
| WHEEL SYSTEM | Rolf Sestriere | Rolf Vector Comp | Rolf Vector Comp | Rolf Vector | Rolf Sestriere | Rolf Vector Comp | Rolf Vector | Aurora Shimano Tiagra | Aurora Sealed Alloy Hubs Cassette | Aurora Sealed Alloy Hubs Cassette |
| TIRES | Michelin Axial Pro | Michelin Axial Pro | Michelin Axial Pro | IRC Red Storm | Michelin Axial Pro | Michelin Axial Pro | IRC Red Storm | IRC Red Storm | IRC Red Storm | Bontrager Jones XC |
| BRAKES | Shimano Dura-Ace | Shimano Ultegra | Shimano Ultegra | Shimano 105 | Shimano Dura-Ace | Shimano Ultegra | Shimano 105 | Shimano Sora | Alloy Dual Pivot | Avid Shorty 4 |
| HANDLEBAR | TTT Forma SL Ergopower | TTT Forma SL Ergopower | TTT Forma SL Ergopower | TTT Start Ergopower | TTT Forma SL Ergopower | TTT Forma SL Ergopower | TTT Start Ergopower | ICON Sleeve Ergopower | ICON Sleeve Ergopower | Bontrager Race Modified Cyclocross |
| STEM | TTT Forgie | TTT Forgie | TTT Forgie | Aluminum Front Load | TTT Forgie | TTT Forgie | Aluminum Front Load | Aluminum Front Load | Aluminum Front Load | Bontrager Comp AHS |
| TAPE | ICON Powercork | ICON Powercork | ICON Powercork | ICON Powercork | ICON Powercork | ICON Powercork | ICON Powercork | ICON Powercork | ICON Powercork | ICON Powercork |
| SADDLE | Selle San Macro Era Ti leather | Selle San Macro Era CrMo leather | Selle San Macro Era CrMo leather | Selle San Marco New Millenium CrMo Rails | Selle San Macro Era Ti leather | Selle San Marco Era CrMo leather | Selle San Marco New Millenium CrMo rails | Selle San Marco New Millenium | Selle San Marco New Millenium | Selle San Marco New Millenium |
| SEATPOST | Alloy micro-adjust | Alloy micro-adjust | Alloy micro-adjust | Alloy micro-adjust | Alloy micro-adjust | Alloy micro-adjust | Alloy micro-adjust | Alloy micro-adjust | Alloy micro-adjust | Bontrager Sport |
| OTHER SPEC | 2 waterbottle bosses pump reg | 2 waterbottle bosses pump reg | 2 waterbottle bosses replaceable rear derailleur hanger | 2 waterbottle bosses replaceable rear derailleur hanger | 2 waterbottle bosses pump reg | 2 waterbottle bosses pump peg | 2 waterbottle bosses pump peg | 2 waterbottle bosses pump peg | 2 waterbottle bosses pump reg | 2 waterbottle bosses pump peg |

| GEOMETRY | | REYNOLDS TITANIUM | | | | | | | AEROLUMINUM | | | | | REYNOLDS STEEL | | | | | | | CYCLE CROSS | | | | | |
|---------------------|----|-------------------|------|------|------|------|------|------|-------------|------|------|------|------|----------------|-----|------|------|------|------|------|-------------|-----|------|------|------|------|
| SIZES | | 49 | 51 | 53 | 55 | 57 | 59 | 61 | 50 | 53 | 55 | 58 | 61 | 47 | 49 | 51 | 53 | 55 | 57 | 59 | 61 | 49 | 52 | 55 | 57 | 59 |
| TOP TUBE | MM | 520 | 532 | 545 | 565 | 575 | 590 | 605 | 525 | 545 | 565 | 585 | 605 | 504 | 520 | 532 | 545 | 565 | 575 | 590 | 605 | 525 | 542 | 562 | 578 | 590 |
| HEAD ANGLE | ° | 72½ | 72½ | 73 | 73½ | 73½ | 74 | 74 | 72½ | 73 | 73½ | 73½ | 74 | 72 | 72½ | 72½ | 73 | 73½ | 73½ | 74 | 74 | 72 | 72 | 72½ | 72½ | 73 |
| SEAT ANGLE | ° | 74 | 73¼ | 73¼ | 73 | 72½ | 72½ | 72 | 74 | 73¼ | 73 | 72½ | 72 | 74½ | 74 | 73¼ | 73¼ | 73 | 72½ | 72½ | 72 | 74 | 73½ | 73 | 72½ | 72½ |
| FORK RAKE | MM | 47 | 47 | 47 | 43 | 43 | 43 | 43 | 47 | 47 | 43 | 43 | 43 | 47 | 47 | 47 | 47 | 43 | 43 | 43 | 43 | 45 | 45 | 45 | 45 | 45 |
| CHAINSTAY LENGTH | MM | 412 | 415 | 415 | 415 | 415 | 418 | 418 | 412 | 415 | 415 | 418 | 418 | 412 | 412 | 415 | 415 | 415 | 415 | 418 | 418 | 430 | 430 | 430 | 430 | 430 |
| WHEELBASE | MM | 967 | 980 | 984 | 995 | 1000 | 1007 | 1021 | 973 | 984 | 993 | 1010 | 1019 | 965 | 967 | 980 | 984 | 995 | 1000 | 1007 | 1021 | 992 | 1004 | 1015 | 1025 | 1033 |
| BOTTOM BRACKET DROP | MM | 70 | 70 | 70 | 70 | 70 | 68 | 68 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 68 | 68 | 74 | 74 | 74 | 74 | 74 |
| CRANK LENGTH | MM | 170 | 172½ | 172½ | 172½ | 175 | 175 | 175 | 170 | 172½ | 172½ | 175 | 175 | 170 | 170 | 172½ | 172½ | 172½ | 175 | 175 | 175 | 170 | 175 | 175 | 175 | 175 |
| HANDLEBAR WIDTH | CM | 42 | 42 | 44 | 46 | 46 | 46 | 46 | 42 | 44 | 44 | 44 | 46 | 42 | 42 | 42 | 44 | 44 | 44 | 44 | 46 | 42 | 44 | 46 | 46 | 46 |
| STEM LENGTH | MM | 90 | 100 | 110 | 110 | 120 | 120 | 130 | 90 | 110 | 120 | 120 | 130 | 90 | 90 | 100 | 110 | 110 | 120 | 120 | 130 | 90 | 105 | 105 | 120 | 120 |
| STAND OVER HEIGHT | | 752 | 754 | 772 | 790 | 808 | 831 | 848 | 763 | 789 | 808 | 835 | 862 | 739 | 752 | 754 | 772 | 790 | 801 | 831 | 848 | 776 | 795 | 817 | 833 | 852 |

DISTRIBUTORS

ARUBA

Tri-Bike Aruba
2978 52734

AUSTRALIA

Trek Bicycle Australia
61 29 299 7444

BERMUDA

Winners Edge
441 295 6012

CANADA

Outdoor Gear Canada
514 332 1320

CHILE

Sparta Deportes Limitada
56-2-5604777

COLOMBIA

Distribikes Ltda.
574 381 4500

COSTA RICA

Mitmo
506 296 3383

CZECH REPUBLIC

Bretton S.R.O.
420 2 793605

DENMARK

H.F. Cykler A/S
45 86 42 38 99

ECUADOR

Cyclops Dinartivo
593 2 249 243

ESTONIA, LITHUANIA & LATVIA

Rademar
372 656 3278

ICELAND

Ornnin Hjól Ltd.
354 5 889 892

IRELAND

Centro Limited
353 1 456 7516

ISRAEL

Cycle Trading Company Ltd.
972 9 9513010

JAPAN

Far East Trading
81 354 90 2552

KOREA

Xenon Sports International
820 346 555 007

MEXICO

Tekno Bike
8 343 1550

NEW ZEALAND

Cycle Sport New Zealand
47 22 38 62 00

PERU

Best Internacional S.A.
511 263 0964

PUERTO RICO

Seamount Corporation
787 763 4369

RUSSIA

Sportex
7 095 959 3123

SINGAPORE

Treknology Bikes 3
65 466 2673

SOUTH AFRICA

Atra Cycles Corporation
27 11 792 2900

SWITZERLAND

Hubacher Quality Cycles
(41) 223 61 9360

THAILAND

Probike Co., Ltd.
662 254 1077

URUGUAY

International Sports Ltda.
598 278 2498

WEST INDIES

Tri Sport
5995 543462

VENEZUELA

Representaciones Tres Continentes
58 2 235 9924

WARRANTY

LeMond Limited Lifetime Warranty LeMond Bicycles provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized LeMond dealer. LeMond Bicycles likewise warrants all original parts on the bicycle for a period of one year from the date of purchase. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized LeMond dealer. Proof of purchase is required. A warranty registration card must be completed and received by the LeMond Bicycles before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized International LeMond distributor or LeMond dealer within the country of purchase. The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse or neglect, or modification of the frame, fork or components. LeMond Bicycles shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights and specifications contained in this catalog are based on the latest production information at the time of publication. LeMond reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Some models may be shown with optional equipment. ©2000 LeMond Bicycles. All rights reserved. LeMond is a registered trademark of Greg LeMond. All other ® and TM are trademarks and registered trademarks of their respective companies.