

Klein Bicycles 1995



Getting there means crossing over, transgressing,  
becoming something new and strange  
as something familiar is left behind.

The Klein Adroit™ will rearrange your mind.

It's a singularly serious racing bike that crosses all boundaries of performance.

The Strata fork is aluminum reinforced with boron and carbon fiber for extreme lightness and controlled shock absorption.

Its steering precision and supple ride will radically alter your opinions about rigid forks.

progressively reinforced Gradient™ tubing, incredibly stiff bottom bracket, and featherweight no-maintenance MC2 bar/stem and AirHead set,

the Adroit enters another dimension of responsiveness.

Its rear triangle has amazing chain stay stiffness and tire clearance.

Plus, the Adroit is created using the Fuselage™ concept,

which means the bike is designed as a complete unit from the handlebars back.

The Fuselage consists of a frame, fork, stem, and headset; on the Adroit it weighs only 4.9 pounds.

Compare this to a frame with traditional steering assembly, which weighs 5.7 pounds\*.

Designing a Fuselage involves bringing all the bike's desirable attributes into balance.

It involves bringing your ordinary view of reality out of balance.

\*Adroit frame with chromoly fork, Control Tech stem, and AheadSet.



In celebration of Gary Klein's twenty years on the road,  
we offer the limited signature edition 20th Anniversary.





The language spoken there  
begins with a word  
that lives for years deep inside you.

Sometimes  
it surfaces as a long, sustained grin.

Sometimes as a panicked howl.

Whatever your mood, whatever your taste,

whether delicate singletrack, raging downhill,  
grueling climb or NORBA competition,

the Klein Attitude™ responds to your wildest impulses.

The chain stays are short and stiff in relation to

the bottom bracket, which transforms pedaling energy into  
forward motion. Clearances between the tire and chain stays and the chain ring and chain stay are huge.


Gradient tubing and the AirHead set help keep the Attitude's weight remarkably low.

The sculpted cable entrance and exit points allow the internal cables to run straight

without the friction of rubbing against the tube walls.

And the Micro Dropouts are quick, strong, and incredibly light.

Attitude is your guide to Elsewhere.







With its precise acceleration and response  
the Klein

where mind has no idea where body

Unlike most bikes, the Pulse frame

is specifically

Its geometry creates an effect

to keep you in the

when riding with

long-travel s

Its

short chain st

while minor

This is a race-ready b

th

and me

The Fervor™ is Klein's entry level mountain bike.

As in, what level race are you entering?

Like all Klein mountain bikes,

its chain stays are short and stiff,

its bottom bracket rigid and maintenance-free,

its frame alignment guaranteed

and its ride supple and exact.

Consequently, you can forget about the bike


and focus on the ride,

which is why you got on a Klein

to begin with.







Velocity shows you the way.  
You visit this place  
in glimpses  
and spend your life  
talking about it.

The Quantum™ Pro requires a new vocabulary.  
Words that would say

light, fast, efficient, and responsive  
in a haunting and powerful way.

The Quantum Pro is designed  
using the Fuselage concept,  
which considers the frame, fork, stem and head set  
as a whole unit.

Its composite Aeros™ fork may be the strongest and lightest  
on the market. The top tube is laterally ovalized to reduce wind resistance and gain stiffness.

Add the AirHead set for steering precision,  
and you've got a total fuselage weight of 3.9 pounds,  
compared to a frame with traditional steering assembly weighing 4.9 pounds.\*

Consider, too, that the bottom bracket on the  
stiffest carbon fiber bike has 66% more unwanted flex  
than the Quantum Pro's.

Yet Gary has engineered in beneficial flex  
to smooth the bumps.

Which makes the Quantum Pro  
not only a sprinter's dream,  
but clearly the leader  
throughout the race  
to Elsewhere.

\*Weight of Quantum Pro frame with Kinesis fork,  
Zoom stem, and Ultegra headset.





Like the Quantum Pro, the Klein Quantum II

eliminates the distractions

along the course to the next dimension.

While equipped with

a traditional aluminum fork and headset assembly,

the Quantum II racing bike shares

many features with the Quantum Pro.

Such as criterium geometry,

Gradient tubing, laterally ovalized top tube,

streamlined design, internal cables,

Micro Dropouts, and the same rigid bottom bracket.

And of course

the weight, strength and responsiveness

that you'd expect from a Klein.

A bike for whatever road to Elsewhere

you find yourself on.



If you're looking to step up to a cc  
make it a quantum leap.

The Klein Quantum delivers one of  
in an entry level rac

This is the original strong, highly durabl

You'll find some of

are differ

like external cables and f

But you'll still find t

criterium

to transport both y





Just because you ride  
can  
get there.


're a triathlete  
looking for an aerodynamic edge.  
ybe you're a road rider  
ime trial bike that loves to climb.

Whichever it is, the Klein Aeolus™  
red to accomplish your goals.

From dropping minutes in your bike split to  
dropping your rival out on the road.  
turally places you into the proper aero position the instant you clip in.

Gary steepened the seat tube to 78°, moved the rear wheel in closer,  
ngthened the ovalized top tube and pushed the front wheel forward.

All of which creates a properly balanced and relaxed posture for speed and efficiency.  
's definitely a rocket to Elsewhere.





<b>Typical Rider</b>	5'0"-5'4"	5'4"-5'7"	5'7"-5'10"	5'10"-6'1"	6'1"-6'6"	6'6"-6'10"	6'10"-6'6"
	152-162cm	162-170cm	170-177cm	177-185cm	185-198cm	182-182cm	182-192cm
<b>Stand-Over</b>	27.42"	28.21"	29.62"	30.68"	31.78"	29.00"	31.00"
	69.65cm	71.65cm	75.23cm	77.88cm	80.67cm	74.00cm	80.00cm
<b>Bottom Bracket</b>	11.4"	11.5"	11.7"	11.8"	11.9"	11.9"	11.9"
	29.00cm	29.20cm	29.70cm	30.00cm	30.20cm	30.23cm	30.23cm
<b>Top Tube</b>	22.02"	22.78"	23.38"	23.70"	24.05"	23.39"	24.05"
	55.9cm	57.9cm	59.4cm	60.2cm	61.1cm	59.4cm	61.1cm
<b>Chain Stay</b>	16.40"	16.40"	16.40"	16.40"	16.40"	16.65"	16.65"
	41.70cm	41.70cm	41.70cm	41.70cm	41.70cm	42.29cm	42.29cm
<b>Wheel Base</b>	40.07"	40.67"	41.21"	41.64"	42.04"	41.60"	42.60"
	101.80cm	103.30cm	104.70cm	105.80cm	106.80cm	105.66cm	108.20cm
<b>Front Fork Rake</b>	1.38"	1.38"	1.38"	1.50"	1.50"	1.54"	1.54"
	3.49cm	3.49cm	3.49cm	3.81cm	3.81cm	3.90cm	3.90cm
<b>Top Tube Angle</b>	15.40°	10.50°	73.2°	73.2°	73.2°	72.5°	72.5°
<b>Seat Tube Angle</b>	73.2°	73.2°	73.2°	73.2°	73.2°	70.5°	71.0°
<b>Head Tube Angle</b>	71.0°	71.5°	72.0°	72.2°	72.2°	71.0°	71.0°

## Color choices — All bikes

S = Stock

N = No charge

X = Extra charge

na = Not available



20th Anniversary



Night Storm



Painted Desert



Sea & Sky



Coral Reef



Race Red



Deep Forest Green



Cumulus Gray



Sovereign Blue

## Fervor

## Pulse

## Attitude

## Adroit

## Components

Group	Shimano XT	Shimano XT	Shimano XT	Shimano LX	Shimano LX	Shimano LX	Shimano STX-RC
Headset	Klein AirHead	Klein AirHead	Klein AirHead	LX	LX	LX	LX
Bar/Stem	Klein MC2	Klein MC2	Klein MC2	Stratum/Control Tech	Zoom	Zoom	Zoom
Fork - standard optional	Klein Strata	Uniklein	Spartan Ocelot Susp.	Chromolly	Chromolly	Chromolly	Chromolly
Bottom Bracket	Klein	Rock Shox Judy XC	Rock Shox Judy XC	Klein	Klein	Klein	Klein
Crank	XT	XT	XT	LX	LX	LX	STX-RC
Rings	44/32/22	44/32/22	44/32/22	42/32/22	42/32/22	42/32/22	42/32/22
Rear Derailleur	XT Medium	XT Medium	XT Medium	LX Long	LX Long	LX Long	STX-RC Long
Front Derailleur	XT	XT	XT	LX	LX	LX	STX-RC
Shift Levers	XT Rapidfire Plus	XT Rapidfire Plus	XT Rapidfire Plus	LX Rapidfire Plus	LX Rapidfire Plus	LX Rapidfire Plus	STX-RC Rapidfire Plus
Chain	HG90	HG90	HG90	HG70	HG70	HG70	IG50
Rear Clusters	11/28 8-speed	11/28 8-speed	11/28 8-speed	11/28 8-speed	11/28 8-speed	11/28 7-speed	11/28 7-speed
Brake Set	XT M-size	XT M-size	XT M-size	LX M-size	LX M-size	LX M-size	STX-RC M-size
Brake Levers	XT Servo Wave	XT Servo Wave	XT Servo Wave	LX Servo Wave	LX Servo Wave	LX Servo Wave	STX-RC Servo Wave
Front Hub	XT 32H	XT 32H	XT 32H	LX 32H	LX 32H	LX 32H	STX-RC 32H
Rear Hub	XT 32H 135mm	XT 32H 135mm	XT 32H 135mm	LX 32H 135mm	LX 32H 135mm	LX 32H 135mm	STX-RC 32H 135mm
Rims	Sun Metal CR16	Sun Metal CR16	Sun Metal CR16	Sun Metal CR16	Sun Metal CR16	Sun Metal CR16	Sun Metal CR16
Tubes	Klein Cloud Nine	Klein Cloud Nine	Klein Cloud Nine	Klein Cloud Nine	Klein Cloud Nine	Klein Cloud Nine	Klein Cloud Nine
Tires	Klein DeathGrip	Klein DeathGrip	Klein DeathGrip	Klein DeathGrip	Klein DeathGrip	Klein DeathGrip	Klein DeathGrip
Spokes	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear
Spoke Nipples	Alloy	Alloy	Alloy	Brass	Brass	Brass	Brass
Seat Post	Synros	Synros	Synros	Kalloy Uno	Kalloy Uno	Kalloy Uno	Kalloy Uno
Saddle	Flite	Flite	Flite	Vetta TT	Vetta TT	Vetta TT	Vetta TT
Pedals	M747 SPD	M747 SPD	M747 SPD	M535 SPD	M535 SPD	M535 SPD	Sakae Low Fat
Frame Weight	3.0 lbs.	3.0 lbs.	3.0 lbs.	2.9 lbs.	2.9 lbs.	3.8 lbs.	3.8 lbs.
Fuselage Weight	4.9 lbs.	5.2 lbs.	6.2 lbs.	6.2 lbs.	6.2 lbs.	6.5 lbs.	6.5 lbs.
Complete Weight	20.8 lbs.	21.1 lbs.	23.7 lbs.	23.9 lbs.	23.9 lbs.	24.1 lbs.	23.8 lbs.



	51cm	53cm	55cm	57cm	59cm	61cm	63cm	51cm	53cm	55cm	57cm	59cm	61cm	63cm
<b>Typical Rider</b>	5'2"-5'4" 157-162cm	5'4"-5'6" 162-167cm	5'6"-5'8" 167-172cm	5'8"-5'11" 172-180cm	5'11"-6'1" 180-185cm	6'1"-6'3" 185-190cm	6'3"-6'5" 190-195cm	5'2"-5'4" 157-162cm	5'4"-5'6" 162-167cm	5'6"-5'8" 167-172cm	5'8"-5'11" 172-180cm	5'11"-6'1" 180-185cm	6'1"-6'3" 185-190cm	6'3"-6'5" 190-195cm
<b>Stand-Over</b>	29.80" 75.69cm	30.60" 77.72cm	31.50" 80.01cm	32.40" 82.30cm	33.20" 84.33cm	34.10" 86.61cm	34.80" 88.30cm	29.80" 75.69cm	30.60" 77.72cm	31.50" 80.01cm	32.40" 82.30cm	33.20" 84.33cm	34.10" 86.61cm	34.80" 88.39cm
<b>Bottom Bracket</b>	10.5" 26.67cm	10.6" 26.92cm	10.7" 27.18cm	10.8" 27.43cm	10.9" 27.69cm	11.0" 27.94cm	11.0" 27.94cm	10.5" 26.67cm	10.6" 26.92cm	10.7" 27.18cm	10.8" 27.43cm	10.9" 27.69cm	11.0" 27.94cm	11.0" 27.94cm
<b>Top Tube</b>	21.06" 53.5cm	21.54" 54.7cm	22.01" 55.9cm	22.48" 57.1cm	22.95" 58.3cm	23.43" 59.5cm	23.90" 60.7cm	21.06" 53.5cm	21.54" 54.7cm	22.01" 55.9cm	22.48" 57.1cm	22.95" 58.3cm	23.43" 59.5cm	23.90" 60.7cm
<b>Chain Stay</b>	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm
<b>Wheel Base</b>	37.98" 96.47cm	38.49" 97.74cm	38.98" 99.01cm	39.28" 99.77cm	39.88" 101.30cm	40.28" 102.31cm	40.78" 103.58cm	38.10" 96.77cm	38.60" 98.04cm	39.10" 99.31cm	39.40" 100.08cm	40.00" 101.60cm	40.40" 102.62cm	40.90" 103.89cm
<b>Front Fork Rake</b>	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.50" 3.81cm	1.50" 3.81cm	1.50" 3.81cm	1.50" 3.81cm	1.50" 3.81cm	1.50" 3.81cm	1.50" 3.81cm
<b>Top Tube Angle</b>	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
<b>Seat Tube Angle</b>	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°
<b>Head Tube Angle</b>	73.5°	73.5°	73.5°	74.0°	74.0°	74.0°	74.0°	73.5°	73.5°	73.5°	74.0°	74.0°	74.0°	74.0°

Components		Quantum Pro		Quantum II		Quantum	
Group	Shimano Dura-Ace	Shimano Ultegra	Shimano Ultegra	Shimano RX100			
Headset	Klein Air/Head	Klein Air/Head	Ultegra	RX100			
Bar	Sakae	Sakae	Sakae	Sakae			
Stem	Klein Air/Head Set direct steering sys.	Klein Air/Head Set direct steering sys.	Zoom	Zoom			
Fork	Klein Aeros	Klein Aeros	Kinesis	Kinesis			
Bottom Bracket	Klein	Klein	Klein	Klein			
Crank	Dura-Ace 165/170/172.5 175/177.5/180	Ultegra 165/170 172.5/175	Ultegra 165/170 172.5/175	RX100 165/170 172.5/175			
Rings	53/42	53/42	53/42	53/42			
Derailleurs	Dura-Ace	Ultegra	Ultegra	RX100			
Shift Levers	Dura-Ace STI	Ultegra STI	Ultegra STI	RX100 STI			
Chain	Dura-Ace 7401	HC90	HC90	HC70			
Rear Clusters	12/23T 8-speed	12/23T 8-speed	12/23T 8-speed	12/25T 8-speed			
Brake Set	Dura-Ace	Ultegra	Ultegra	RX100			
Brake Levers	Dura-Ace	Ultegra	Ultegra	RX100			
Front Hub	Dura-Ace 32H	Ultegra 32H	Ultegra 32H	RX100 32H			
Rear Hub	D.A. 32H 130mm	Ultegra 32H 130mm	Ultegra 32H 130mm	RX100 32H 130mm			
Rims	Sun Metal M14A	Sun Metal M14A	Sun Metal M14A	Sun Metal M14A			
Tubes	Klein Ultra Light	Klein Ultra Light	Klein Ultra Light	Klein Ultra Light			
Tires	Klein Prime 700x25C	Klein Prime 700x25C	Klein Prime 700x25C	Klein Prime 700x25C			
Spokes	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear			
Spoke Nipples	Alloy	Alloy	Alloy	Brass			
Seat Post	Syncros	Syncros	Kalloy Uno	Kalloy Uno			
Saddle	Elite	Vetta TT	Vetta TT	Vetta TT			
Frame Weight	2.7 lbs.	2.7 lbs.	2.7 lbs.	3.5 lbs.			
Fuselage Weight	3.9 lbs.	3.9 lbs.	3.9 lbs.	5.4 lbs.			
Complete Weight	18.1 lbs.	18.3 lbs.	19.1 lbs.	20.1 lbs.			

Specifications		Aeolus					
Frame size	20.1"	20.9"	21.7"	22.4"	23.2"	24.0"	24.8"
	51cm	53cm	55cm	57cm	59cm	61cm	63cm
Typical rider	5'2"-5'4"	5'4"-5'6"	5'6"-5'8"	5'8"-5'11"	5'11"-6'1"	6'1"-6'3"	6'3"-6'5"
	157-162cm	162-167cm	167-172cm	172-180cm	180-185cm	185-190cm	190-195cm
Stand-over	29.36"	30.14"	30.91"	31.69"	32.51"	33.28"	33.46"
	74.57cm	76.55cm	78.51cm	80.49cm	82.57cm	84.53cm	84.98cm
Bottom bracket	10.3"	10.4"	10.5"	10.6"	10.7"	10.8"	10.8"
	26.20cm	26.40cm	26.70cm	26.90cm	27.20cm	27.40cm	27.40cm
Top tube	21.06"	21.54"	22.01"	22.48"	22.95"	24.21"	24.70"
	53.5cm	54.7cm	55.9cm	57.1cm	58.3cm	61.5cm	62.7cm
Chain stay	14.73"	14.73"	14.73"	14.73"	15.50"	15.50"	15.50"
	37.40cm	37.40cm	37.40cm	37.40cm	39.40cm	39.40cm	39.40cm
Wheel base	38.59"	39.18"	39.78"	40.37"	41.41"	42.79"	43.35"
	98.0cm	99.5cm	101.0cm	102.5cm	105.2cm	105.7cm	110.1cm
Front fork rake	1.375"	1.375"	1.375"	1.375"	1.5"	1.5"	1.5"
	3.49cm	3.49cm	3.49cm	3.49cm	3.81cm	3.81cm	3.81cm
Top tube angle	0°	0°	0°	0°	0°	0°	0°
Seat tube angle	78.0°	78.0°	78.0°	78.0°	78.0°	78.0°	78.0°
Head tube angle	72.0°	72.0°	72.0°	72.0°	72.5°	72.5°	72.5°

The Aeolus is sold as a frame set only, a 57cm frame weighs 2.7 lbs.

Every Klein bicycle is engineered and handmade in the USA to the highest standards, and comes with a limited-lifetime warranty for the original owner. Klein Corporation tries to maintain an inventory of frame sets, options, and bicycles so that orders can be shipped immediately. From time to time, demand is so overwhelming that the production is unable to keep up. Your dealer can contact the Klein factory for availability of any specific items. All Klein bicycles meet or exceed CPSC standards. Complete CPSC equipment is included with each Klein bicycle, but may not be shown in photographs. We reserve the right to discontinue models or change specifications at any time without advance notice and without incurring any obligations. Consult your Klein dealer for current information on component packages and options available for your Klein bike.

The Aeolus is sold as a frame set only; a 57cm frame weighs 2.7 lbs.

Every Klein bicycle is engineered and handmade in the USA to the highest standards, and comes with a limited-lifetime warranty for the original owner. Klein Corporation tries to maintain an inventory of frame sets, options, and bicycles so that orders can be shipped immediately. From time to time, demand is so overwhelming that the production is unable to keep up. Your dealer can contact the Klein factory for availability of any specific items. All Klein bicycles meet or exceed CPSC standards. Complete CPSC equipment is included with each Klein bicycle, but may not be shown in photographs. We reserve the right to discontinue models or change specifications at any time without advance notice and without incurring any obligations. Consult your Klein dealer for current information on component packages and options available for your Klein bike.