
1989 Trek Bicycle Brochure

The individual model pages below are those relating to steel-framed bikes in the 89 catalog. The first specifications page includes all 1989 road bikes. The second specifications page is for the 1989 mountain bikes.





CHRUMULY

Now in its second decade of building high quality chromoly framesets, Trek has established a standard of excellence unsurpassed in the industry.

The frame is the most important component of the bicycle, it is responsible for overall handling performance, pedaling efficiency and rider comfort. Unlike companies which will apply a decal on a generic frame, Trek takes frame building seriously.

Not satisfied with traditional design and building methods, Trek has developed a unique way of building frames that are best suited for a specific riding purpose.


Low temperature brazing alloys, including silver, and electronically controlled multi-head brazing fixtures augment the skills of our brazers, to build strong, straight and cleanly joined frames.

Investment cast lugs reinforce frame joints, reduce heat weakening impact on thin tubing and help assure precise and accurate alignment.

Specially designed, custom drawn tubing is lively and provides that distinctive chromoly "road feel" serious cyclists demand. These are not ordinary bicycles. These are the highest quality chromoly road bicycles you can buy.



Function SpecificTM geometries are designed to maximize performance for rider size and the intended use of the bicycle.



Designed in conjunction with Trek engineers, True Temper RC 4130 Double Butted frame tubes give you a strong, resilient frame.




Advanced manufacturing processes and skilled hand brazing techniques join the frames at controlled low temperatures for strength and durability.



Trek's exclusive investment cast lugs and drop outs provide maximum strength and a more precisely aligned frame.

Technology, Quality and Performance are more than words at Trek, they are a promise we make with each and every bicycle. In our second decade of building bicycles of unsurpassed quality, we are proud to be a leader in American bicycle technology and proud of the superior product that the technology affords our customers.

| | Frame | | | | | | | | | |
|------------|-------|------|-------|-------|------|------|-----|-----|-------|-------|
| Model | Size | A | В | C | D | E | F | G | H | Trail |
| 660 400 | 18" | 45.9 | 73.5° | 72.0° | 52.3 | 41.0 | 4.5 | 7.2 | 97.1 | 6.2 |
| | 19° | 50.4 | 73.5° | 73.0° | 53.8 | 41.0 | 4.5 | 7.2 | 97.2 | 5.6 |
| | 21" | 52.9 | 73.5° | 73.5° | 55.7 | 41.0 | 4.5 | 7.2 | 98.7 | 5.3 |
| | 22.5" | 56.9 | 73.5° | 73.5° | 55.8 | 41.0 | 4.5 | 7.2 | 98.7 | 5.3 |
| | 24" | 60.9 | 73.5° | 73.5° | 57.9 | 41.0 | 4.5 | 7.2 | 100.6 | 5.3 |
| | 25.5" | 64.8 | 73.5° | 74.0° | 59.1 | 41.0 | 4.5 | 7.2 | 101.3 | 5.0 |
| 520 | 19" | 51.3 | 72.7° | 71.0° | 54.3 | 45.5 | 5.2 | 6.5 | 104.1 | 6.4 |
| | 21" | 53.6 | 72.7° | 71.0° | 54.9 | 45.5 | 5.2 | 6.5 | 104.8 | 6.4 |
| | 22.5" | 57.9 | 72.7° | 72.0° | 56.5 | 45.5 | 5.2 | 6.5 | 105.6 | 5.8 |
| | 24" | 62.0 | 72.7° | 72.0° | 57.9 | 45.5 | 5.2 | 6.5 | 107.1 | 5.8 |
| | 25.5" | 64.4 | 72.7° | 72.0° | 58.9 | 45.5 | 5.2 | 6.5 | 108.1 | 5.8 |
| | 18" | 46.2 | 73.5° | 72.0° | 52.9 | 43.0 | 4.5 | 7.2 | 98.7 | 6.2 |
| | 19" | 48.9 | 73.5° | 72.0° | 52.5 | 43.0 | 4.5 | 7.2 | 99.3 | 6.2 |
| 420 | 21" | 52.6 | 73.5° | 72.0° | 54.5 | 43.0 | 4.5 | 7.2 | 100.9 | 6.2 |
| | 22.5" | 56.5 | 73.5° | 73.0° | 56.4 | 43.0 | 4.5 | 7.2 | 102.0 | 5.6 |
| | 24" | 61.6 | 73.5° | 73.0° | 58.1 | 43.0 | 4.5 | 7.2 | 103.6 | 5.6 |
| | 25.5" | 64.0 | 73.5° | 73.0° | 59.8 | 43.0 | 4.5 | 7.2 | 105.4 | 5.6 |
| 330 | 19" | 48.8 | 73.5° | 72.0° | 52.9 | 43.0 | 4.5 | 7.0 | 100.0 | 6.2 |
| | 21" | 52.8 | 73.5° | 72.0° | 54.5 | 43.0 | 4.5 | 7.0 | 100.7 | 6.2 |
| | 22.5" | 56.8 | 73.5° | 73.0° | 56.5 | 43.0 | 4.5 | 7.0 | 102.0 | 5.6 |
| | 24" | 61.8 | 73.5° | 73.0° | 58.0 | 43.0 | 4.5 | 7.0 | 103.5 | 5.6 |
| | 25.5* | 63.8 | 73.5° | 73.0° | 60.0 | 43.0 | 4.5 | 7.0 | 105.5 | 5.6 |



All dimensions are in centimeters, unless otherwise stated.

A criterium geometry racing machine, built by Trek using True Temper Team Issue Double Butted Chromoly tubing. Lightweight and strong for criteriums and short courses. this model is unequalled in performance.



SUES 18, 19.5, 21, 22.5, 24 and 25.5" PAMP, FORK Double Butted Chromoly/Chromoly cast crown

Shimano Ultegra 7-speed

Matrix 6061 T6 Aerodynamic ISO C THES Matrix CD-4 700 x 20c

Offive FRAIN Shimano Ultregra Group MAKESET

Shimano Ultegra Aero SLR

FREEWHEEL Shimano Ultagra 13 x 24 Cassette



Race ready, the indexed 14-speed Shimano 600 Ultegra drive train is powered by the new BioPace H.P. crankset for speed and efficiency.



True Temper Team Issue tubing, including form blades, make this an incredibly responsive chromoly bicycle.



The fork is Trek built using True Temper chromoly, our unique investment cast crown and light gauge blades for minimum weight and maximum strength.



Shown in Bright White with Red trim, also available in Grey Metallic with Bright Blue trim.





URING AZED CHROMOLY

Dedicated to long distance touring, this model has a unique geometry which emphasizes directional stability while loaded, durability and ample clearances for fenders, panniers and other equipment. A reliable workhorse when loaded down, unloaded the 520 has a uniquely luxurious ride.





Powerful Shimano Deore II SLR cantilever brakes keep you firmly in control even while carrying heavy loads.



Matrix CD3K tires with a Kevlar belt for cut resistance are mounted on Titan T hard anodized rims for long distance durable performance.



Shimano Deore II S.I.S. fully indexed derailleur for wide range 21-speed gearing matches your power needs to every road condition.



A Blackburn rack is standard equipment and is mounted to the extended rear triangle.

SUES
19.5, 21, 22.5, 24 and 25.5'
FRANKLY DIK
Double Butted Chromoly/Chromoly
HUBS
Shimano 105.7-speed
RNAS
Metrix 5051.75 Titan 7
TIRES
Mutrix CD-3K Keylar Belt 27 x 1.25
DRIVE TRAIN
Shimano Group
BRAKSE1
Shimano Captilevers with 105
Aero SUR
TINETWIELL
Shimano 13 x 28 Cassette



Ideal for sport, fitness and touring use in areas with rolling terrain. A responsive, yet highly controllable sport geometry meets your needs for range and responsiveness in a bicycle.

SPORT TOURIN BRAZED CHROM

\$ 469.95

SIZES 18, 19.5, 21, 22.5, 24 and 25.5" TRAME/FORK
Double Butted Chromoly/Chromoly INS Shimano A 450

Matrix 6061 T6 Titan

TINES Matrix CD-2 700 x 28c OMVE TRAIN Shimano Sport LX Group

BRAKESET Shimano Sport LX Aero SLR PHEENWHEEL Shimano 13 x 28 Cassette



Shimano SLR brakes give you controlled stopping power even while touring with a heavy load.



Vetta Gel Anatomical saddle softens road shock and improves rider comfort during long distance touring.



New Shimano Sport LX fully indexed gearing system clicks into the gear you need the first time, every time.



Shown in Charcoal with Bright Blue trim, also available in Yellow with Blue trim.







The 400 delivers a smooth, powerful ride. A criterium geometry frame design built of all True Temper tubing gives you a bike that delivers fun and action on every outing.





SunTour Edge crankset is designed to improve pedaling efficiency and increase your power



Powerful new Edge Balanced Response System brakes provide precise control and maximum stopping performance.



The Edge 14-speed derailleur with indexed shifting allows you to change gears smoothly and accurately



Shown in Denim Blue with Yellow trim, also available in Bright Red with Black trim

SIZES
18, 19.5, 21, 22.5, 24 and 25.5°
HAME-FORK
Double Butted Chromoly/Chromoly
HUBS
Maillard CN 500 Sealed
HMASSIX 6061 TB Titan
TIMES
Mastrix 6061 TB Totan
TIMES
Mastrix CD-2 700 x 25c
DRIVE THAIN
SUNTOUR Edge Group
HMASSIX
DIS Compe Edge Aero
HMETWAREI
SunTour Alpha 13 x 26



Designed by Trek, using the unique Trek investment cast seat lug, the 330 provides an exceptional sport ride. You get quick, dependable performance mile after mile and all the quality you expect from a Trek.

SPORT BRAZED CHROMO

SVLS 19.5, 21, 22.5, 24 and 25.5° FRAM, FCRK Double Butted Chromoly/Otromoly

HUBS Alloy OR front and rear

Weinmann 415X polished alloy

THES Matrix CD-2 700 x 28c DRVF TRAIN Shamano Exage Group BRAKESET

Shimano Exage Aero SLR PREEWHEEL

Shimano 14 x 29



Trek designed frame uses exclusive investment cast seat lug, True Temper tubing and Function SpecificTM sizing.



True Temper double butted chromoly frame tubes with a chromoly fork are specially designed to enhance durability and lively road feel.



Computer designed BioPace crankset with Shimano's front and rear Exage Action 12-speed gearing system improve pedaling efficiency and makes shifting quick and easy.



Shown in Bright Red with White trim, also available in Charcoal Metallic with Bright Blue trim.







TREK BICYCLE CORPORATION LIMITED WARRANTY.

Trek Bicycle Corporation warrants each new Trek bicycle frame and fork against defects in workmanship and materials for the lifetime of the original owner. Trek likewise warrants all original parts for a period of one year from the date of purchase. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or part and is the sole remedy of the warranty.

Claims under this warranty are to be made through an authorized Trek dealer.

Proof of purchase is required.

This warranty does not apply to damage or failure due to accident, abuse, neglect, normal wear and tear, improper assembly or maintenance, or installation of parts or accessories not originally intended or incompatible with the bicycle as sold. Trek shall not be responsible for incidental or consequential damage. The user assumes the risk of any personal injury or damage of the bicycle or other losses if Trek bicycles are used at any time for stunt riding, dirt biking or similar activities, power or motor assist of any kind, competition riding, or anything other than normal use. This warranty gives you specific legal rights and your rights may vary mal use. This warranty gives you specific legal rights and your rights may vary from state to state.

| SPECIFICATIONS | ADVANCED MATERIAL | | ALUMINUM | | | | | CHROMOLY | | | | |
|-----------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| MODEL | 5000 | 2300 | 1500 | 1400 | 1200 | 1100 | 1000 | 660 | 520 | 420 | 400 | 330 |
| FRAME | | | | | | | | | | | | |
| COLORS | Bright red w/white | Natural and polished w/turquoise decals | Bright red w/white Intense blue w/white | Intense blue White w/red | Black w/magenta White w/mint | Black w/teal Denim blue/yellow | Bright white w/red Intense blue w/white | Bright white w/red Grey metallic w/bright blue | Deep blue w/white | Charcoal w/bright blue Yallow w/blue | Bright red w/black Denim blue w/yellow | Bright red w/white Charcoal metallic w/bright blue |
| SIZES | 52, 54, 56, 58 and 60 cm | 50, 52, 54, 56, 58, 60 and 62 cm | 50, 52, 54, 56, 58, 60 and 62 cm | 50, 52,54,56, 58, 60 and 62 cm | 50, 52, 54, 56, 58, 60 and 62 cm | 50, 52, 54, 56, 58, 60 and 62 cm | 50, 52, 54, 56, 58, 60 and 62 cm | 18, 19, 21, 22.5, 24 and 25.5" | 19.5, 21, 22.5, 24 and 25.5" | 18, 19, 21, 22.5, 24 and 25" | 18, 19, 21, 22.5, 24 and 25" | 19, 21, 22.5, 24 and 25.5" |
| MAIN TUBES | Carbon fiber and epoxy monocoque | Trek graphite double butted composite | Easton 7000 T7 D.B. aluminum alloy | Trek/Alcoa 6061 T6 aluminum alloy | Trak/Alcoa 6061 T6 aluminum alloy | Trek/Alcoa 6061 T6 aluminum alloy | Trek/Alcoa 6061 T6 aluminum alloy | True Temper RC team issue double butted chromoly | True Temper TR double butted chromoloy | True Temper RC double butted chromoly | True Temper RC double butted chromoly | True Temper RC double butted chromoly |
| STAYS | Carbon fiber and epoxy wishbone | Trek D.B. and tapered aluminum alloy | Trek D.B. and tapered aluminum alloy | Trek tapered aluminum alloy | Trek tapered aluminum alloy | Trek tapered aluminum alloy | Trek tapered aluminum alloy | True Temper chromoly | True Temper chromoly | True Temper chromoty | True Temper chromoly | Hi-tensile steel alloy |
| SEAT LUG | Carbon fiber with composite tube insert | Trek aluminum alloy | Trek aluminum alloy | Trek aluminum alloy | Trek aluminum alloy | Trek aluminum alloy | Trek aluminum alloy | Trek investment cast | Trek investment cast | Trek investment cast | Trek investment cast | Trek investment cast |
| DROPOUTS | Trek forged aluminum | Trek forged aluminum | Trek forged aluminum | Trek forged aluminum | Trek forged aluminum | Trek forged aluminum | Trek forged aluminum | Trek investment cast | Trek investment cast | Trek investment cast | Trek investment cast | Forged w/micro-adjust |
| FORK | Trek bonded aluminum chromoly steerer | Trek bonded aluminum chromoly steerer | Trek bonded aluminum chromoly steerer | Trek bonded aluminum chromoly steerer | Chromoly w/Trek cast crown | Chromoly semi-sloping crown | Chromoly semi-sloping crown | True Temper team w/Trek cast crown and ends | Chromoly sloping crown | Chromoly sloping crown | Chromoly sloping crown | Chromoly sloping crown |
| HEADSET | Alloy sealed | Alloy sealed | Alloy sealed | Sealed | Sealed | Sealed | Sealed | Sealed | Sealed | Sealed | Sealed | Precision |
| DRIVETRAIN | | | | | | | | | | | | |
| CRANKSET | Shimano new Dura Ace 53/42 w/sealed BB | Shimano 600 Ultegra 52/42 HP Biopace w/sealed BB | Shimano 600 Ultagra 52/42 HP Biopace w/sealed BB | Shimano 105, 52/42 Biopace w/sealed BB | Shimano 105, 52/42 Biopace w/sealed BB | SR Edge 52/42/32 Oval-tech w/sealed BB | SR Edge 52/42 Oval-tech w/sealed BB | Shimano 600 Ultegra 52/42 HP Biopace w/sealed BB | Shimano forged 50/44/28 HP Biopace w/sealed BB | Shirnano forged 50/44/28 Biopace w/sealed BB | SR Edge 52/42 Oval-tech w/sealed BB | Shimano Exage 52/42 Biopace |
| FRONT DERAILLEUR | Shimano new Dura Ace | Shirnano 600 Ultegra | Shimano 600 Ultegra | Shimano 105 | Shimano 105 | SunTour Edge GX | SunTour Edge | Shimano 600 Ultegra | Shimano Deore II | Shimano Sport LX GS | SunTour Edge | Shimano Exage action indexing |
| REAR DERAILLEUR | Shimano new Dura Ace 8-speed S.I.S. | Shimano 600 Ultegra 7-speed S.I.S. | Shimano 600 Ultegra 7-speed S.I.S. | Shimano 105 7-speed indexing | Shimano 105 7-speed indexing | SunTour Edge GX 7-speed accushift indexing | SunTour Edge 7-speed accushift indexing | Shimano 600 Ultegra 7-speed S.I.S. | Shimano Deore II 7-speed indexing | Shimano Sport LXGS 7-speed indexing | SunTour Edge 7-speed accushift indexing | Shimano Exage action indexing |
| SHIFT LEVERS | Shimano new Dura Ace 8-speed S.I.S. | Shimano 600 Ultegra S.I.S. index control | Shimano 600 Ultegra S.I.S. index control | Shimano 105 S.I.S. index control | Shimano 105 S.I.S. index control | SunTour Edge accushift indexing | SunTour Edge accushift indexing | Shimano 600 Ultegra S.I.S. | Shimano S.I.S. index control | Shimano LX S.I.S. indexing | SunTour Edge accushift indexing | Shimano Exage action for S.I.S. indexing |
| BRAKESET | Shimano new Dura Ace SLR w/Aero levers | Shimano 600 Ultegra SLR Aero | Shimano 600 Ultegra SLR Aero | Shimano 105 SLR Aero | Shimano 105 SLR Aero | Dia Compe Edge BRS Aero | Dia Compe Edge BRS Aero | Shimano 600 Ultegra SLR Aero | Shimano Deore II cantilevers, w/SLR levers | Shimeno SLR Aero | Dia Compe Edge BRS Aero | Shimano Exage action SLR Aero |
| FREEWHEEL | Shimano new Dura Ace cassette, 12-21, 8-speed | Shimano Ultagra cassette, 13-24, 7-speed | Shimano Ultegra cassette, 13-24, 7-speed | Shimano, silver, 13-24, 7-speed cassette | Shimano, silver 13-24, 7-speed cassette | SunTour alpha 13-28, 7-speed | SunTour alpha 13-26, 7-speed | Shimano Ultegra cassette 13-24, 7-speed | Shimano, 13-28, 7-speed cassette | Shimano, 13-28, 7-speed cassette | SunTour alpha 13-26, 7-speed | Shimano, 14-28, 6-speed |
| CHAIN | Shimano CN-7402 narrow | Shimano UG narrow | Shimano UG narrow | Shimano UG narrow | Shimano UG narrow | SunTour GPX narrow | SunTour GPX narrow | Shimano UG narrow | Shimano UG | Shimano UG | SunTour GPX narrow | Shimano UG |
| HUBSET | Shimano new Dura Ace freehub 32 hole | Shimano Ultagra freehub 32° ΩR sealed | Shimano Ultegra freehub 32° QR sealed | Shimano 105 freehub 32° QR sealed | Shimano 105 freehub 32° QR sealed | Maillard CX500 36° QR sealed | Maillard CX500 36° QR sealed | Shimano Ultegra freehub 32° QR sealed | Shimano freehub 36° QR sealed | Shimano freehub 36° QR sealed | Maillard CX500 36° QR sealed | Maillard CX500 36° QR sealed |
| WHEEL SYSTEM | | | | | | | | | | | | |
| SPOKES | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G UCP |
| RIMS | Matrix ISO-C, 700C, hard anodized | Matrix ISO-C, 700C, hard anodized | Matrix ISO-C, 700C, hard anodized | Matrix ISO-C, 700C, hard anodized | Matrix ISO-C, 700C, hard anodized | Matrix Titan, 700C, hard anodized | Matrix Titan, 700C, hard anodized | Matrix ISO-C, 700C, hard anodized | Matrix Titan T, 27," hard anodized | Matrix Titan, 700C, hard anodized | Matrix Titan, 700C hard anodized | ALESA concave polished alloy |
| TIRES | Matrix CD-6K, 700×18C, Kevlar 130 PSI | Matrix CD-6, 700×18C Kevlar 130 PSI | Matrix CD-4, 700×20C, skinwall, 125 PSI | Matrix CD-3, 700×20C, skinwall, 100 PSI | Matrix CD-3, 700×20C, skinwall, 100 PSI | Matrix CD-2, 700×25C, skinwall, 100 PS/ | Matrix CD-2, 700×25C, skinwall, 100 PSI | Matrix CD-4, 700×20C, skinwall, 125 PSI | Matrix CD-3K, 27×1¼," Kevlar skinwall, 95 PSI | Matrix CD-2, 700×28C, skinwall, 100 PSI | Matrix CD-2, 700×25C, skinwall, 100 PSI | Matrix CD-2, 700×28C, skinwall, 100 PSI |
| COMPONENTS | | | | | | | | | | | | |
| PEDALS | Shimano PD 7401 clipless | LOOK Model 66 | LOOK Model 66 | LODK Model 66 | Shimano new 105 Aero | Alloy quill | Alloy quill | Shimano 600 Ultegra Aero | MKS AR-8 alloy quill | Alloy quill | Allay quill | Alloy |
| HANDLEBARS | Modolo alloy anatomic | SR CT alloy anatomic | SR CT alloy anatomic | H.L. alloy | H.L. alloy | H.L. alloy | H.L. alloy - | SR CT alloy | H.L. alloy | H.L. alloy | H.L. alloy | H.L. alloy |
| STEM | Modolo forged alloy | SR FX forged Aero alloy | SR FX forged Aero alloy | H.L. forged Aero alloy black | H.L. forged Aero alloy black | Delta DL Aero alloy | Delta DL Aero alloy | H.L. forged Aero alloy black | H.L. forged Aero alloy | Delta DL Aero alloy | Delta DL Aero alloy | Deita DL Aero alloy |
| SEAT POST | American Classic alloy with internal expander | Strong micro-adjust alloy, 230 mm | Strong micro-adjust alloy, 230 mm | Micro-adjust alloy, 220 mm | Micro-adjust alloy, 220 mm | Micro-adjust alloy, 220 mm | Micro-adjust alloy, 220 mm | Micro-adjust alloy, 230 mm | Micro-adjust alloy, 220 mm | Micro-adjust alloy, 220 mm | Micro-adjust alloy, 220 mm | Micro-adjust alloy, 220 mm |
| SADDLE | Sella Italia Turbo | Vetta Gel Racing | Vetta Gel Racing | Vetta Gel Racing | Vetta Gel Racing | Vetta Anatomical Gel | Avocet Racing | Vetta Gel Racing | Vetta Anatomical Gel | Vetta Anatomical Gel | Avocet Racing | Avocet Touring |
| ACCESSORIES | | | | | Cateye nylon toeclips and straps | Cateye nylon toeclips and straps | Shimano Ultegra toeclips and straps | Cateye nylon toeclips and straps | Cateye nylon toeclips and straps, Blackburn rear rack | Cateye nylon toeclips and straps | Cateye nylon toeclips and straps | Toeclips and straps |
| SPECIAL ADD-ONS | Internal brake and derailleur cable guides, dual bottle mounts, shift lever bosses and | Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger and ft. | Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger and ft. | Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger and ft. | Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger and ft. | Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and and chain hanger | Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger | Top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger | Top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger, brake bosses and | Top tube guides, dual bottle mounts, pump peg, shift lever bosses, rear rack mounts and chain | Top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger | Top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger |



Trek bicycles are equipped with components available from sources worldwide. Specifications are subject to change without notice.

THEK BICYCLE CORPORATION LIMITED WARRANTY.

Trek Bicycle Corporation warrants each new Trek bicycle frame and fork against defects in workmanship and materials for the lifetime of the original owner. Trek likewise warrants all original parts for a period of one year from the date of purchase. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or part and is the sole remedy of the warranty.

Claims under this warranty are to be made through an authorized Trek dealer.

Proof of purchase is required.

This warranty does not apply to damage or failure due to accident, abuse, neglect, normal wear and tear, improper assembly or maintenance, or installation of parts or accessories not originally intended or incompatible with the bicycle as sold.

or accessories not originally intended or incompatible with the bicycle as sold.

Trek shall not be responsible for incidental or consequential damage. The user assumes the risk of any personal injury or damage of the bicycle or other losses if Trek bicycles are used at any time for stunt riding, dirt biking or similar activities, power or motor assist of any kind, competition riding, or anything other than normal use. This warranty gives you specific legal rights and your rights may vary from state to state.

| SPECIFICATIONS | ATB ALUMINUM | | | ATB CHROMOLY | | | | | Et annot, e e que ano está tipo e residencia e e esta con | |
|---------------------|-------------------------------------------------------------------------|---------------------------------------------------------|-----------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------|---------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------|
| MODEL | 8500 | 8000 | 7000 | 990 | 570 | 950 | 850 | 830 | 820 | 800 |
| FRAME | | | | | WIENER . | | | | | |
| COLORS | Black w/magenta Teal w/silver | Bright red w/black Intense blue w/white | White w/turquoise Denim blue w/yellow | Black w/magenta White w/mint | Black wilmagenta Bright red wiblack | Intense blue w/white White w/red | Silver w/bright blue Denim blue w/yellow | Pearl white w/mint Intense blue w/white | Bright red w/white Charcoal met. w/bright blue | Ecru w/blue Black w/teal |
| SIZES | 16.5, 18, 20 & 22" | 16.5, 18, 20 & 22" | 16.5, 18, 20 & 22" | 16.5, 18, 20 & 22" | 16.5, 18, 20 0 22" | 16.5, 18, 20 & 22" | 15, 16.5, 18, 20 & 22" | 15, 16.5, 18, 20 & 22" 18" ladies, 16.5"×24" w | 15, 16.5, 18, 20 & 22" 18" ladies | 15, 16.5, 18, 20 & 22" men 18" ladies, 16.5"×24" w |
| MAIN TUBES | Easton 7000 T7 double butted aluminum alloy | Trek/Alcoa 6061 T6 aluminum alloy | Trek/Alcoa 6061 T6 aluminum alloy | True Temper AT ATB double butted chromoly | True Temper AT ATB double butted chromoly | True Temper AT ATB double butted chromoly | Tange ATB double butted chromoly | Tange ATB double butted chromoly | Tange ATB chromoly | Tange ATB chromoly |
| STAYS | Trek ATB aluminum alloy | Trek ATB aluminum alloy | Trek ATB aluminum alloy | True Temper chromoly | True Temper chromoly | True Temper chromoly | ATB chromoly | ATB chromoly | High Tensile steel alloy | High Tensile steel alloy |
| SEAT LUG | Trek cast ATB | Trek cast ATB | Trek cast ATB | Trek investment cast ATB | Trek investment cast ATB | Trek investment cast ATB | Lugged & welded | Lugged & welded | Lugged & welded | Lugged & welded |
| DROPOUTS | Trek forged aluminum ATB | Trek forged aluminum ATB | Trek forged aluminum ATB | Forged vertical | Forged vertical | Forged vertical | Forged vertical w/2 eyelets | Forged vertical w/2 eyelets | Forged vertical w/2 eyelets | Forged vertical w/2 eyelets |
| FORK | All chromoly uni-crown wicast ends | All chromoly uni-crown w/cast ends | All chromoly large blade uni-crown | All chromoly straight blade uni-crown w/cast ends | All chromoly uni-crown w/cast ends | All chromoly large blade uni-crown | All chromoly ATB uni-crown | All chromoly ATB uni-crown | All chromoly ATB uni-crown | High Tensile steel alloy uni-crown |
| HEADSET | Deore sealed | Deore sealed | Sealed | Deare sealed | Deore sealed | Sealed | Sealed | Sealed | Precision | Precision |
| DRIVE TRAIN | | | | | Taxalle | | | | | |
| CRANKSET | Shimano new Deore XT forged alloy 46/36/26 HP Biopace w/sealed BB | Shimano Deore 46/36/26 HP Biopace w/sealed BB | Shimano Mountain LX 46/36/26 HP Biopace w/sealed BB | SunTour XC 9000 Browning 48/38/28 w/sealed BB | Shirmano Deore 46/36/26 HP Biopace wilsealed BB | Shimano Mountain LX 46/36/26 HP Biopace w/sealed BB | Shimano Mountain LX 46/36/26 HP Biopace w/sealed BB | SunTour XCE 48/38/28 Oval-tech w/sealed BB | SunTour XCM 48/38/28 Oval-tech w/sealed BB | Shimano Exage Country 48/38/28 Biopace w/sealed BB |
| FRONT DERAILLEUR | Shimano new Deore XT II | Shimano Deore II | Shimano Mountain LX w/S.I.S. indexing | SunTour/Browning automatic | Shimano Deore II | Shimano Mountain LX | Shimano Mountain LX | SunTour XCE | SunTour XCM | Shimano Exage Country |
| REAR DERAILLEUR | Shimano new Deore XT II w/S.I.S. indexing, 7-speed | Shimano Deore II w/S.I.S. indexing, 7-speed | Shimano Mountain LX w/S.I.S. indexing, 7-speed | SunTour XC 9000 accushift indexing | Shimano Deore II w/S.I.S. indexing, 7-speed | Shimano Mountain LX w/S.I.S. indexing, 7-speed | Shimano Mountain LX w/S.I.S. indexing, 7-speed | SunTour XCE accushift indexing | SunTour XCM accushift indexing | Shimano Exage Country w/S.I.S. |
| SHIFT LEVERS | Shimano new Deore XT II thumb-shifters w/S.I.S. | Shimano Deore II thumb-shifters w/S.I.S. | Shimano Mountain LX thumb-shifters w/S.I.S. | SunTour XC 9000 accushift indexing | Shimano Deore II thumb-shifters w/S.I.S. | Shimano Mountain LX thumb-shifters w/S.I.S. | Shimano Mountain LX thumb-shifters w/S.I.S. | SunTour XCE 7-speed accushift indexing | SunTour XCM w/accushift | Shimano Exage Country w/S.I.S. |
| BRAKESET | Shimano Deore XT II SLR cantilevers, 2-finger levers | Shimano Deore II SLR cantilevers, 2-finger levers | Shimano Mountain LX cantilevers w/SLR levers | SunTour XC-9000 self- energizing cantilevers | Shimano Deore II SLR cantilevers, 2-finger levers | Shimano Mountain LX cantilevers, w/SLR levers | Shimano Mountain LX cantilevers w/SLR levers | Dia Compe new 984 BRS cantilever | Dia Compe XCM cantilever & BRS top mount XCE center pull | Shimano Exage Country cantilever w/SLR ATB levers |
| FREEWHEEL | Shimano Deore, 12-28, 7-speed, Hyperglide | Shimano Deore, 13-30, 7-speed, Hyperglide | Shimano, 13-30, 7-speed, Hyperglide | SunTour, 13-30, 6-speed | Shimano Deore, 13-30, 7-speed, Hyperglide | Shimano, 13-30, 7-speed, Hyperglide | Shimano, 13·30, 7-speed, Hyperglide | SunTour, 13-30, 7-speed | SunTour, 14-32, 6-speed | Shimano, 14-28, 6-speed |
| CHAIN | Shimano Deore XT II | Shimano Deore II | Shimano Deore II | Sedisport | Shimano Deore II | Shimano Deore II | Shimano Deore II | SunTour GPX | SunTour New Z | Shimano UG |
| HUBSET | Shimano new Deore XT freehub, QR 32 H | Shimano Deore II freehub sealed, QR 32 H | Shimano Mountain LX freehub sealed, QR FT & R | SunTour XC 9000 sealed, QR 32 H | Shimano Deore freehub sealed, QR 32 H | Shimano Mountain LX freehub sealed, QR FT & R | Shimano Mountain LX freehub sealed, QR FT & R | Alloy sealed, QR FT & R | Alloy sealed, w/QR front | Alloy sealed, w/QR front |
| WHEEL SYSTEM | | | | | | | | | | |
| SPOKES | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G stainless steel | 14G UCP | 14G UCP | 14G UCP |
| RIMS | Matrix Single Track 32 H, 26×1.5" | Matrix Single Track 32 H, 26×1.5" | Matrix Single Track 26 × 1.5" | Matrix Single Track 26×1.5" | Matrix Single Track 32 H, 26×1.5** | Matrix Single Track 26×1.5" | Araya 7X-N 26×1.5" black anodized | Araya MP-22 26×1.5" alloy | Araya MP-22 26×1.5" alloy | Araya MP-22 26×1.5" alloy |
| TIRES | Matrix Single Track AT 26×2.0" | Matrix Single Track AT 26×2.0" | Matrix Single Track AT 26×2.0" | Matrix Single Track AT 26×2.0" | Matrix Single Track AT 26×2.0" | Matrix Single Track AT 26×1.95" | Matrix Single Track AT 26×1.95" | Matrix Single Track AT 26×1.95" | Metrix CDX, 26×1.5" | Matrix CDX, 26×1.5" |
| COMPONENTS | | | | | | | | | | |
| PEDALS | Shimano Deore XT comp. | Shimano Deore II comp. | HTI nylon ATB comp. | SR MTP-126 | Shimano Deore II comp. | HTI nylon ATB comp. | HTI nylon ATB | HTI nylon ATB | HTI nylon ATB | HTI nylon ATB |
| HANDLEBARS | True Temper chromoly comp. black | True Temper chromoly comp. black | True Temper black chromoly flat / 22"w | True Temper chromoly comp. black | True Temper chromoly comp. black | True Temper chromoly flat / 22"w | Competition black flat / 23.5"w | Competition black flat / 23.5"w | Trail, black low rise | Trail, black low rise |
| STEM | Chromoly Tioga T-bone comp. black | Chromoly Tioga T-bone comp. black | H.L. chromoly comp. black | Chromoly Tioga T-bone comp. black | Chromoly Tiaga T-bone comp. black | H.L. chromoly comp. black | H.L. comp. black | H.L. comp. black | Forged alloy, black | Forged alloy, black |
| SEAT POST | Strong micro-adjust alloy, 300 mm | Strong micro-adjust alloy, 300 mm | Micro-adjust alloy, 300 mm | Strong micro-adjust alloy, 300 mm | Strong micro-adjust alloy, 300 mm | Micro-adjust alloy, 300 mm | Micro-adjust alloy, 300 mm | Micro-adjust alloy, 300 mm | Micro-adjust alloy, 300 mm | Chromoly 300 mm, C.P. |
| SADDLE | Vetta Gel Racing | Vetta Gel Anatomical | Vetta Gel Anatomical | Vetta Gel Racing | Vetta Gel Anatomical | Vetta Gel Anatomical | Avocet Touring | Avocet Touring | Viscount Terra B-1 | Viscount new Terra Counti |
| ACCESSORIES | Shimano seat post QR ATB toeclips and straps | Shimano seat post QR ATB toeclips and straps | Seat post QR toeclips and straps | Seat post QR ATB toeclips and straps | Shimano seat post QR ATB toeclips and straps | QR seat post toeclips and straps | QR seat post toeclips and straps | QR seat post binder | QR seat post binder | QR seat post binder |
| SPECIAL ADD-ONS | Dual bottle mounts and chain hanger | Dual bottle mounts and chain hanger | Dual bottle mounts and chain hanger | Dual bottle mounts, rear rack mounts | Dual bottle mounts, rear rack mounts | Dual bottle mounts, rear rack mounts | Bottle mounts, rear rack mounts and chain hanger | Bottle mounts, rear rack mounts | Bottle mounts, rear rack mounts and chain hanger | Bottle mounts, rear rack mounts and chain hanger |