


# FEEL IT

1996



THE FIRST AND LAST NAME IN MOUNTAIN BIKING



#### REAR SHOCK LOCKOUT LEVER

Ride the range while you ride the range. Full spectrum damping adjustability on the fly.



#### DEORE XT V-BRAKE

New lever and brake arch work together for one-finger braking that you modulate for ultimate control. Because objects in motion tend to see just how damn far they can push it.



#### ROCK SHOX JUDY SL

75mm extra long travel up front, balanced with the rear.

# JOSHUA Z

Full zoot fun in a Big Rock cross country racer. Large, ovalized, "helicopter blade" style frame tubing is rigid, durable. Handlebar mounted lever will modulate or entirely lock out rear shock on the go. A fully active design with a durable single pivot.

**Size:** S, M, L **Frame:** Side butted 6061 T6 aluminum

**Rear shock:** Stratos air/oil w/on-the-fly handlebar mount damping adjust **Fork:** Rock Shox Judy SL, extra long travel

**Drivetrain:** Shimano Deore XT w/new Deore XT RapidFire SL shifters **Brakes:** Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers **Hubset:** Fisher "Ginzu Pro" suspension front; Shimano Deore XT rear

**Rims:** Bontrager BCX Blue rear; BCX Red front, 32 hole **Tires:** Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95" **Color:** Polished Aluminum



"Morphs from hardtail  
to softail and back  
on the fly."

Gary Fisher



# JOSHUA Y

Same frame as the Z with a few less bells and whistles. But that's okay, you'll make your own noise. Rock Shox's highest technology. Coil over oil damped rear. Judy elastomer oil damped front. Both fully adjustable to location and ride style.



## FISHER GINZU TEAM

## SUSPENSION HUB

The stiffest front hub around.  
6mm skewer rod and 25.4mm  
ends carve the tunnel.




ROCK SHOX JUDY XC  
75mm travel and fully  
adjustable hydraulic  
cartridge technology.

**Size:** S, M, L **Frame:** Side butted 6061 T6 aluminum  
**Rear shock:** Rock Shox Super Deluxe Coil, adjustable oil damping w/remote oil reservoir **Fork:** Rock Shox Judy XC, extra long travel  
**Drivetrain:** Sugino Impel 700 crankset, Shimano Deore LX & XT derailleurs w/GripShift SRT-800 X-Ray shifters **Brakes:** Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift  
**Hubset:** Fisher Ginzu Team suspension front; Shimano Deore LX rear  
**Rims:** Bontrager BCX 1,32 hole **Tires:** Tioga Psycho-K front; Psycho-T rear, Kevlar bead, .26 x 1.95" **Color:** Matte Cooper w/Polished rear



**ROCK SHOX REAR**  
Durable, compliant  
coil with spring curve  
designed to follow the  
Quadra's lead.



**Size:** S, M, L **Frame:** Side butted 6061 T6 aluminum  
**Rear shock:** Rock Shox Deluxe Coil spring/oil damping  
**Fork:** Rock Shox Quadra 21R, long travel **Drivetrain:** Sugino  
Impel 300 crankset; Shimano Deore LX derailleurs w/GripShift;  
SRT-400 shifters **Brakes:** Shimano new Alivio Easy Set  
w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:**  
Fisher Ginzu Team suspension front; Shimano Alivio rear  
**Rims:** Matrix Lobo, welded 32 hole **Tires:** Tioga Psycho-KS  
front; Psycho-TS rear, 26 x 1.95" **Color:** Matte P.C. Green

**QUADRA 21R**  
"R" as in "race," lighter,  
magnesium fork brace and legs,  
stronger crown, more plush MCU  
spring system; 60mm travel.

**Simplicity conquers the overcomplicated. Full suspen-**  
**sion for everyone. Rock Shox's new Quadra 21R with**  
**plush microcellular urethane elastomer gives you**  
**60mm front wheel travel.**



# JOSHUA X


**WHITE INDUSTRIES HUBS**

Designed to work with Rock Shox's newest forks. I've added my custom hub ends and quick release, taking the Tracker hub to a new level of performance.



**MAVIC RIMS**

Extremely light with machined sides to brake in mud and muck.




**GRIPSHIFT ESP DERAILLEUR**

I thought it impossible to improve on rear derailleur design, but this one shifts better and it's lighter than anything I've tested.

# PRO CALIBER LTD

**Best frame. Best everything from everywhere in the world.**  
**There's been an explosion of high end parts by bike freaks**  
**designing their dreams. From those, I picked the real players,**  
**the stars, the stuff that will stand the test of time.**



**Size:** 13.5, 14.75, 16.25, 17.75, 19.25" **Frame:** 100% OCLV carbon **Fork:** Rock Shox Judy SL **Drivetrain:** White Industries crankset, Shimano Deore XT and GripShift 900-ESP derailleurs w/GripShift SRT-900 X-Ray shifters **Brakes:** Shimano Deore XTR V-Brake w/Shimano Deore XT adjustable levers **Hubset:** White Industries: Custom Tracker front w/Fisher suspension QR; Precision Bearing rear Freehub

**Rims:** Mavic 217 SUP, 32 hole **Tires:** Tioga Psycho-LTD front; Psycho-T-LTD rear; SLX casing, Kevlar bead, 26 x 1.95" **Color:** Matte Violet

## TEAM ISSUE

**Paola Pezzo, Women's Cross Country World Champion, consistently schools the world's best on the same bike you can buy.**



## PERFORMANCE

**"...La mia Procaliber Ltd è esclusivamente bella! E' la mia ombra!"**  
Paola Pezzo

**"My Procaliber Ltd is exclusively beautiful!  
It's my shadow!"**  
Paola Pezzo



# PROCALIBER

Planning to run away and join the circuit? Procaliber Ltd too rich for your blood? Here's the bike: My OCLV carbon frame, spec'd with truly controllable one-finger braking and a totally new SL shifting system that glides into gear under the most ridiculous stress. Thank you, Shimano!



## OCLV RACE


### FRAME GEOMETRY

(A&B) Head/Seat Angles:

Customized to top tube length for optimal power transfer.

(C) Top Tube Length:

Matches torso length for super comfy cockpit.



### FISHER FEEL

"Racing requires an extremely light frame that holds up for the duration. Nobody carries a spare."

Gary Fisher



**Size:** 13.5, 14.75, 16.25, 17.75, 19.25" **Frame:** 100% OCLV carbon  
**Fork:** Rock Shox Judy XC **Drivetrain:** Shimano Deore LX w/Deore XT rear derailleur & new Deore XT RapidFire SL shifters **Brakes:** Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers **Hubset:** Fisher Ginzu Pro suspension front; Shimano Deore LX rear **Rims:** Bontrager BCX Blue rear; BCX Red front; 32 hole **Tires:** Tioga Psycho-K front; Psycho-T rear; Kevlar bead, 26 x 1.95" **Color:** Moss Green



**DEORE XT V-BRAKE**  
Oversize parallelogram  
pads swoop down from  
beefy brake arms to stop  
you alive in your tracks.



**ROCK SHOX JUDY XC**  
High-tech hydraulics  
cushion rebound  
of supple 7 inch MCU  
bumper stack; con-  
venient, quick change  
cartridge lets you  
tune your new toy.

**SPD M535 PEDALS**  
No fat SPUDS. 77g lighter  
this year with perfect float  
for natural rotation and  
strain-free knees.

# SUPERCALIBER

Enhance your flight time. Light, resilient, hand welded 6061 T6 and all the high end components. Manitou's Mach 5 SX fork ups the suspension ante. Those who feel aluminum frames are torsionally challenged gotta try this one.



**Size:** 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6

Easton ProGram taperwall aluminum alloy

**Fork:** Manitou Mach 5 SX **Drivetrain:** Shimano

Deore XT w/new Deore XT RapidFire SL shifters

**Brakes:** Shimano Deore XTR V-Brake w/Shimano

Deore XT adjustable levers **Hubset:** Fisher Ginz

Pro suspension front; Shimano Deore XT rear

**Rims:** Bontrager BCX Blue rear; BCX Red front, 32

hole **Tires:** Tioga Psycho-K front; Psycho-Treat, Kevlar bead, 26 x 1.95" **Color:** Matte Red

**FISHER GINZU PRO  
SUSPENSION HUB**  
A feather light, extremely rigid hub and quick release-skewer design.



## ALUMINUM

### FRAME GEOMETRY

**(A) Steep Head Angle:**

Quick, responsive steering.

**(C) Long Top Tube:** Better

weight distribution & balance.

**(T) Trail:** Calculated to deliver stability and nimble handling.



**NEW SHIMANO**  
**DEORE XT RAPIDFIRE SL**  
No chain suck. No slipping.  
Just the gear you need.

**MANITOU MACH 5 SX**  
Externally adjustable preload  
and damping. Three stage  
elastomer delivers progressive  
spring curve for  
aggressive maneuvers.



## CRAFTSMANSHIP


"USA-designed,  
drawn, laser cut,  
welded and  
babied every  
step of the way."

Gary Fisher



**Size:** 14, 16, 17.5, 19.5" **Frame:** TiG welded 6061 T6 Easton ProGram tapenvall aluminum alloy **Fork:** Rock Shox Judy XC  
**DriveTrain:** Shimano Deore LX w/Deore XT rear derailleur & new Deore LX RapidFire SL shifters **Brakes:** Shimano new Deore LX  
Easy Set w/Shimano Deore LX levers **Hubset:** Fisher Ginzu Pro suspension front; Shimano Deore LX rear **Rims:** Bontrager BCX  
Blue rear; BCX Red front, 32 hole **Tires:** Tioga Psycho-K front; Tioga Psycho-T rear, Kevlar bead, 26 x 1.95" **Color:** Polished Aluminum

## FISHER FEEL



"The naked truth:  
I'm proud of my body...  
frame, that is."

Gary Fisher

The bike that honors the mountain:  
Sacred Mt. Tamalpais in Marin County...  
source of legend, site of physical and  
spiritual power. Where it all started.  
"Tam Time" means you're going there.

# MT. TAM

ALUMINUM


**POLISHED FRAME**

Just a glint of sunlight  
streaking down the  
mountain.




**BONTRAGER BCX R/B RIMS**

Red/Front - Premium, light-weight extrusion rim with flat, brushed braking surface, 370g.  
Blue/Rear - Super strong, super tough, 410g.



**DOUBLE BUTTED FRAME**

Puts the strength where the  
stress is and saves weight  
everywhere else.



**MANITOU MACH 5 PRO**

Extreme rigidity, plush ride  
and easy setting preload  
won me over.

**Size:** 14, 16, 17.5, 19.5"

**Frame:** TIG welded 6061  
T6 Easton ProGram taper-  
wall aluminum alloy

**Fork:** Manitou Mach 5 Pro

**Drivetrain:** Sugino Impel  
700 crankset, Shimano  
Deore LX & XT derailleurs  
w/GripShift SRT-800 X-Ray

**shifters Brakes:** Shimano  
new Deore LX Easy Set  
w/Dia-Compe PC-7N

**Hubset:** Fisher Ginzu  
Team suspension front;  
Shimano Deore LX rear

**Rims:** Bontrager BCX 1,  
32 hole **Tires:** Tioga  
Psycho-K front; Psycho-T  
rear, Kevlar bead, 26 x 1.95"

**Color:** Ballistic Blue

A great high speed descender! New geometry and lighter, more  
resilient tubing plus Manitou's new Mach 5 Pro fork make Paragon  
a whole new bird.

# PARAGON

# MONTARE

Italian verb meaning "to climb." To fulfill that promise and elevate your expectations, I've introduced a new geometry, new tube set and the new Rock Shox Quadra 21R. Also a bead blasted finish to save precious grams.



**Size:** 14, 16, 17.5, 19.5" **Frame:** TIG

welded 6061 T6 aluminum alloy

**Fork:** Rock Shox Quadra 21R

**Drivetrain:** Sugino Impel 500

cranks, Shimano STX & LX

derailleurs w/GripShift SRT-600

8spd shifters **Brakes:** Shimano

new STX-RC Easy Set w/Dia-Compe

PC-7N levers, offset for GripShift

**Hubset:** Fisher Ginzu Team

suspension front; Shimano Deore

LX rear **Rims:** Matrix Lobo, welded,

32 hole **Tires:** Tioga Psycho-KS

front; Psycho rear-TS, 26 x 1.95"

**Color:** Blasted Aluminum





SHIMANO 8-SPEED  
CASSETTE HUB  
Widest range of  
gears available.

**MATRIX LOBO RIMS**

USA-made. Welded and machined for strength and precision. Built with SpokeTight to maintain tension and true.


A killer value.



**PERFORMANCE**

"A Rock Shox  
without the  
sticker shox."

Gary Fisher



**SUGINO IMPEL CRANKSET**  
Light and strong with a new  
super low gear range.



**Size:** 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 aluminum alloy **Fork:** Rock Shox Quadvra 5  
**Drivetrain:** Sugino Impel 350 crankset, Shimano STX derailleurs w/GripShift SRT-400 shifters  
**Brakes:** Shimano new Alivio rear w/Dia-Compe PC-7N levers, offset for GripShift  
**Hubset:** Fisher Ginz Team suspension front; Shimano Alivio rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95" **Color:** Gloss Onyx Black

The big gun for big fun! All American-made frame with Sugino crankset, Shimano STX drivetrain and my sure tracking suspension hub. Check the thermometer and you'll know why this bike is the season's hot topic.

# BIG SUR



# KAITAI

**Big Sur's little brother with big performance. American-made 6061 T6 aluminum hand welded in the USA with all the family features: reinforced head tube, gusseted down tube, replaceable drop outs. You're getting a serious, fully Fisherized performance frame with a lifetime warranty.**

**Sizes:** 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 aluminum alloy **Fork:** Cro-Moly threaded **DriveTrain:** Suntour Impal 2x10 crankset, Shimano STX derailleurs w/GripShift SRT-400 shifters **Brakes:** Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Alloy oversize axle, sealed front; Shimano Alivio rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95" **Color:** Slate





"Bar ends to bottom bracket, this is one hell of a bike."

Gary Fisher

#### EXTERNALLY BUTTED

#### HEAD TUBE

Saves weight; but more importantly, gives headset bearings better seating for long lasting, smooth operation.

#### FISH STICKS BAR ENDS

My original recipe power bars.



**FISH FINS BAR ENDS**

Cut and welded at the perfect angle  
for comfortable cranking position  
and max leverage in climbs.



**ROCK SHOX JUDY XC**

Slickest solution yet: MCU  
elastomer spring and the  
superior damping of oil in  
an adjustable cartridge.

# X-CALIBER RX

Hardcore, hammer'n machine. The geometry accommodates a long travel Rock Shox fork; get it with or add it later. Large diameter tube walls are the thinnest of any in my line. You're riding a very resilient, very rugged steel frame that weighs less than 4.5 lbs.

**Size:** 11.5, 15.5, 16.75, 18, 19.5"  
**Frame:** True Temper TiG welded, heat treated, triple butted Cro-Moly

**Fork:** Rock Shox Judy XC  
**Drivetrain:** Sugino Impel 700 crankset, Shimano Deore LX & XT derailleurs w/GripShift SRT-800

**X-Ray shifters:** Brakes: Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift  
**Hubset:** Fisher Ginzu Team suspension front; Shimano Deore LX rear

**Rims:** Bontrager BCX 1.32 hole Psycho-T rear, Kevlar bead, 26 x 1.95"  
**Tires:** Tioga Psycho-K front  
**Color:** Matte Copper



**X-CALIBER**  
Rigid model otherwise identical to the RX.  
Quad butted, tapered Cro-Moly steel fork with forged drop-outs.



## REINFORCING TOP TUBE GUSSET

Frame strength is determined by tube diameter, wall thickness and butt lengths. I opt for the lightest overall mix and reinforce at peak load points.

# HOOKEEKO

All the lightness, quickness and performance attributes that make a Fisher a Fisher.  
Ride after ride, year after year, you'll love it more.

**Size:** 11.5, 15.5, 16.75, 18, 19.5"

**Frame:** True Temper TiG welded,  
double butted Cro-Moly **Fork:** Rock  
Shox Quadra 21R **Drivetrain:** Sugino

Impel 300, Shimano STX derailleurs  
w/GripShift SRT-400 shifters **Brakes:**  
Compe PC-7NL levers, offset for GripShift

Shimano new Alivio rear **Rims:** Matrix  
front:Shimano Alivio rear **Rims:** Matrix  
Lobo, welded, 32 hole **Tires:** Tioga  
Psycho-KS front; Psycho-TS rear,  
26 x 1.95" **Color:** Matte P.C. Green



## STEEL FRAME GEOMETRY

- (C) Long Top Tube: Balanced, stretched out, aerodynamic body position.
- (D) Short Chainstays: Ideal weight distribution and traction.
- (F) Short Wheelbase: Steering precision of a race bike.



**ROCK SHOX QUADRA 21R**  
60mm travel, magnesium  
fork brace and sliders;  
7oz. lighter than a  
Quadra 21.



**FISHER FEEL**

"Don't have a cycling  
research grant to  
support your habit?  
Buy this bike!"

Gary Fisher



The Aquila is  
also available in  
Matte Violet.



**FISH STICKS BAR ENDS**  
Narrow clamping area won't  
rob handlebar space.



## CRAFTSMANSHIP

"If God is in  
the details,  
you've died and  
gone to heaven."

Gary Fisher




**SEQUENTIAL WELDING**  
Applying heat to small areas and allowing tubes to cool between welds prevents distortion and preserves frame strength.

**size:** 11.5, 15.5, 16.75, 18, 19.5" **Frame:** True Temper TIG welded, double butted Cro-Moly **Fork:** Cro-Moly threaded **Drivetrain:** Sugino Impel 300, Shimano STX derailleurs w/GripShift SRT-400 shifters **Brakes:** Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Alloy oversize axle, sealed front; Shimano Alivio rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95" **Color:** Matte Violet or Matte White

Named for a constellation because the sky's the limit. Laser mitered, True Temper, double butted frame is the same as the HooKooEKoo. You can add a suspension fork later because the geometry's right.

# AQUILA





#### STX/ALIVIO/GRIPSHIFT

Throttle control. You've always got your hands on the bar and your eyes on the roller coaster ahead.



Size: 13, 15.5, 16.75, 18, 19.5"

**Frame:** TIG welded double butted

**Cro-Moly Fork:** Rock Shox Quadrat 5

**Drivetrain:** Shimano Alivio

crankset w/Acer-X & STX

derailleurs & GripShift SRT-400

shifters **Brakes:** Shimano new

Acer-X Easy Set w/ alloy levers, off-set for GripShift **Hubset:** Shimano Acer-X rear; oversize axle front

Rims: Weinmann 519, 32 hole

Tires: Tioga Psycho-KS front; Psycho-TS rear 26 x 1.95"

**Color:** Black Sable

A killer USA-made value. You get a double butted, laser mitered Cro-Moly steel frame, big league parts and, yes, that's a Rock Shox!

# MAMBA

#### WEINMANN RIMS

Very durable so you can rock and roll and roll.

The Tassajara is  
also available in  
Ballistic Blue.



# TASSAJARA

The Tassajara brings smaller sizes to serious riders without sacrificing handling and performance. Proportionally designed tube set, handlebars, stem and crankset, plus a shorter, rigid fork.

**Size:** 13, 15.5, 16.75, 18, 19.5"

**Frame:** TIG welded double butted Cro-Moly **Fork:** Cro-Moly threaded

**Drivetrain:** Shimano Alivio crankset w/Acera-X & STX derailleurs & GripShift SRT-400 shifters


**Brakes:** Shimano new Acera-X Easy Set w/alloy levers, offset for GripShift Hubset: Shimano Acera-X rear: alloy front Rims: Weinmann 519, 32 hole

Tires: Tioga Psycho-KS front; Psycho-TS rear: 26 x 1.95"  
**Color:** Matte Copper or Ballistic Blue




# MARLIN

The Marlin is  
also available  
in Slate.



**Size:** 13, 15.5, 16.75, 18, 19.5" **Frame:** TIG welded full Cro-Moly  
**Fork:** Cro-Moly threaded **Drivetrain:** Shimano Acera-X w/Alivio rear  
derailleur & GripShift SRT-300 shifters **Brakes:** Shimano new Altus C91  
Easy Set w/alloy levers, offset for GripShift **Hubset:** Alloy quick release  
sealed, silver **Rims:** Weinmann 519, 32 hole **Tires:** Tioga Psycho-KS front;  
Psycho-TS rear, 26 x 1.95" **Color:** Gloss Emerald or Slate



**CRO-MOLY FORK**  
Light. Strong. Resilient.

The Wahoo is  
also available  
in Titanium.



#### OVERSIZE HEADSET

Not just longer lasting, the  
added control is something  
even a first timer deserves.


A bike slathered with secret sauce: my race-bred geometry,  
oversize headset, Cro-Moly fork. Step-through frames  
also available. What a bike! What a value!

# WAHOO

STEEL

**Size:** 13, 15.5, 16.75, 18, 19.5"; **Frame:** TIG welded Cro-Moly  
main tubes **Fork:** Cro-Moly threaded **Drivetrain:** Shimano Altus CT91  
w/Acer-X rear derailleur & GripShift MX-100 shifters **Brakes:** Shimano  
new Altus C91 Easy Set w/alloy levers, offset for GripShift **Hubset:** Alloy  
quick release sealed, silver **Rims:** Weinmann 519, 36 hole **Tires:** Kenda,  
26 x 1.95" **Color:** Wild Cherry or Titanium





**SWEEP TO DROP**

**ALLOY BARS**

Multi-position for ripp'n  
in the city; pedal danc'n  
on the trail.

**SUPERLIGHT 26" WHEELS**

Combined with steeper head  
angle and a longer fork rake  
make this workhorse a nimble  
thoroughbred.



**Size:** 14, 16, 17.5, 19.5" **Frame:**

TIG welded 6061 T6 aluminum  
alloy **Fork:** Cro-Moly threaded

Drivetrain: Sugino Fuse Pro  
crankset, Shimano Deore LX  
derailleurs w/GripShift SRT-600

8spd shifters **Brakes:** Shimano  
STX-RC Easy Set w/Dia-  
Compe PC-7N levers, offset for

GripShift **Hubset:** Fisher  
Ginzu Team suspension front;  
Shimano Deore LX rear

Bontrager BCX Blue rear;  
BCX Red front, 32 hole

Tires: IRC Smoothie, 26 x 1.25"  
BCX

This is the bike every shop rat builds. The bomb proof, all-purpose, all-season workhorse that never gets put away. Load it down, it's a gonzo aluminum commuter. Unloaded, it's a rocket. Twenty-six inch wheels add strength and 24 speeds give you the gears.




# UTOPIA

# NIRVANA

A 21-speed vision of paradise on earth. If you're looking to become an urban legend, it's got 6061T6—aluminum and all the right stuff. Who needs a car when you got this bike!


**Size:** 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 aluminum alloy  
**Fork:** Cro-Moly threaded **Drivetrain:** Sugino Fuse Comp crankset, Shimano Deore LX & STX derailleurs w/GripShift SRT-400 shifters **Brakes:** Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift  
**Hubset:** Alloy oversize axle, sealed front; Shimano Alivio rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga City Sticker 2, 60tpi, 26 x 1.5" **Color:** Slate





GIRVIN ALLOY FLEXSTEM

Simple, stem-mounted  
suspension that takes  
the sting out.




## INNOVATION

"Europe.  
Cobblestones.  
Sidewalk cafes.  
Fresh flowers.  
Espresso.  
Warm croissants.  
You know...  
Alfresco."

Gary Fisher

# ALFRESCO

Goes from blacktop to back woods without missing a beat. A plush ride with souped up componentry. This Cro-Moly steel hybrid has bar ends and a suspension stem. It's ready for anything.



**Size:** 13, 15, 17, 19, 21", 15.5L, 18.5L  
**Frame:** TIG welded double butted Cro-Moly  
**Fork:** Cro-Moly  
**Drivetrain:** Sugino Impel 300 crankset, Shimano STX derailleurs w/GripShift SRT-400  
**Brakes:** Shimano new Alivio Easy Set w/alloy levers, offset for GripShift  
**Hubset:** Alloy oversize axle, sealed front; Shimano Alivio rear  
**Rims:** Weinmann ZAC19 32 hole  
**Tires:** Tioga City Slicker 2, 60tpi, 700 x 35c  
**Stem:** Girvin alloy Flexstem  
**Color:** Ballistic Blue

## ALFRESCO GEOMETRY


**(F) Longer Wheelbase:**  
Smooth, comfortable ride.  
**(G) Long Head Tube:**  
Higher stem and handlebar  
for more upright ride.

**(H) Standover Height:**  
2" to 3" is ideal. Fisher frames  
come in wide size range to fit  
every body.



# ZEBRANO

The tool'n round town bike. Also a perfect choice for light trail and touring. Fisher geometry, full Cro-Moly steel frame, Shimano drivetrain and GripShift. It'll spoil you for sure.



The Zebrano is  
also available in  
Dark Red.



**GIRVIN FLEXSTEM**  
Simple, stem-mounted  
suspension that takes  
the sting out.

**Size:** 13, 15, 17, 19, 21"; **15.5L, 18.5L Frame:** TG  
welded full Cro-Moly **Fork:** Cro-Moly

**Drivetrain:** Shimano Alivio w/Acera-X front  
derailleur & GripShift SRT-400 shifters **Brakes:**  
Shimano new Acera-X Easy Set w/ alloy levers, offset  
for GripShift **Hubset:** Shimano Acera-X rear; alloy  
front **Rims:** Weinmann 519, 32 hole **Tires:** Tioga  
City Slicker 2, 27tpi, 700 x 35c **Stem:** Girvin  
Flexstem **Color:** Matte Steel Blue or Dark Red.

The Avant Garde  
is also available in  
Matte Aqua Blue.



**TIG WELDED CRO-MOLY**

This lightweight, durable,  
lively frame will keep you  
riding happy.

<b>Size:</b> 13, 15, 17, 19, 21, 23"; 15.5L, 18.5L	<b>Frame:</b> TIG welded Cro-Moly main tubes	<b>Fork:</b> Cro-Moly	<b>Drivetrain:</b> Shimano Altus CT91 w/Acera-X rear derailleur & GripShift	<b>Brakes:</b> Shimano new MRX-100 shifters	<b>Hubset:</b> Alloy quick release sealed, silver	<b>Rims:</b> Weinmann 519, 36 hole	<b>Tires:</b> Skinwall, 700 x 35c <b>Color:</b> Silver or Matte Aqua Blue
---	--	-----------------------	---	--	--	---------------------------------------	---



Simple, elegant design. Fast, smooth 700c wheels, Cro-Moly steel frame  
and fork. Shimano derailleurs, crankset and brakes, GripShift shifters.  
This bike will set you free.



# AVANT GARDE

# KLUNKER

Featured in the June, 1994, Smithsonian magazine. The bike that started it all. A junkyard cruiser I retrofit with drum brakes and motorcycle shifters in 1974. The Klunker, world's first mountain bike. My '96 version is true to its memory. Rides over anything. Rips downhill in style. If you're an accomplished mountain biker, you'll be astounded by what you can do on this bike while styling in high form.



Original frame  
geometry and shape  
executed in Cro-Moly

Shimano STX components  
with RapidFire SL Shifters;  
Bear Trap pedals circa 1980;  
Wide alloy swept back handlebars.

**Size:** 16.5" **Frame:** TiG welded full Cro-Moly **Fork:** Cro-Moly  
**Drivetrain:** Shimano STX w/new STX RapidFire SL shifters  
**Brakes:** Shimano new Acera-X Easy Set w/Shimano STX levers  
**Hubset:** Shimano STX front and rear **Rims:** Femco 26 x 1.5",  
alloy, 36 hole **Tires:** Duro Knobby, 26 x 2.1" **Color:** Nickel



# MANIAC

Future Fisher team racers to the starting line. They'll go wild over the SR suspension fork. It's big bike technology for mountain bike maniacs age 8-12.

**Size:** 11.5" frame, w/ 24" wheel **Frame:** TiG welded **Fork:** SR  
**DuoTrack 7006 Drivetrain:** SR alloy crankset, Shimano Tourney  
derailleurs w/GripShift QuickShift 60 shifters **Brakes:** Alloy cantilevers  
w/alloy levers **Hubset:** Alloy nutted, silver **Rims:** Weinmann 519,  
36 hole **Tires:** Kenda, 24 x 2.0" **Color:** Dry Purple



# TYRO

A bike that fits is fun to ride and makes cycling a friend for life. So everything is downsized including my compact fork. Twenty-four inch wheels create plenty of standover clearance for even the smallest riders, age 8-10.



**Size:** 11.5" frame w/24" wheel **Frame:** TIG welded  
**Fork:** Threaded **Drivetrain:** SR alloy crankset,  
Shimano Tourney derailleurs w/GripShift QuickShift  
60 shifters **Brakes:** Alloy cantilevers w/alloy levers  
**Hubset:** Alloy nutted, silver **Rims:** Weinmann 519,  
36 hole **Tires:** Kenda, 24 x 2.0" **Color:** Girls: Dry  
Magenta; Boys: Gloss Bright Blue


Has a single chainring with double guards to keep the chain on.  
Easy operation. Low maintenance. Sized for ages 6-8 and adjustable  
for years of fun to come.

# SHORTCUT

# MINNOSAURUS


**Single speed coaster brake and knobby "Dinosaur" tread pattern.  
High cool factor for boys and girls, age 6-8. Compact frame design  
gives kids room to grow on a bike they'll grow to love.**

**Size:** 11.5" frame w/20" wheel  
**Frame:** TiG welded **Fork:** Threaded  
**Drivetrain:** One piece crankset  
**Brakes:** Coaster **Hubset:** Sealed  
nuted silver **Rims:** Steel, 36 hole  
**Tires:** ATB knobby, "Dinosaur" tread,  
20 x 1.75" **Color:** Girl's: Gloss Pink;  
Boy's: Gloss Royal Blue




**Size:** 11.5" frame w/20" wheel  
**Frame:** TiG welded **Fork:** Threaded  
**Drivetrain:** One piece crankset  
Shimano Tourney rear derailleur  
w/GripShift QuickShift 60 shifters  
**Brakes:** Alloy cantilevers w/alloy  
levers **Hubset:** Sealed nuted, silver  
**Rims:** Weinmann 519, 36 hole  
**Tires:** ATB knobby, 20 x 2.0"  
**Color:** Girl's: Dry Lavender; Boy's: Red






#### FULL SUSPENSION

New for '96. Designed to accommodate today's longer travel forks. Balanced geometry suited to rough, ever-changing, cross country terrain.



#### MOUNTAIN RACERS


Proportionally longer top tubes and proportionally steeper head and seat angles for nimble handling. Shorter chainstays for hooked up climbing.



#### URBAN BIKE

Overall geometry similar to a road bike for light, lively ride. Frame materials and construction build in the durability, comfort and impact absorption of Fisher mountain machines.

**RAKE (R):**  
The perpendicular distance from the centerline of the head tube to the center of the front hub. Rake combined with the head tube angle yields trail.



#### TRAIL (T):

This measurement affects the stability of the steering system and the feel of the steering. Longer trail means a heavier or more stable feel; less trail means easier steering and more sensitive handling.

#### JOSHUA Z, JOSHUA Y, JOSHUA X

SIZE	A	B	C	D	E	F	G	H	R	T
S	71.0°	74.0°	55.0/21.7	43.0/16.9	31.1/12.2	104.3/41.1	12.5/4.9	67.8/26.7	4.2/1.6	41.9/16.5
M	70.5°	73.5	58.0/22.8	43.0/16.9	31.1/12.2	107.4/42.3	12.5/4.9	66.8/26.3	4.2/1.6	47.0/18.5
L	70.5°	73.5°	61.0/24.0	43.0/16.9	31.1/12.2	110.4/43.5	14.5/5.7	66.2/26.1	4.2/1.6	53.3/21.0

#### PROCALIBER LTD, PROCALIBER

SIZE	A	B	C	D	E	F	G	H	R	T
13.5°	70.5°	73.0°	55.4/21.8	42.4/16.7	29.8/11.7	102.9/40.5	11.0/4.3	72.0/28.3	3.8/1.5	39.2/15.4
14.75°	70.5°	73.0°	56.5/22.2	42.4/16.7	29.8/11.7	104.0/40.9	11.0/4.3	73.5/28.9	3.8/1.5	41.9/16.5
16.25°	71.0°	73.0°	59.0/23.2	42.4/16.7	29.8/11.7	106.0/41.7	11.0/4.3	74.1/29.2	3.8/1.5	45.7/18.0
17.75°	71.5°	73.0°	59.5/23.4	42.4/16.7	29.8/11.7	106.5/41.9	12.3/4.8	76.4/30.1	3.8/1.5	49.5/19.5
19.25°	71.5°	73.0°	60.0/23.6	42.4/16.7	29.8/11.7	107.0/42.1	15.9/6.3	79.9/31.5	3.8/1.5	53.3/21.0

#### SUPERCALIBER, MT.TAM, PARAGON, MONTARE, BIG SUR, KAITAI

SIZE	A	B	C	D	E	F	G	H	R	T
14.0°	71.0°	74.0°	55.4/21.8	42.0/16.5	29.0/11.4	102.8/40.5	9.0/3.5	72.1/28.4	3.8/1.5	39.4/15.5
16.0°	71.5°	74.0°	56.8/22.4	42.0/16.5	29.5/11.6	104.0/40.9	10.5/4.1	75.9/29.9	3.8/1.5	44.4/17.5
17.5°	71.5°	73.5°	58.3/23.0	42.0/16.5	29.5/11.6	105.1/41.4	12.5/4.9	78.5/30.9	3.8/1.5	48.3/19.0
19.5°	71.5°	73.5°	59.7/23.5	42.0/16.5	29.5/11.6	106.5/41.9	14.5/5.7	82.1/32.3	3.8/1.5	53.3/21.0

#### KLUNKER

SIZE	A	B	C	D	E	F	G	H	R	T
16.5°	68.0°	69.0°	59.7/23.5	47.7/18.8	30.3/11.9	114.0/44.9	12.0/4.7	76.6/30.2	6.4/2.5	45.7/18.0

#### X-CALIBER RX, X-CALIBER, HOOKOOEKOO, AQUILA

SIZE	A	B	C	D	E	F	G	H	R	T
11.5°	70.5°	74.0°	53.7/21.1	42.0/16.5	28.8/11.3	101.2/39.8	8.5/3.3	68.1/26.8	3.8/1.5	33.0/13.0
15.5°	71.0°	74.0°	55.4/21.8	42.0/16.5	29.1/11.5	102.5/40.4	8.5/3.3	73.7/29.0	3.8/1.5	44.1/17.4
16.75°	71.5°	74.0°	56.8/22.4	42.0/16.5	29.5/11.6	103.7/40.8	10.5/4.1	76.3/30.0	3.8/1.5	47.0/18.5
18.0°	71.5°	73.5°	58.3/23.0	42.0/16.5	29.5/11.6	104.8/41.3	12.5/4.9	78.7/31.0	3.8/1.5	50.1/19.7
19.5°	71.5°	73.5°	59.7/23.5	42.0/16.5	29.5/11.6	106.3/41.9	14.5/5.7	81.6/32.1	3.8/1.5	53.9/21.2

#### MAMBA

SIZE	A	B	C	D	E	F	G	H	R	T
13.0°	71.0°	74.5°	54.0/21.3	42.0/16.5	29.1/11.5	101.6/40.0	8.5/3.3	71.1/28.0	3.8/1.5	36.7/14.4
15.5°	71.0°	74.0°	55.4/21.8	42.0/16.5	28.8/11.3	102.8/40.5	10.5/4.1	75.6/29.8	3.8/1.5	43.1/17.0
16.75°	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	104.0/40.9	12.4/4.9	77.0/30.3	3.8/1.5	46.2/18.2
18.0°	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	105.1/41.4	14.5/5.7	79.0/31.1	3.8/1.5	49.4/19.4
19.5°	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.5/41.9	16.5/6.5	82.2/32.4	3.8/1.5	53.2/20.9

#### TASSAJARA, MARLIN, WAHOO

SIZE	A	B	C	D	E	F	G	H	R	T
13.0°	71.0°	74.5°	54.0/21.3	42.0/16.5	28.8/11.3	101.4/39.9	8.5/3.3	70.3/27.7	3.8/1.5	36.7/14.4
15.5°	71.0°	74.0°	55.4/21.8	42.0/16.5	28.8/11.3	102.5/40.4	10.5/4.1	75.1/29.6	3.8/1.5	43.1/17.0
16.75°	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	103.7/40.8	12.5/4.9	76.7/30.2	3.8/1.5	46.2/18.2
18.0°	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	104.8/41.3	14.5/5.7	78.4/30.9	3.8/1.5	49.4/19.4
19.5°	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.3/41.9	16.5/6.5	81.5/32.1	3.8/1.5	53.2/20.9
15.5L	71.0°	74.0°	55.1/21.7	42.0/16.5	29.1/11.5	101.9/40.1	10.5/4.1	63.9/25.2	3.8/1.5	43.1/17.0
18.0L	71.5°	73.5°	58.0/22.8	42.0/16.5	29.5/11.6	104.6/41.2	14.5/5.7	66.0/26.0	3.8/1.5	49.4/19.4

#### UTOPIA, NIRVANA

SIZE	A	B	C	D	E	F	G	H	R	T
14.0°	72.5°	75.0°	54.8/21.6	42.0/16.5	27.9/11.0	102.3/40.3	9.0/3.5	70.3/27.7	4.5/1.8	39.4/15.5
16.0°	73.0°	75.0°	56.4/22.2	42.0/16.5	28.4/11.2	103.6/40.8	10.5/4.1	73.9/29.1	4.5/1.8	44.4/17.5
17.5°	73.0°	75.0°	57.9/22.8	42.0/16.5	28.4/11.2	104.6/41.2	12.5/4.9	76.7/30.2	4.5/1.8	48.3/19.0
19.5°	73.0°	75.0°	59.1/23.3	42.0/16.5	28.4/11.2	106.1/41.8	14.5/5.7	80.0/31.5	4.5/1.8	53.3/21.0

#### ALFRESCO, ZEBRANO, AVANT GARDE

SIZE	A	B	C	D	E	F	G	H	R	T
13.0°	70.0°	74.0°	54.5/21.5	43.0/16.9	28.1/11.1	103.7/40.8	9.0/3.5	70.2/27.6	5.0/2.0	38.1/15.0
15.0°	70.5°	74.0°	55.0/21.7	43.0/16.9	28.1/11.1	103.8/40.9	9.0/3.5	72.7/28.6	5.0/2.0	43.1/17.0
17.0°	70.5°	73.0°	56.0/22.0	43.0/16.9	28.1/11.1	103.9/40.9	9.0/3.5	75.0/29.5	5.0/2.0	48.2/19.0
19.0°	71.5°	73.0°	57.0/22.4	43.0/16.9	28.1/11.1	104.0/40.9	10.0/3.9	78.1/30.7	5.0/2.0	53.3/21.0
21.0°	71.5°	73.0°	58.0/22.8	43.0/16.9	28.1/11.1	105.1/41.4	14.0/5.5	82.5/32.5	5.0/2.0	58.4/23.0
23.0°	71.0°	72.5°	59.0/23.2	43.0/16.9	28.1/11.1	106.3/41.9	15.7/6.2	87.4/34.4	5.0/2.0	63.4/25.0
15.5L	70.5°	74.0°	55.0/21.7	43.0/16.9	28.1/11.1	103.8/40.9	12.0/4.7	68.1/26.8	5.0/2.0	43.1/17.0
18.5L	71.5°	73.0°	56.0/22.0	43.0/16.9	28.1/11.1	103.9/40.9	16.5/6.5	67.9/26.7	5.0/2.0	50.8/20.0

All dimensions are in centimeters/inches unless otherwise stated.

SPECS		FULL SUSPENSION		OCLV CARBON		ALUMINUM		
		JOSHUA Z	JOSHUA Y	JOSHUA X	PROCALIBER LTD	PROCALIBER	SUPERCALIBER	MT.TAM
FRAMESET	Color	Polished Aluminum	Matte Copper w/Polished rear	Matte P.C. Green	Matte Violet	Moss Green	Matte Red	Polished Aluminum
	Size	S,M,L	S,M,L	S,M,L	13.5, 14.75, 16.25, 17.75, 19.25"	13.5, 14.75, 16.25, 17.75, 19.25"	14, 16, 17.5, 19.5"	14, 16, 17.5, 19.5"
	Frame	Side butted 6061T6 aluminum	Side butted 6061 T6 aluminum	Side butted 6061T6 aluminum	100% OCLV carbon	100% OCLV carbon	TIG welded 6061 T6 Easton ProGram taperwall aluminum alloy	TIG welded 6061 T6 Easton ProGram taperwall aluminum alloy
	Rear Suspension	Stratos air/oil w/on-the-fly handlebar mount damping adjust	Rock Shox Super Deluxe Coil, adjustable oil damping w/remote oil reservoir	Rock Shox Deluxe Coil spring/oil damping				
	Fork	Rock Shox Judy SL/MCU elastomer/adjustable oil suspension, carbon brake arch, 75mm travel	Rock Shox Judy XC MCU elastomer/oil suspension, 75mm travel	Rock Shox Quadra 21R MCU elastomer/oil suspension, 60mm travel	Rock Shox Judy SL MCU elastomer/adjustable oil suspension, carbon brake arch, 63mm travel	Rock Shox Judy XC MCU elastomer/oil suspension, V-Brake arch, 63mm travel	Manitou Mach 5 XMCU elastomer/oil suspension, alloy steerer/V-Brake arch,63mm travel	Rock Shox Judy XC MCU elastomer/oil suspension, 63mm travel
	Headset	Tange Seiki DL-2 Aheadset, 1 1/4", oversize	Dia-Compe SA-2 Aheadset, 1 1/4", oversize	Tange Seiki Passage, 1 1/4", oversize	Tange Seiki WTB Grease Guard, 1 1/4", oversize	Tange Seiki DL-2 Aheadset, 1 1/4", oversize	Tange Seiki DL-2 Aheadset, 1 1/4", oversize	Dia-Compe SA-2 Aheadset, 1 1/4", oversize
	Crankset	Shimano Deore XT 42/32/22	Sugino Impel 700 w/SS3 hard anodized chainrings 42/32/20	Sugino Impel 300 w/SS3 chainrings 42/32/20	White Industries w/SS3 chainrings 42/32/20	Shimano Deore LX 42/32/22	Shimano Deore XT 42/32/22	Shimano Deore LX 42/32/22
	Front Derailleur	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX	Shimano Deore XT	Shimano Deore LX	Shimano Deore XT new top swing	Shimano Deore LX new top swing
	Rear Derailleur	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore LX SGS	GripShift 900-ESP	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore XT SGS
DRIVETRAIN	Shifter/Grips	Shimano new Deore XT RapidFire SL w/Gary Fisher high density foam hex grips	GripShift SRT-800 X-Ray w/Kraton rubber grips	GripShift SRT-400 w/Kraton rubber grips	GripShift SRT-900 X-Ray w/Kraton rubber grips	Shimano new Deore XT RapidFire SL w/Gary Fisher high density foam hex grips	Shimano new Deore XT RapidFire SL w/Gary Fisher high density foam hex grips	Shimano new Deore LX RapidFire SL w/Gary Fisher high density foam hex grips
	Bottom Bracket	Shimano BB-UN72 cartridge	Shimano BB-UN52 cartridge	Shimano BB-LP26 cartridge	White Industries Titanium	Shimano BB-UN52 cartridge	Shimano BB-UN72 cartridge	Shimano BB-UN52 cartridge
	Cassette/Freewheel	Shimano Deore XT 11-28,8spd	Shimano Deore LX 11-28,8spd	Shimano STX 11-28,7spd	Shimano Deore XT 11-28,8spd	Shimano Deore LX 11-28,8spd	Shimano Deore XT 11-28,8spd	Shimano Deore LX 11-28,8spd
	Chain	Shimano IG90	Shimano IG70	Shimano IG31	Shimano IG90	Shimano IG70	Shimano IG90	Shimano IG70
	Hubset	Fisher Ginzu Pro suspension front; Shimano Deore XT rear	Fisher Ginzu Team suspension front; Shimano Deore LX rear	Fisher Ginzu Team suspension front; Shimano Alivio rear	White Industries Custom Tracker front w/Fisher suspension QR; Precision Bearing rear freehub	Fisher Ginzu Pro suspension front; Shimano Deore LX rear	Fisher Ginzu Pro suspension front; Shimano Deore XT rear	Fisher Ginzu Pro suspension front; Shimano Deore LX rear
WHEELS	Spokes	Wheelsmith 15/16G stainless w/alloy nipples	Union 15G stainless	Union 15G stainless	Wheelsmith 15/16G stainless w/alloy nipples	Union 15G stainless w/alloy nipples	Wheelsmith 15/16G stainless w/alloy nipples	Union 15G stainless
	Rims	Bontrager BCX Blue rear; BCX Red front, 32 hole	Bontrager BCX 1, 32 hole	Matrix Lobo, welded, 32 hole	Mavic 217 SUP, 32 hole	Bontrager BCX Blue rear; BCX Red front, 32 hole	Bontrager BCX Blue rear; BCX Red front, 32 hole	Bontrager BCX Blue rear; BCX Red front, 32 hole
	Tires	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95"	Tioga Psycho-LTD front; Psycho-T-LTD rear, SLX casing, Kevlar bead, 26 x 1.95"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"
	Brakeset/Levers	Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers	Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano Deore XT-V-Brake w/Shimano Deore XT adjustable levers	Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers	Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers	Shimano new Deore LX Easy Set w/Shimano Deore XT levers
	Pedals	Shimano SPD M535 clipless w/rotation	Shimano SPD M535 clipless w/rotation	Steel cage, resin body sealed w/clips and straps	Shimano SPD M747 clipless w/rotation	Shimano SPD M535 clipless w/rotation	Shimano SPD M535 clipless w/rotation	Shimano SPD M535 clipless w/rotation
OTHER COMPONENTS	Handlebars	Bontrager Ti, 560mm, 3° bend, 150g	Bontrager Race, aluminum alloy, 145g	Aluminum alloy, 230g	Bontrager Ti, butted, 560mm, 3° bend, 125g	Bontrager Ti, butted, 560mm, 3° bend, 150g	Bontrager Ti, butted, 560mm, 3° bend, 150g	Bontrager Race, aluminum alloy, 145g
	Bar Ends	Bontrager magnesium ski bend, 110g	Fisher Fish Fins, welded aluminum, 125g	Fisher Fish Sticks, 125g	Bontrager magnesium ski bend, 110g	Bontrager magnesium ski bend, 110g	Bontrager magnesium ski bend, 110g	Fisher Fish Fins, welded aluminum, 125g
	Stem	Bontrager alloy Aheadset, 7° rise, hidden bolts, 180g	Bontrager alloy Aheadset, 7° rise, hidden bolts, 180g	Aluminum alloy Aheadset, 10° rise, 180g	Bontrager alloy Aheadset, 7° rise, hidden bolts, 180g	Alloy Aheadset, 7° rise, hidden bolts, 180g	Alloy Aheadset, 7° rise, hidden bolts, 180g	Alloy Aheadset, 7° rise, hidden bolts, 180g
	Seatpost	Bontrager Race Lite aluminum, 225g	Comp aluminum, 250g	Aluminum alloy, micro-adjust, 290g	Synchro Ti, 185g	Race Lite aluminum, 225g	Race Lite aluminum, 225g	Comp aluminum, 250g
	Saddle	Bontrager Titanium rail, leather cover, 198g	Bontrager hollow Cro-Moly rail, leather cover, 230g	Bontrager Plus 10	Selle San Marco/Bontrager Titanium rail, leather cover, 195g	Bontrager hollow Cro-Moly rail, leather cover, 230g	Bontrager Titanium rail, leather cover, 198g	Bontrager hollow Cro-Moly rail, leather cover, 230g

Fisher bicycles are equipped with components from sources worldwide. Specifications are subject to change without notice.

				STEEL	X-CALIBER RX	X-CALIBER	HOOKEOKOO
PARAGON	MONTARE	BIG SUR	KAITAI	KLUNKER	X-CALIBER RX	X-CALIBER	HOOKEOKOO
24.2 lb/11.0 kg Ballistic Blue	25.1 lb/11.4 kg Blasted Aluminum	25.8 lb/11.7 kg Gloss Onyx Black	24.5 lb/11.1 kg Slate	30.5 lb/13.8 kg Nickel	25.3 lb/11.5 kg Matte Copper	24.1 lb/10.9 kg Matte Copper	26.5 lb/12.0 kg Matte P.C. Green
14, 16, 17.5, 19.5"	14, 16, 17.5, 19.5"	14, 16, 17.5, 19.5"	14, 16, 17.5, 19.5"	16.5"	11.5, 15.5, 16.75, 18, 19.5"	11.5, 15.5, 16.75, 18, 19.5"	11.5, 15.5, 16.75, 18, 19.5"
TIG welded 6061 T6 Easton ProGram taperwall aluminum alloy	TIG welded 6061 T6 aluminum alloy	TIG welded 6061 T6 aluminum alloy	TIG welded 6061 T6 aluminum alloy	TIG welded full Cro-Moly	True Temper TIG welded, heat treated, triple butted Cro-Moly	True Temper TIG welded, heat treated, triple butted Cro-Moly	True Temper TIG welded, double butted Cro-Moly
Manitou Mach 5 Pro elastomer suspension, 58mm travel	Rock Shox Quadra 21R MCU elastomer suspension, 60mm travel	Rock Shox Quadra S adjustable suspension, 46mm travel	Cro-Moly threaded, 1 1/8" w/forged drop-outs	Cro-Moly w/forged drop-outs	Rock Shox Judy XC MCU elastomer/oil suspension, 63mm travel	Quad butted tapered Cro-Moly w/forged drop-outs	Rock Shox Quadra 21R MCU elastomer suspension, 60mm travel
Dia-Compe SA-2 Headset, 1 1/8", oversize	Dia-Compe SA-2 Headset, 1 1/8", oversize	Dia-Compe ST-2 Headset, 1 1/8", oversize	Tange Seiki Passage, 1 1/8", oversize	1", black	Dia-Compe SA-2 Headset, 1 1/8", oversize	Dia-Compe SA-2 Headset, 1 1/8", oversize	Dia-Compe ST-2 Headset, 1 1/8", oversize
Sugino Impel 700 w/SS3 hard anodized chainrings 42/32/20	Sugino Impel 500 w/SS3 chainrings 42/32/20	Sugino Impel 350 w/SS3 chainrings 42/32/20	Sugino Impel 350 w/SS3 chainrings 42/32/20	Shimano STX 42/32/22	Sugino Impel 700 w/SS3 hard anodized chainrings 42/32/20	Sugino Impel 700 w/SS3 hard anodized chainrings 42/32/20	Sugino Impel 300 w/SS3 chainrings 42/32/20
Shimano Deore LX new top swing	Shimano STX new top swing	Shimano STX new top swing	Shimano STX new top swing	Shimano STX	Shimano Deore LX new top swing	Shimano Deore LX new top swing	Shimano STX new top swing
Shimano Deore XT SGS	Shimano Deore LX SGS	Shimano STX SGS	Shimano STX SGS	Shimano STX SGS	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano STX SGS
GripShift SRT-800 X-Ray w/Kraton rubber grips	GripShift SRT-600 Bspd w/Kraton rubber grips	GripShift SRT-400 w/Kraton rubber grips	GripShift SRT-400 w/Kraton rubber grips	Shimano new STX RapidFire SL w/Gary Fisher high density foam hex grips	GripShift SRT-800 X-Ray w/Kraton rubber grips	GripShift SRT-800 X-Ray w/Kraton rubber grips	GripShift SRT-400 w/Kraton rubber grips
Shimano BB-UN52 cartridge	Shimano BB-LP26 cartridge	Shimano BB-LP26 cartridge	Shimano BB-LP26 cartridge	Shimano BB-LP26 cartridge	Shimano BB-UN52 cartridge	Shimano BB-UN52 cartridge	Shimano BB-LP26 cartridge
Shimano Deore LX 11-28, 8spd	Shimano Deore LX 11-28, 8spd	Shimano STX 11-28, 7spd	Shimano STX 11-28, 7spd	Shimano STX 11-28, 7spd	Shimano Deore LX 11-28, 8spd	Shimano Deore LX 11-28, 8spd	Shimano STX 11-28, 7spd
Shimano IG70	Shimano IG51	Shimano IG31	Shimano IG31	KMC IG31	Shimano IG70	Shimano IG70	Shimano IG31
Fisher Ginzu Team suspension front; Shimano Deore LX rear	Fisher Ginzu Team suspension front; Shimano Deore LX rear	Fisher Ginzu Team suspension front; Shimano Alivio rear	Alloy oversize axle, sealed front; Shimano Alivio rear	Shimano STX front and rear	Fisher Ginzu Team suspension front; Shimano Deore LX rear	Fisher Ginzu Team suspension front; Shimano Deore LX rear	Fisher Ginzu Team suspension front; Shimano Alivio rear
Union 15G stainless	Union 15G stainless	Union 15G stainless	Union 15G stainless	14G stainless	Union 15G stainless	Union 15G stainless	Union 15G stainless
Bontrager BCX 1, 32 hole	Matrix Lobo, welded, 32 hole	Matrix Lobo, welded, 32 hole	Matrix Lobo, welded, 32 hole	Femco 26 x 1.5", alloy, 36 hole	Bontrager BCX 1, 32 hole	Bontrager BCX 1, 32 hole	Matrix Lobo, welded, 32 hole
Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95"	Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95"	Tioga Psycho-K front; Psycho-TS rear, 26 x 1.95"	Duro Knobby, 26 x 2.1"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-K front; Psycho-TS rear, 26 x 1.95"	Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95"
Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new STX-R Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Acer-X Easy Set w/Shimano STX levers	Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift
Shimano SPD MS35 clipless w/rotation	Alloy sealed w/clips and straps	Steel cage, resin body sealed w/clips and straps	Steel cage, resin body sealed w/clips and straps	Alloy black and silver, Cro-Moly axle	Shimano SPD MS35 clipless w/rotation	Shimano SPD MS35 clipless w/rotation	Steel cage, resin body sealed w/clips and straps
Bontrager Race, aluminum alloy, 145g	Aluminum alloy, 170g	Aluminum alloy, 230g	Aluminum alloy, 230g	Aluminum alloy retro bend, 630mm	Bontrager Race, aluminum alloy, 145g	Bontrager Race, aluminum alloy, 145g	Aluminum alloy, 230g
Fisher Fish Fins, welded aluminum, 125g	Fisher Fish Sticks, 125g	Fisher Fish Sticks, 125g	Fisher Fish Sticks, 125g	Fisher Fish Fins, welded aluminum, 125g	Fisher Fish Sticks, 125g	Fisher Fish Sticks, 125g	Fisher Fish Sticks, 125g
Aluminum alloy Aheadset, 10° rise, 185g	Aluminum alloy Aheadset, 10° rise, 185g	Aluminum alloy Aheadset, 10° rise, 185g	Cro-Moly, alloy wedge, 10° rise	Alloy forged, 25° rise	Alloy Aheadset, 7° rise, 180g	Alloy Aheadset, 7° rise, 180g	Aluminum alloy Aheadset, 10° rise, 185g
Comp aluminum, 250g	Aluminum alloy, micro-adjust, 290g	Aluminum alloy, micro-adjust, 290g	Aluminum alloy, micro-adjust, 290g	Aluminum alloy, micro-adjust	Comp aluminum, 250g	Comp aluminum, 250g	Aluminum alloy, micro-adjust, 290g
Bontrager Plus 10 hollow Cro-Moly rail	Bontrager Plus 10	Bontrager Plus 10	Bontrager Plus 10	Brooks leather	Bontrager Plus 10 hollow Cro-Moly rail	Bontrager Plus 10 hollow Cro-Moly rail	Bontrager Plus 10