

All-Terrain Bicycles

TREK ALL-TERRAIN BIKES. THE MOST SOPHISTICATED ROUTE TO TAKE ALONG AN UNBEATEN PATH.



Trek has long believed that in the quest of a superior mountain bike, you've got to start at rock bottom.

And while many mountain bikes are simply crude adaptations of the older cruiser design, Trek's new generation of mountain machines are engineered from the ground up.

For backbone, there's a Trek-built double-butted frame crafted from a special chrome-molybdenum MTB tubing. Expect performance and handling of this machine without sacrificing shock absorption and surefooted traction.

And when it came to dressing up these new bikes, Trek didn't hold back.

Each is equipped with a set of components chosen for their ability to work precisely under bone-jarring conditions. Including a sealed heavy-duty bottom bracket to handle heavy-duty stomping. Cantilever brakes with motorcycle-type levers for heavy-duty stopping. And close-athand thumb shifters to let you command all 15 gears with ease.

Huge 26" groundgripping knobby tires on wide alloy wheels complete the package. Together with a full complement of braze-ons—so you can load up your Trek for a week in the mountains as easily as you would for a day at work.

The 1985 Trek All-Terrain Bicycles.

Take one for a test ride at a Trek dealer near you. Then put it to the test on the most unbeaten path you can find.

Crafted from a set of True Temper's new oversize chrome-moly tubing, this mountain machine is equipped with Dia-Compe powerful cantilever brakes and beefy levers. Sealed heavyduty hubs on alloy rims can handle all the punishment you can dish out. And all 15 speeds are at your command with Shimano's thumb-actuated wide-action derailleurs.



New SR SAC-T 300 fully-forged wide-ratio crankset.





Trek's all-terrain bike is for those who want to keep hammering long after the asphalt disappears. Based on a unique mountain-bike frame geometry designed with the downhiller in mind, the 850 boasts Shimano's durable DeOre XT component group featuring a high-torqueing 15-speed drivetrain with thumb shifters, heavy-duty sealed hubs, and XT cantilever brakes for dependable no-fade stopping on those long descents.



Shimano Deore XT derailleurs provide plenty of off-road durability.



Trek's proven all-terrain geometry together with no-nonsense geometry like Shimano XT "Super Plate" derailleurs that can shift an ultra-wide 40-tooth capacity. There are new coldforged XC mountain stems from SunTour to handle the hard torqueing. SunTour bear-claw pedals. And a pair of lighter 26x1.25 rims with narrower Tricross tires mounted on.




Faster tri-cross tires mounted on lighter weight saturne X-22 rims.

FRAME GEOMETRY FOR MODEL 830 D E F G H SEAT SEAT HEAD TOP CHAIN FRAME TUBE TUBE TUBE TUBE STAY **FORK** WHEEL DROP SIZE **OFFSET** BASE length angle angle length length 18" 44.3 72.5 71.00 55.0 48.5 5.5 5.0 109.1 19.8" 48.9 71.5 7100 56.3 48.5 5.5 5.0 109.1 21.8 54.0 71.0° 48.5 5.5 58.0 110.8 24.3" 60.2 71.50 71.00 60.0 48.5 5.5 5.0 1128 FRAME GEOMETRY FOR MODELS 850, 870 18" 44.3 72.50 71.00 55.0 48.5 4.5 5.0 108.1 19.8" 71.00 48.9 56.3 48.5 4.5 108.1 21.8 54.0 71.5 71.0 58.0 48.5 4.5 109.8

4.5

5.0



All dimensions are in centimeters, unless otherwise stated.

71.5

71.00

60.0

48.5

B.B. Shell: Nikko MTB

Seat Lug: Nikko MTB

Drop-Outs: Forged Vertical

Rack Mounts, Chain Hanger

Special Braze-ons: Top Tube Cable

Guides, Twin Water Bottle Mounts, Rear

ALL-TERRAIN SPECIFICATIONS

60.2

FRAME: Main Tubes: True Temper MTB Chromoly Fork: Tange Hi-Tension Stays: Tange Hi-Tension	Headset Trek Pro Silver B.B. Shell: Nikko MTB Seat Lug: Nikko MTB Drop-Outs: Tange Forged Special Braze-ons: Top Tube Cable Guides, Water Bottle Mounts, Rear Rack Mounts COMPONENTS: Crank: SR-SAC Forged Alloy 46/40/26	Derailleurs: Shimano Z-204GS Front, Shimano L-514SGS Rear Shift Levers: Shimano SL-AT-50 Thumb-Shifters Freewheel: Atom 77 14-32 MTB 5-spd. Chain: Std. 1/2x3/32 Brakes: Dia-Compe 981 Cantilever w/Magura Plastic Levers	Pedals: HTI A12 Blk, Alloy MTB Bar: SR MTB-301 Stem: SR MTS-110 Single Clamp Hubs: Maillard Diablo MTB Sealed Rims: Weinmann 431 Alloy 26x1-3/4 Tires: Tirek 26x1-3/4" Tirail Knobby Seat Post: SR CT-P5-E Laprade
850	Headset: Trek Pro Blk. B.B. Shell: Nikko MTB	Color: Black COMPONENTS:	Chain: Sedis Delta Brakes: Shirnano XT-MC70 Cantileve

COMPONENTS:

111.8

Color: Black	Chain: Sedis Delta
COMPONENTS:	Brakes: Shirnano XT-MC70 Cantilever/
Crank: Shimano N600 Forged	Shimano AT-50 MTB Levers
Alloy 46/40/28 w/Sealed B.B.	Pedals: Shimano SX MTB
Derailleurs: Shimano Deore XT Front,	Bar: SR MTB-100 Cro-Moly
Shimano XT-M700 GS Rear Shift Levers: Shimano SL-AT-50	Stem: SR MTS-110 Single Clamp
Thumb-Shifters	Hubs: Atom Diablo MTB Sealed
Freewheel: SunTour 14-32 5-spd.	Rims: Arava 7x Allov 26x 1-3/4"

Tires: Trek 26x2-1/8" Knobby Seat Post: SR CT-P5 Laprade Forged Alloy Saddle: San Marco Leather Tour

Saddle: San Marco Leather Tour

Fork: Tange Cro-Moly w/MTB Crown Stays: Tange Cro-Moly

FRAME:

870

24.3"

FRAME: Main Tubes: Tange Prestige MTB Fork: Tange Cro-Moly w/MTB Crown Stays: Tange Cro-Moly

Main Tubes: Tange Prestige MTB

Frame Sizes: 18," 19.75," 22," 24" Headset: Tange Levin Black B.B. Shell: Nikko MTB Headlug: Tange Invest, Cast Seat Lug: Nikko MTB Drop-Outs: Shimano Forged Vertical Special Braze-ons: Top Tube Cable Guides, Dual Water Bottle Mounts, Chain Hanger, Rear Rack Mounts

Crank: Shimano N600 Forged Alloy 46/40/28 w/Sealed B.B. Derailleurs: Shimano Deore XT Front, Shimano XT-M700 w/Superplate Rear Shift Levers: Shimano Deore XT Thumb-Shifters Freewheel: Shimano N-600 14-32 Silver 5-spd.

Blk. w/Magura Alloy Levers Blk. Pedals: SunTour XC MTB PL-5100 Bar: SR MTB-304 Alloy Stem: SunTour XC Forged Single Clamp Hubs: Shimano XT Sealed Blk.

Rims: Saturne 26x 1-1/4" Alloy

Brakes: Shimano XT-MC70 Cantilevers

Chain: Sedis Delta

Tires: Specialized Tricross 26x1-3/4" Seat Post: SR CT-P5 Laprade 250 mm Saddle: Avocet Touring I Extra: 2 Blackburn MTB Cages w/Bottles, Nylon Toe Clips & Straps

Tek bicycles consist of component parts and materials made by Tek or purchased from sources around the world. Changes in customer demand or availability occasionally necessitate temporary or permanent substitution of parts specified. If substitution is made, the new parts will be of comparable or superior quality and performance to those originally specified. Every TeA bicycle is equipped with safety reflectors required by Tederal law All specifications are subject to change without notice