


TREK
1990
CATALOG

Mountain Bikes
Road Bikes
Trek Wear
Trek Gear
Matrix Rims & Tires
Matrix Helmets
New Balance Shoes

1990

BICYCLES &
ACCESSORIES





The TREK 8900, is a revolutionary new approach to mountain bike frame technology. The tubes are created using a unique six layer unidirectional composite construction and finished with a bias braided seventh layer. This frame utilizes the best of composite technology in combination with the proven performance of lightweight aluminum alloys in the fork and stays to carefully balance two critical needs. The need to be exceptionally lightweight for maximum speed and power with the need for substantial strength to endure rugged mountain trails.


The 8900 is handcrafted in the United States to assure you of superb workmanship and quality. This bike will do more than win races, it will win your heart.

Show as Composite Tubes with Day-Glo Yellow and Green.

Sizes
16.5, 18, 20 and 22"
Frame / Fork
Graphite Epoxy/Tange Big Fork
Hubs
Bullseye precision, 32 hole
Rims
Matrix Mt. Aero ATB, hard anodized
Tires
Matrix Single Track Comp, Kevlar folding
Drive Train
SunTour XC Pro Acushift
Brakeset
Grafton speed control Cantilevers w/Artec pads
Freewheel
SunTour Winner Pro, 12-28 Acushift Plus

FRAME GEOMETRY			
Model	Frame Size	A	B
8900	16.5	70.5°	73.0° 1.
8500	18	71.0°	73.0° 1.
8000	20	71.0°	73.0° 1.
7000	22	71.0°	73.0° 2
960	16.5	70.5°	73.0° 1.
970	18	71.0°	73.0° 1
950	20	71.0°	73.0° 1.
930	22	71.0°	73.0° 2
970	16.5	70.5°	73° 1.
950	18	71.0°	73° 1.
930	22	71.0°	73.0° 2
<i>Compact</i>			
	15	69.5°	72.5° 1.
	16.5	69.5°	72.5° 1.
850	18	70.0°	72.0° 1.
830	20	70.0°	72.0° 1.
	22	70.5°	72.0° 2
	24	70.5°	72.0° 2
	15	69.5°	72.5° 1.
	16.5	69.5°	72.5° 1.
820	18	70.0°	72.0° 1.
800	20	70.0°	72.0° 1.
	22	70.5°	72.0° 2.
	24	70.5°	72.0° 2
850L	17	69.5°	72.5° 1.
830L			
820L			
800L			
850 x 24"			
830 x 24"			
820 x 24"	15.5	69.0°	70.0° 1.
800 x 24" wheel			
780	17	70.5°	73.0° 1.
750	19	71.5°	73.0° 1.
720	21	71.5°	73.0° 2.
	23	71.5°	73.0° 2.
720L	17	70.5°	73° 1.

All dimensions are in inches, unless otherwise specified.



8500

The ultimate aluminum mountain bike, the bonded frame of double butted Easton 7000-E9 tubing is equipped with Shimano Deore XT components and leaves the factory ready to race!



Shimano's new "Rapid Fire" shifting system gives you quick, flawless shifts with just a click of your thumb.

Tange "Big Fork", with constant diameter, triple butted blades weighs in at only 855 grams. Strong and extremely stiff, you get quick yet stable response to steering and braking input.

Shown in Black and White Splash with White.

Sizes

16.5, 18, 20 and 22"

Frame / Fork

Easton 7000 E-9 Double Butted Aluminum Alloy / Tange Big Fork

Hubs

Shimano Deore XT, 32 hole w/QR

Rims

Matrix Mt. Aero ATB, hard anodized

Tires

Matrix Single Track AT, 26 x 2.0"

Drive Train

Shimano Deore XT II Rapid Fire

Brakeset

Shimano Deore XT Cantilevers with SLR and 2-finger ATB levers

Freewheel

Shimano Hyperglide 12-28,

7-speed cassette

8000

Quality double butted Easton 7000-E9 tubing and Tange Big Fork are complemented by the Shimano Deore DX component system. This combination defines the phrase competitive edge.



The 21 speed Hyperglide cassette's unique camber tooth design slides the chain off of one gear and locks into the next, consistently, even under heavy pedaling load.

Shimano Deore LX brakes with two finger SLR levers provide quick positive stopping power with minimum lever pressure.

TREK

Shown in Bright Red with Black. Also available in White and Black Splash with Bright Blue.

Sizes

16.5, 18, 20 and 22"

Frame / Fork

Easton 7000 E-9 Double Butted Aluminum Alloy / Tange Big Fork

Hubs

Shimano Deore DX, 32 hole w/QR

Rims



Cruise Control
design slides
the chain off of
one gear and locks
in to the next, con-
sistently, even under
heavy pedaling load.

two finger SLR levers provide
quick positive stopping
power with minimum
lever pressure.

Easton 7000-E9 tubing
and Tange Big Fork are
complemented by the
Shimano Deore DX com-
ponent system. This com-
bination defines the phrase
competitive edge.

TREK

Shown in Bright Red with
Black. Also available in
White and Black Splash
with Bright Blue.

Sizes
16.5, 18, 20 and 22"
Frame / Fork
Easton 7000 E-9 Double Butted
Aluminum Alloy / Tange Big Fork
Hubs
Shimano Deore DX, 32 hole w/DR
Rims
Matrix Mt. Aero ATB, hard anodized
Tires
Matrix Single Track AT, 26 x 2.0"
Drive Train
Shimano Deore DX Rapid Fire
Brakeset
Shimano Deore DX Cantilevers with
SLR and 2-finger ATB levers
Freewheel
Shimano Hyperglide 13-30,
7-speed cassette

7000

It's one of our best sellers
and the reason is simple.
Double butted Easton
6061-E9 bonded alloy
tubes and exclusive Trek
Cruise Control™ Fork
make a great frame. Now
mount it all on Matrix
Mt. Aero rims and you've
got great performance
and value.

TREK

Shown in White with
Bright Green. Also
available in Black and
White Splash with Bright
Green.

Sizes
16.5, 18, 20 and 22"
Frame / Fork
Easton 6061 E-9 Double Butted
Aluminum Alloy / Trek Cruise Control
Hubs
Shimano Deore LX, 32 hole w/DR
Rims
Matrix Mt. Aero ATB, hard anodized
Tires
Matrix Single Track AT, 26 x 1.95"
Drive Train
Shimano Deore LX Rapid Fire
Brakeset
Shimano Deore LX with SLR ATB levers
Freewheel
Shimano Hyperglide 13-30,
7-speed cassette



TREK's
exclusive
Cruise Control™
fork uses taper gauge
blades to reduce weight,
increase durability and provide
more resiliency for better shock ab-
sorption and steering control.

Investment cast lugs stiffen
the frame and provide a unique-
ly superior bond. They assure
the correct geometry and pre-
cise alignment and are bonded
to the alloy to avoid any weak-
ening and warping associated
with the welding of aluminum.

90

top quality
A True
heat treated ATX
frame with a
Fork, Shimano
drive train and
matrix Mt. Aero
and a new
1° routing.

Black and
White with White.

id 22"
TX heat-treated
Big Fork
XT, 32 hole w/G
ATB, hard anodized
ack AT, 26 x 2.0"
XT Rapid Fire
XT Cantilevers with
ATB levers
idle 12-28,

Shimano Deore XT
drive train provides
smooth positive and
efficient transference of
your power into forward
motion through the full
range of 21 gears.

New Matrix
Mt. Aero ATB rims are
designed for stability and
then heat treated and hard anodized
for maximum strength and endurance.



SINGLE

TREK's Single Track series continues its tradition of aggressive performance
and all out mountain bike fun.

Built in the United States, our Single Track frames of custom drawn True
Temper Cro-moly are low temperature brazed to TREK's exclusive in-




SINGLE

TREK's Single Track series continues its tradition of aggressive performance and all out mountain bike fun.

Built in the United States, our Single Track frames of custom drawn True Temper Cro-moly are low temperature brazed to TREK's exclusive investment cast lugs. This technique allows the use of lighter weight tubes because the structural integrity and strength are not compromised by high heat as with conventional TIG-welding. It simply adds up to a lighter, stronger frame.



The SuperGlide crank set converts your power at the most efficient points, during your pedaling down stroke.



950

Driven by Shimano Deore LX components the 950 is a real pacesetter. A full double butted Cro-moly frame set with TREK's exclusive Cruise Control™ fork.

TREK

Show in White with Black. Also available in Intense Blue with White.

Sizes

16.5, 18, 20 and 22"

Frame / Fork

True Temper AT Double Butted Cro-moly/Trek Cruise Control Cro-moly

Hubs

Shimano Deore LX, 32 hole w/QR

Rims

Matrix Single Track, 26 x 1.5", hard anodized

Tires

Matrix Single Track AT, 26 x 1.95"

Drive Train

Shimano Deore LX Rapid Fire

Brakeset

Shimano Deore LX with SLR ATB levers

Freewheel

Shimano Hyperglide 13-30,

7-speed cassette



970

A double butted Cro-moly competition frame set with new Cruise Control™ gauge fork and Triple Tech™ cable routing makes the 970 a race bred competitor.

TREK

Shown in Black and White. Splash with Bright Green. Also available in Bright Red with White.

Sizes

16.5, 18, 20 and 22"

Frame/Fork

True Temper AT Double Butted Cro-moly/Trek Cruise Control Cro-moly Hubs

Hubs

Shimano Deore DX, 32 hole w/DR

Rims

Matrix Single Track Comp, 26 x 1.25 hard anodized

Tires

Matrix Single Track AT, 26 x 2.0"

Drive Train

Shimano Deore DX Rapid Fire

Brakoset

Shimano Deore DX Cantilevers with SLR 2-finger ATB levers

Freewheel

Shimano Hyperglide 13-30, 7-speed cassette



Trek's exclusive Cruise Control™ fork uses taper gauge tubing to reduce weight up to 50 grams and provides a blade with more elasticity for better shock absorption and enhanced ride quality.

New Triple Tech™ top tube cable routing significantly reduces the possibility of dirt clogging the gear and brake cables and allows quick and easy maintenance of the cables.



TRACK

For 1990 we're introducing new compact frame sizes. With a shorter top tube and stem, these new sizes deliver more comfort and better weight distribution for cyclists whose body size requires a smaller frame to achieve peak performance. Factor in our 71° head tube and 73° seat tube angles, developed for optimal frame strength and rider performance, and you have a winning combination.

TRACK

For 1990 we're introducing new compact frame sizes. With a shorter top tube and stem, these new sizes deliver more comfort and better weight distribution for cyclists whose body size requires a smaller frame to achieve peak performance. Factor in our 71° head tube and 73° seat tube angles, developed for optimal frame strength and rider performance, and you have a winning combination.



TREK's exclusive investment cast lugs precisely align your frame and being low temperature brazed, provide superior strength.



930

Built in the United States of lightweight True Temper Cro-moly the 930 is proof that performance and value go hand-in-hand. Sporting the Matrix wheel system and SunTour X-1 group the 930 delivers the thrill of the Single Track ride.

TREK

Shown in Black with Bright Blue. Also available in Bright Silver with Intense Blue.

Sizes

16.5, 18, 20 and 22"

Frame / Fork

True Temper AT Double Butted Cro-moly/Tange unicrown

Hubs

SunTour 32 hole with QR

Rims

Matrix Single Track 26 x 1.5", hard anodized

Tires

Matrix Single Track AT, 26 x 1.95"

Drive Train

SunTour X-1 X-press

Brakeset

Dia Compe X-1 Caliper with DC short stop BRS levers

Freewheel

SunTour Acoushift Plus 13-30, 7-speed

850

A unique blend of high performance and affordability the 850 features a double butted Cro-moly frame and the SunTour XCE component group with the new X-press 7-speed shifting system.

TREK

Shown in Intense Blue with White. Also available in White with Black.

Sizes

15, 16.5, 18, 20, 22 and 24" mens and 17" ladies, 15.5" x 24" wheel

Frame/Fork

Tange Double Butted Cro-moly/Cro-moly unicrown

Hubs

J.Y. sealed ATB 36 hole w/DR

Rims

Araya VP-20 26 x 1.5", Alloy ATB

Tires

Matrix Single Track AT, 26 x 1.95"

Drive Train

SunTour XCE X-press

Brakeset

Da Compe XCE Cantilever with DO BRS ATB levers

Freewheel

SunTour Accushift Plus 13-30, 7-speed

Matrix Single Track AT tires use an aggressive tread for solid traction on the really rough terrain.



New for this year, the 850 sports the SunTour XCE 7-speed X-Press shifters.

830

Shimano Exage 300LX powers the competition geometry 830. You can lock into all 21 gears with just a touch on the new Shimano Rapid Fire 7-speed shifters.

TREK

Shown in Black with Bright Green. Also available in Silver with Intense Blue.

Sizes

15, 16.5, 18, 20, 22 and 24" mens and 17" ladies, 15.5 x 24" wheel

Frame/Fork

ATB Cro-moly/Cro-moly unicrown

Hubs

Shimano 36 hole w/DR

Rims

Araya MP-22 26 x 1.5" alloy

Tires

Matrix CDX 26 x 1.95" skinwall knobby

Drive Train

Shimano Exage 300 LX Rapid Fire

Brakeset

Shimano Exage 300 LX SLR Cantilevers with ATB levers

Freewheel

Shimano Alivio/SLR 12-30

The Exage 300LX crankset by Shimano features the SuperGlide BioPace gearing for efficient transferance of your pedaling power.



Shimano Rapid Fire 7-speed shifters are ergonomically mounted for quick shifts with just a touch of the thumb.

Shimano Exage 300LX powers the competition geometry 830. You can lock into all 21 gears with just a touch on the new Shimano Rapid Fire 7-speed shifters.

TREK

Shown in Black with Bright Green. Also available in Silver with Intense Blue.

Sizes
15, 16.5, 18, 20, 22 and 24" mens and 17" ladies, 15.5 x 24" wheel

Frame/Fork
ATB Cro-moly/Cro-moly unicrown

Hubs
Shimano 36 hole w/QR

Rims
Ariya MP-22 26 x 1.5" alloy

Tires
Matrix CDX 26 x 1.95" skinwall knobby

Drive Train
Shimano Exage 300 LX Rapid Fire

Brakeset
Shimano Exage 300 LX SLR

Cantilevers with ATB levers

Freewheel
Shimano Hyperglide 13-30, 7-speed cassette

The Exage 300LX crankset by Shimano features the SuperGlide BioPace gearing for efficient transference of your pedaling power.



820

Meant to be at home on the trail or in the city the 820 is a comfortable ride thanks to the Matrix Gel saddle and the easy, accurate shifting of the Shimano Rapid Fire shifters.

TREK

Shown in Bright Red with White. Also available in Intense Blue with White.

Sizes
15, 16.5, 18, 20, 22 and 24" mens and 17" ladies, 15.5 x 24" wheel

Frame/Fork
ATB Cro-moly/H-Tensile unicrown

Hubs
Shimano 36 hole w/QR

Rims
Ariya MP-22 26 x 1.5" alloy

Tires
Matrix CDX 26 x 1.5" skinwall knobby

Drive Train
Shimano 200 GS STI Rapid Fire

Brakeset
Shimano 200GS SLR Cantilevers with ATB levers

Freewheel
Shimano Hyperglide 12-28, 7-speed cassette



home on the mountain trails or in the city. The Antelope series is strong, durable and a true performer. We support that promise with more than just words—we back framesets with our lifetime warranty!

Lightweight MTB Cro-moly tubing is complemented with exceptionally competitive componentry from Shimano and SunTour. Quick, responsive and lightweight the Antelope series is a first choice for value.



800

Durable, stable and comfortable, the value priced TREK 800 features a Tange MTB Cro-moly frame. Available in a wide range of sizes from 15" to 24" including a women's 17" and a 24" wheel version.

TREK

Shown in Black with Bright Blue. Also available in White with Bright Green.

Sizes
15, 16.5, 18, 20, 22 and 24" mens
and 17" ladies, 15.5 x 24" wheel

Frame/Fork
ATB Cro-moly/Hi-Tensile unicrown

Hubs
Shimano, 36 hole w/QR Fl.

Rims
Araya MP-22, 26 x 1.5" alloy

Tires
Matrix COX, 26 x 1.5" skinwall knobby

Drive Train
Shimano 200GS SIS

Brakeset
Shimano 200GS Cantilevers with SLR

ATB levers

Freewheel
Shimano Hyperglide 12-28,

7-speed cassette

The semi rise black handlebar provides a more upright riding position.



Shimano 7-speed cassette gives you smooth, dependable access to all 21 gears.





790

When you want to get there fast, the 790 delivers. The Shimano Deore DX group on this bike includes the new Rapid Fire STI, 7-speed index shifting system, coupled to the Hyperglide rear cassette for quick access to the full range of 21 performance gear ratios.

New Matrix Multi-Track tires offer exceptional durability with reduced rolling resistance.

Solid braking performance is provided by the Shimano Deore DX SLR system.



Shown in Bright Red with Black.

Sizes

17, 19, 21 and 23"

Frame / Fork

True Temper AT Double Butted Cro-moly/Cro-moly uncrown Multi-Track

Hubs

Shimano Deore DX 32 hole w/QR

Rims

Matrix Titan II, hard anodized

Tires

Matrix Multi-Track, 700 x 35

Drive Train

Shimano Deore DX Rapid Fire

Brakeset

Shimano Deore DX Cantilevers with SLR 2-finger ATB levers

Freewheel

Shimano Hyperglide 12-28T,

7-speed cassette



A SunTour XCM 7-speed indexed derailleur system gives you quick, smooth and reliable access to all 21 speeds.

Investment cast lugs provide exceptional frame support while allowing for precise alignment and smooth seat pillar operation.

A True Temper, double butted ATB Cro-moly frame rolls smoothly with Matrix Multi-Track tires mounted on the Matrix Titan II hard anodized rims.

TREK

Shown in Black with Bright Green. Also available in Intense Blue with White.

Sizes

17, 19, 21 and 23"

Frame/Fork

True Temper AT Double Butted Cro-moly/Cro-moly unicorn Multi-Track

Hubs

Sansin 32 hole w/QR

Rims

Matrix Titan II, hard anodized

Tires

Matrix Multi-Track, 700 x 35

Drive Train

SunTour XCM X-press

Brakeset

Da Compe XCM BRS Cantilever w/ATB levers

Freewheel

SunTour Accushift Plus 13-30T



SunTour XTC Power Rings cranks smoothly transfers your pedaling power.



With just a light touch of your thumb, you click effortlessly up and down the entire gear range with the new SunTour X-Press shifting system.

720

The shortest distance between two points is most comfortable on a 720. Upright handlebars offer you a comfortable riding position while the Matrix Gel saddle absorbs road shock.

TREK

Shown in Bright Red with White. Also available in White with Purple.

Sizes

17, 19, 21 and 23" mens and 17" ladies

Frame/Fork

Cro-moly/Cro-moly unicorn Multi-Track

Hubs

J.Y. alloy sealed, 36 hole w/QR

Rims

Alsa 36 hole, black alloy

Tires

Matrix Multi-Track, 700 x 35

Drive Train

SunTour XDT X-press

Brakeset

Da Compe XCT Cantilevers w/ATB levers

Freewheel

SunTour Accushift Plus 13-30T



Shown as Composite Tubes with Day-Glo Yellow and Green.

Sizes
47, 50, 52, 54, 56, 58, 60 and 62 cm
Frame/Fork
Graphite Epoxy/Bonded Aluminum
Hubs
Shimano Ultegra 32 hole w/QR
Rims
Matrix ISO-C II, 700C, hard anodized
Tires
Matrix CD-4, 700 x 25C
Drive Train
Shimano Ultegra SIS
Brakeset
Shimano Ultegra Aero SLR
Freewheel
Shimano Hyperglide 13-21, 7-speed cassette



2500

A full 7 tube graphite-epoxy composite frame driven by Shimano's Dura Ace 8-speed SIS with Hyperglide, the 2500 provides an exhilarating riding experience and incredible performance.

Shown as Composite Tubes and Polished Lugs with Blue.

Sizes
47, 50, 52, 54, 56, 58, 60 and 62 cm
Frame/Fork
Graphite Epoxy/Bonded Aluminum
Hubs
Shimano Dura Ace 32 hole w/QR
Rims
Matrix ISO-C II, 700C, hard anodized
Tires
Matrix CD-6K, 700 x 25C
Drive Train
Shimano Dura Ace SIS
Brakeset
Shimano Dura Ace Aero SLR
Freewheel
Shimano Hyperglide 12-21, 8 speed cassette

ROAD A

1420

New for 1990, the 1420 is a real live performance touring bicycle. The triple crank gives you a smooth, powerful ride and stability over the toughest hills.

TREK

Shown in Glacial Blue with Rose. Also available in Bright Red with White.

Sizes
47, 50, 52, 54, 56, 58, 60 and 62 cm
Frame/Fork
Easton Double Butted 6061-E9 Aluminum Alloy/Bonded Aluminum
Hubs
Shimano 105, 32 hole w/QR
Rims
Matrix ISO-C II, hard anodized
Tires
Matrix CD-3, 700 x 25C, Clincher
Drive Train
Shimano Deore DX SIS
Brakeset
Shimano 105 SC Aero Super SLR
Freewheel
Shimano Hyperglide 12-28, 7-speed cassette

Shimano 105 SC shifters assure quick, clean shifts when you need them most.



The round triple crank, a Shimano Deore DX, with 50/44/28, opens up the highway with 21 possible gear ratios.



1500

The 1500 is built for performance. Featuring heat-treated double butted aluminum tubing and Trek's bonded aluminum fork, it rolls on the new Matrix ISO-C II rims. The 1500 quickly accelerates you to the head of the pack.



Shown in Bright Red with White. Also available in Pearl White.

Sizes

47, 50, 52, 54, 56, 58, 60 and 62 cm

Frame / Fork

Easton Double Butted 7000-E9
Aluminum Alloy / Bonded Aluminum

Hubs

Shimano Ultegra 32 hole w/QR

Rims

Matrix ISO-C II, 700C,
hard anodized

Tires

Matrix CD-4, 700 x 25C

Drive Train

Shimano Ultegra 7S

Brakeset

Shimano Ultegra Aero SLR


Freewheel

Shimano Hyperglide 13-21,
7-speed cassette



Shimano Ultegra 7-speed index-shifting controls the Hyperglide rear cassette. Fourteen total gear options let you set the pace.





LUMINUM

The Shimano Hyperglide 7-speed rear cassette offers a full range of options from power to high speed performance.

LOOK clipless pedals connect you directly to the bicycle, maximizing your pedaling performance, while offering a quick release safety system.



1400

With a bonded aluminum fork, double butted Easton E-9 aluminum frame and Shimano 105 SC drive train system, the 1400 delivers exhilarating speed, solid handling and ergonomic comfort.

TREK

Shown in Intense Blue with White. Also available in White with Bright Red.

Sizes

47, 50, 52, 54, 56, 58, 60 and 62 cm

Frame/Fork

Easton 8001-E9 Double Butted Aluminum Alloy/Bonded Aluminum

Hubs

Shimano 105 32 hole w/QR

Rims

Matrix ISO-C II, hard anodized

Tires

Matrix CD-3, 700 x 25C, Clincher

Drive Train

Shimano 105 SC SIS

Brakeset

Shimano 105 SC Aero with SLR levers

Freewheel

Shimano Hyperglide 13-23,

7-speed cassette

1200

Trek's most popular bonded aluminum road bike has received wide spread critical acclaim. Using our exclusive aerospace bonding technology and double butted aluminum tubes, we've built a frame that is remarkably stiff and incredibly quick.

TREK

Shown in White with Purple. Also available in Black with Bright Green.

Sizes

47, 50, 52, 54, 56, 58, 60 and 62 cm

Frame / Fork

Double Butted Aluminum Alloy / Cro-moly, aero sloping crown

Hubs

Shimano RX 100

Rims

Matrix ISO-C II, hard anodized

Tires

Matrix CD-3, 700 x 25C, Clincher

Drive Train

Shimano RX-100 SIS

Brakeset


Shimano aero with SLR levers

Freewheel

Shimano Hyperglide 13-23, 7-speed cassette



Shimano RX 100 brakes with Super SLR keeps you in positive control during rapid and gradual deceleration.



Internal investment cast lugs are bonded not welded for strength and stability.

1100

The 1100 has been specifically designed for fast paced riding. The triple chainwheel increases your gearing options and touring capabilities.

TREK

Shown in Black with Bright Blue. Also available in Glacial Blue with Rose.

Sizes

47, 50, 52, 54, 56, 58, 60 and 62 cm

Frame / Fork

Double Butted Aluminum Alloy / Cro-moly, semi sloping crown

Hubs

Suntour 32 hole w/QR

Rims

Matrix Titan II, 700C, hard anodized

Tires

Matrix CD-2, 700 x 25C, High pressure skinwall

Drive Train

Suntour Edge GX Acushift

Brakeset

Dura-Ace Di2 electronic levers



SunTour Edge round chainrings in triple combination produces a 21 gear power range.



Matrix Titan II 700C rims are hard anodized for strength and then surrounded by the Matrix CD-2 high pressure tires.

cally designed for fast paced riding. The triple chainwheel increases your gearing options and touring capabilities.

TREK

Shown in Black with Bright Blue. Also available in Glacial Blue with Rose.

Sizes

47, 50, 52, 54, 56, 58, 60 and 62 cm

Frame/Fork

Double Butted Aluminum Alloy / Cro-moly, semi sloping crown

Hubs

Sansin 32 hole w/DR

Rims

Matrix Titan II, 700C, hard anodized

Tires

Matrix CD-2, 700 x 25C, High pressure skinwall

Drive Train

Suntour Edge GX Accushift

Brakeset

Dia Compe Edge w/ero levers

Freewheel

Suntour Accushift Plus

13-28, 7-speed

1000

Trek's value packed, bonded aluminum 1000 makes no compromises in quality and performance. This bike offers a quick, comfortable frame at a value price.

TREK

Shown in Intense Blue with White. Also available in White with Bright Red.

Sizes

47, 50, 52, 54, 56, 58, 60 and 62 cm

Frame/Fork

Double Butted Aluminum Alloy / Cro-moly, semi sloping crown

Hubs

Sansin 32 hole w/DR

Rims

Matrix Titan II, 700C, hard anodized

Tires

Matrix CD-2, 700 x 25C, High pressure skinwall

Drive Train

Suntour Blaze Accushift

Brakeset

Dia Compe Edge w/ero levers

Freewheel

Suntour Accushift Plus

13-28, 7-speed



SunTour Edge round chainrings in triple combination produces a 21 gear power range.

Matrix Titan II 700c rims are hard anodized for strength and then surrounded by the Matrix CD-2 high pressure tires.



New SunTour Blaze shifters provide 7-speed Accushift Plus precision when you need a quick gear change.

Internal investment cast lugs add substantial strength to the frame, assure the correct geometry and provide the proper frame alignment.

520

Dedicated to long distance touring, the 520 has a unique geometry which provides directional stability while loaded and ample clearances for fenders, panniers and other equipment. The mid-size tubeset and Shimano Deore DX group assure you durability and longterm enjoyment of this bike.

Shown in Pearl Silver with Intense Blue.

Sizes

17, 19, 21 and 23"

Frame/Fork

True Temper AT Double Butted Cro-moly/Cro-moly w/intrown

Hubs

Shimano Deore DX, 32 hole w/DR

Rims

Matrix Tour Max 700C, hard anodized

Tires

Matrix Tour 700 x 30C, Kevlar belted skinwall

Drive Train

Shimano Deore DX SIS

Brakeset

Shimano Deore DX SLR Cantilevers

Freewheel

Shimano Hyperglide 12-28,

7-speed cassettes



New for 1990,
Shimano Deore DX
7-speed index shifters
are mounted on handlebar
ends for quick, easy shifting
without removing your hands
from the handlebars.



A Blackburn rack is standard equipment and comes mounted to the extended rear triangle.

The Trek designed frame uses our exclusive investment cast seat lug and True Temper tubing to give you a strong, durable frame.



system.

Ideal for sport, fitness, and touring use in areas with rolling terrain, this all Cro-moly frame is outfitted with the Matrix wheel system. A responsive, yet highly controllable sport geometry meets your needs for range and responsiveness in a bicycle.

TREK

Shown in Glacial Blue with Rose. Also available in Black with Bright Green.

Sizes
18, 19, 21, 22.5, 24 and 25.5"
Frame/Fork
True Temper RC Double Butted Cro-moly/Cro-moly
Hubs
Santini sealed 32 hole w/DR
Rims
Matrix Titan II, 7000, hard anodized
Tires
Matrix CD-2, 700 x 26C, High pressure skinwall
Drive Train
SunTour Blaze GX Accushift
Brakeset
SunTour Blaze
Freewheel
SunTour Accushift Plus, 7-speed



330

Designed by Trek, using our proven frame geometry, the 330 provides an exceptional sport ride. You get quick, dependable performance mile after mile and all the quality you expect from a Trek.

TREK

Shown in Bright Red with White. Also available in Intense Blue with White.

Sizes
19, 21, 22.5, 24 and 25.5"
Frame/Fork
Tange Double Butted Cro-moly/H-Tensile
Hubs
J.Y. sealed alloy QR
Rims
Weinmann concave alloy
Tires
Matrix CD-2, 700 x 26C, High pressure skinwall
Drive Train
Shimano Lite SIS Action
Brakeset
Shimano Aero SLR
Freewheel
Shimano Hyperglide 14-28T, freewheel

MODEL	FRAME COLORS	SIZES	MAIN TUBES	STAYS	SEAT LUG	DROPOUTS	FORK	HEADSET	CRANKSET	FRONT DERAILLEUR	REAR DERAILLEUR	SHIFT LEVERS	BRA.
DAD BIKES													
500	Composite tubes w/polished lugs	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek graphite-epoxy double butted composite	Trek tapered graphite-epoxy composite	Trek bonded polished aluminum alloy	Trek cold forged aluminum alloy	Trek bright polished bonded aluminum w/stainless tips	Shimano Dura Ace sealed	Shimano Dura Ace 59/39 round Superglide w/sealed BB	Shimano Dura Ace Braze-on type	Shimano Dura Ace 8-speed indexing	Shimano Dura Ace 8-speed SIS indexing	Shim SLR w
300	Composite tubes w/Day-Glo yellow & green	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek graphite-epoxy double butted composite	Trek tapered aluminum alloy	Trek aluminum alloy	Trek cold forged aluminum alloy	Trek bonded aluminum w/stainless steel fork ends	Shimano Ultegra sealed	Shimano Ultegra 53/39 round w/sealed BB	Shimano Ultegra	Shimano Ultegra 7-speed indexing	Shimano Ultegra 7-speed SIS indexing	Shim Aero S
500	Bright red w/white, Pearl white	47, 50, 52, 54, 56, 58, 60 and 62 cm	E9 double butted aluminum alloy	Trek tapered aluminum alloy	Trek aluminum alloy	Trek cold forged aluminum alloy	Trek bonded aluminum w/stainless steel fork ends	Shimano Ultegra sealed	Shimano Ultegra 53/39 round w/sealed BB	Shimano Ultegra	Shimano Ultegra 7-speed indexing	Shimano Ultegra 7-speed SIS indexing	Shim Aero S
420	Glacial blue w/rose, Bright red w/white	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Easton 6061 E9 double butted aluminum alloy	Trek tapered aluminum alloy	Trek aluminum alloy	Trek cold forged aluminum alloy w/eyelets	Trek bonded aluminum w/stainless steel fork ends	Shimano sealed	Shimano Deore DX 50/44/28 round aluminum chainrings	Shimano Deore II half-step	Shimano Deore DX 7-speed indexing	Shimano 7-speed SIS indexing	Shim Super w/Aer
400	Intense blue w/white, White w/bright red	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Easton 6061 E9 double butted aluminum alloy	Trek tapered aluminum alloy	Trek aluminum alloy	Trek cold forged aluminum alloy	Trek bonded aluminum w/stainless steel fork ends	Shimano sealed	Shimano 105 53/42 round Superglide aluminum chainrings	Shimano 105 SC	Shimano 105 SC 7-speed indexing	Shimano 105 SC 7-speed SIS indexing	Shim Super w/Aer
200	White w/purple, Black w/bright green	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek 6061 T6 double butted aluminum alloy	Trek tapered aluminum alloy	Trek aluminum alloy	Trek cold forged aluminum alloy	Cro-moly w/internal plug aero sloping crown	Shimano sealed	Shimano RX-100 53/42 round Superglide aluminum chainrings	Shimano RX-100	Shimano RX-100 7-speed indexing	Shimano RX-100 7-speed SIS indexing	Shim Super w/Aer
100	Black w/bright blue, Glacial blue w/rose	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Alcoa 6061 T6 aluminum alloy	Trek tapered aluminum alloy	Trek aluminum alloy	Trek cold forged aluminum alloy w/eyelets	Cro-moly w/semisloping crown	Shimano sealed	SR Edge 52/42/32 round AJS chainrings	SunTour Edge GX	SunTour Edge GX 7-speed Accushift Plus indexing	SunTour Edge 7-speed Accushift Plus indexing	Dia Cu w/DC Aero L
000	Intense blue w/white, White w/bright red	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Alcoa 6061 T6 aluminum alloy	Trek tapered aluminum alloy	Trek aluminum alloy	Trek cold forged aluminum alloy w/eyelets	Cro-moly w/semisloping crown	Shimano sealed	SR Blaze 52/42 black round AJS chainrings	SunTour Blaze black	SunTour Blaze black 7-speed Accushift Plus indexing	SunTour Blaze black 7-speed Accushift Plus indexing	Dia Ct black BRS A
20	Pearl silver w/intense blue	17, 19, 21 and 23*	True Temper TX double butted Cro-moly	True Temper tapered Cro-moly	Trek investment cast	Forged vertical	Cro-moly w/unicrown and cantilever brake bosses	Shimano sealed	Shimano Deore DX 50/44/28 round aluminum chainrings	Shimano Deore II half-step	Shimano Deore DX 7-speed indexing	Shimano 7-speed SIS indexing	Shim DX cal w/SLF
20	Glacial blue w/rose, Black w/bright green	18, 19, 21, 22.5, 24 and 25.5*	True Temper RC double butted Cro-moly	True Temper tapered Cro-moly	Trek investment cast	Forged w/micro-adjusters	Cro-moly w/sloping crown	Shimano sealed	SR Blaze aluminum round 52/42/32 AJS chainrings	SunTour Blaze GX	SunTour Blaze GX 7-speed Accushift Plus indexing	SunTour Blaze 7-speed Accushift Plus indexing	Dia Ct stands DC Bf
30	Bright red w/white, Intense blue w/white	19, 21, 22.5, 24 and 25.5*	Tange double butted Cro-moly	Hi-tensile special tapered	Short point	Forged w/micro-adjusters	Hi-tensile w/sloping crown	Trek steel micro-adjust	SR PAC-530 black 52/42 round AJS chainrings	Shimano Lite-Action	Shimano Lite-Action SIS indexing	Shimano indexing top mount handlebar SIS	Shim w/Shi Aero li
MOUNTAIN BIKES													
900	Composite tubes w/Day-Glo yellow & green	16.5, 18, 20 and 22*	Trek ATB double butted graphite-epoxy composite	Trek/Easton tapered T6 aluminum	Trek aluminum alloy	Trek cold forged aluminum alloy w/eyelets	Tange "Big Fork" Cro-moly w/cast tips & TiG welded unicrown	Shimano Deore XT sealed	Matrix by G. Cook black alloy 48/36/24 round AJS chainrings	SunTour XC Pro for X-press	SunTour XC Pro for Accushift Plus	SunTour X-press 7-speed Accushift Plus indexing	Graffo, can'tle & XC
500	Black & white splash w/white	16.5, 18, 20 and 22*	Trek/Easton 7000 E9 double butted aluminum alloy	Trek tapered aluminum alloy	Trek aluminum alloy	Trek cold forged aluminum alloy w/eyelets	Tange "Big Fork" Cro-moly w/cast tips & TiG welded unicrown	Shimano Deore XT sealed	Shimano Deore XT w/black alloy 46/36/24 round Superglide chainrings	Shimano Deore XT 7-speed indexing	Shimano Deore XT Rapid Fire 7-speed SIS indexing	Shim can'tle 2-fing	
000	Bright red w/black, White & black splash w/bright blue	16.5, 18, 20 and 22*	Trek/Easton 7000 E9 double butted aluminum alloy	Trek tapered aluminum alloy	Trek aluminum alloy	Trek cold forged aluminum alloy w/eyelets	Tange "Big Fork" Cro-moly w/cast tips & TiG welded unicrown	Shimano Deore DX sealed	Shimano Deore DX w/black alloy 46/36/24 round Superglide chainrings	Shimano Deore DX 7-speed indexing	Shimano Deore DX Rapid Fire 7-speed SIS indexing	Shim can'tle 2-fing	
000	White w/green, Black & white splash w/green	16.5, 18, 20 and 22*	Trek/Easton 6061 E9 double butted aluminum alloy	Trek tapered aluminum alloy	Trek aluminum alloy	Trek cold forged aluminum alloy w/eyelets	Trek Cruise Control taper gauge Cro-moly w/TIG welded unicrown	Shimano sealed	Shimano Deore LX w/black alloy 46/36/24 round Superglide chainrings	Shimano Deore LX	Shimano Deore LX 7-speed indexing	Shimano Deore LX Rapid Fire 7-speed SIS indexing	Shim can'tle ATB le
90	Black & white splash w/white	16.5, 18, 20 and 22*	True Temper ATX heat treated ATB Cro-moly	True Temper tapered Cro-moly	Trek investment cast ATB	Forged vertical	Tange "Big Fork" Cro-moly w/cast tips & TiG welded unicrown	Shimano Deore XT sealed	Shimano Deore XT w/black alloy 46/36/24 round Superglide chainrings	Shimano Deore XT Top-pull for Rapid Fire	Shimano Deore XT 7-speed	Shimano Deore XT Rapid Fire 7-speed SIS indexing	Shim can'tle 2-fing
70	Bright red w/white, Black & white splash w/green	16.5, 18, 20 and 22*, 16, 18 compact	True Temper AT ATB double butted Cro-moly	True Temper tapered Cro-moly	Trek investment cast ATB	Forged vertical	Trek Cruise Control taper gauge Cro-moly unicrown & cast ends	Shimano Deore DX sealed	Shimano Deore DX w/black alloy 46/36/24 round Hyperglide chainrings	Shimano Deore DX Top-pull for Rapid Fire	Shimano Deore DX 7-speed	Shimano Deore DX Rapid Fire 7-speed SIS indexing	Shim can'tle 2-fing
50	White w/black, Intense blue w/white	16.5, 18, 20 and 22*, 16, 18 compact	True Temper AT ATB double butted Cro-moly	True Temper tapered Cro-moly	Trek investment cast ATB	Forged vertical	Trek Cruise Control taper gauge Cro-moly w/TIG welded unicrown	Shimano sealed	Shimano Deore LX w/black alloy 46/36/24 round Superglide chainrings	Shimano Deore LX	Shimano Deore LX 7-speed indexing	Shimano Deore LX Rapid Fire 7-speed SIS indexing	Shim can'tle ATB le
30	Black w/bright blue, Bright silver w/intense blue	16.5, 18, 20 and 22*, 16, 18 compact	True Temper AT ATB double butted Cro-moly	True Temper tapered Cro-moly	Trek investment cast ATB	Forged vertical	Tange taper gauge Cro-moly unicrown	Shimano sealed	SR X-1 black w/round 48/38/28 black AJS chainrings	SunTour X-1	SunTour X-1 black 7-speed Accushift Plus indexing	SunTour X-press 7-speed Accushift Plus indexing	Dia Cc can'tle short
50	Intense blue w/white, White w/black	15, 16.5, 18, 20, 22 and 24*, 17" ladies, 15.5" x 24" wheel	Tange ATB double butted Cro-moly	ATB tapered Cro-moly	TIG welded and outer butted	Forged vertical	Cro-moly ATB unicrown	Trek micro-adjust black sealed	SR XCE w/round 48/38/28 black AJS chainrings	SunTour XCE GX	SunTour XCE 7-speed Accushift Plus indexing	SunTour X-press 7-speed Accushift Plus indexing	Dia Cc can'tle BRS A
30	Black w/bright green, Silver w/intense blue	15, 16.5, 18, 20, 22 and 24*, 17" ladies, 15.5" x 24" wheel	Trek ATB Cro-moly	Trek special tapered ATB	TIG welded and outer butted	Forged vertical	Cro-moly ATB unicrown	Trek micro-adjust black sealed	Shimano Exage 300 LX 48/38/28 Bio-Pace Superglide chainrings	Shimano Exage 300 LX	Shimano Exage 300 LX 7-speed indexing	Shimano Exage 300 LX Rapid Fire 7-speed SIS indexing	Shim 300 L w/SLF
20	Bright red w/white, Intense blue w/white	15, 16.5, 18, 20, 22 and 24*, 17" ladies, 15.5" x 24" wheel	Trek ATB Cro-moly	Trek special tapered ATB	TIG welded and outer butted	Forged vertical	Hi-tensile ATB unicrown	Trek micro-adjust black	Shimano 200GS 48/38/28 Bio-Pace Superglide chainrings	Shimano 200GS	Shimano 200GS 7-speed indexing	Shimano 200GS Rapid Fire 7-speed SIS indexing	Shim can'tle ATB le
00	White w/bright green, Black w/bright blue	15, 16.5, 18, 20, 22 and 24*, 17" ladies, 15.5" x 24" wheel	Trek ATB Cro-moly	Trek special tapered ATB	TIG welded and outer butted	Forged vertical	Hi-tensile ATB unicrown	Trek micro-adjust black	Shimano 200GS 48/38/28 Bio-Pace Superglide chainrings	Shimano 200GS	Shimano 200GS 7-speed indexing	Shimano 200GS 7-speed SIS indexing	Shim can'tle ATB le
MULTI-TRACK													
90	Bright red w/black	17, 19, 21 and 23*	True Temper double butted AT Cro-moly	True Temper tapered Cro-moly	Trek investment cast	Forged vertical	Trek Cro-moly Multi-Track unicrown	Shimano Deore DX sealed	Shimano Deore DX w/black alloy 46/36/24 round Superglide chainrings	Shimano Deore DX	Shimano Deore DX 7-speed indexing	Shimano Deore DX Rapid Fire 7-speed SIS indexing	Shim can'tle 2-fing
50	Black w/bright green, Intense blue w/white	17, 19, 21 and 23*	True Temper double butted AT Cro-moly	True Temper tapered Cro-moly	Trek investment cast	Forged vertical	Trek Cro-moly Multi-Track unicrown	Shimano sealed	SR XCM w/round 48/38/28 AJS chainrings	SunTour XCM GX	SunTour X-press 7-speed Accushift Plus indexing	SunTour X-press 7-speed Accushift Plus indexing	Dia Cc can'tle BRS A
20	Bright red w/white, White w/purple	17, 19, 21 and 23*, 17" ladies	Trek ATB Cro-moly	Trek special tapered	TIG welded	Forged vertical	Trek Cro-moly Multi-Track unicrown	Trek micro-adjust black sealed	BR XCT w/round 48/38/28 AJS chainrings	SunTour XCT	SunTour XCT 7-speed Accushift Plus indexing	SunTour X-press 7-speed Accushift Plus indexing	Dia Cc can'tle BRS A

Trek bicycles are equipped with components available from sources worldwide. Specifications are subject to change without notice.

Trek USA

101 West Madison Street

P.O. Box 183

Madison, Wisconsin 53701

800-558-Trek

800-336-Trek (Canada)

800-472-0082 (WV)

Trek Deutschland GmbH,

13 Opelstrasse

6082 Mofelden/Waldorf

New Street Industrial Park

West Germany

061/0526635

049/2811458

Trek UK

Unit #1

New Street

Shelford Bedfordshire SG17 5HQ

England

01234 3211458

01234 3211458

Trek

1989 Trek Bicycle Corporation

FREEWHEEL	CHAIN	HUBSET	SPOKES	RIMS	TIRES	PEDALS	HANDLEBARS	STEM	SEAT POST	SADDLE	ACCESSORIES	SPECIAL ADD-O
Shimano Hyperglide 12-21, 8 speed	Shimano Dura Ace	Shimano Dura Ace sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, 700C, hard anodized	Matrix CD-6K, Kevlar folding	Shimano clipless	Modolo aluminum alloy, anatomical bend	Modolo cold forged aero aluminum alloy	American classic light alloy	Sella Italia Turbo		Internal top tube guipump peg, shift lever
Shimano Hyperglide 13-21, 7-speed	Shimano Hyperglide	Shimano Ultegra sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, 700C, hard anodized	Matrix CD-4, 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	SR FX Aero forged alloy	Alloy micro-adjust 250mm	Vetta Gel Turbo		Internal top tube guipump peg, shift lever
Shimano Hyperglide 13-21, 7-speed	Shimano Hyperglide	Shimano Ultegra sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, 700C, hard anodized	Matrix CD-4, 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	SR FX Aero forged alloy	Alloy micro-adjust 250mm	Vetta Gel Turbo		Internal top tube guipump peg, shift lever
Shimano Hyperglide 12-23, 7-speed	Shimano Hyperglide	Shimano 105 SC sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3, 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy black	Alloy micro-adjust 250mm	Vetta mens Lycra Gel		Internal top tube guipump peg, shift lever
Shimano Hyperglide 13-23, 7-speed	Shimano Hyperglide	Shimano 105 SC sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3, 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy black	Alloy micro-adjust 250mm	Vetta Gel Turbo		Internal top tube guipump peg, shift lever
Shimano Hyperglide 13-23, 7-speed	Shimano Hyperglide	Shimano RX-100 sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3, 700 x 25C	Shimano RX-100 Aero w/clips	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy black	Alloy micro-adjust 250mm	Vetta Gel Turbo	Shimano toeclips and straps	Internal top tube guipump peg, shift lever
SunTour Accushift Plus 13-28, 7-speed	SunTour Accushift Plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix Titan II, 700C, hard anodized	Matrix CD-2, 700 x 25C high pressure skinwall	HTI alloy quill	H.L. aluminum alloy	Delta DL Aero alloy	Alloy micro-adjust 250mm	Cateye nylon toeclips and straps		Internal top tube guipump peg, shift lever
SunTour Accushift Plus 13-28, 7-speed	SunTour Accushift Plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix Titan II, 700C, hard anodized	Matrix CD-2 700 x 25C high pressure skinwall	HTI alloy quill	H.L. aluminum alloy	Delta DL Aero alloy	Alloy micro-adjust 250mm	Avocet Racing	Cateye nylon toeclips and straps, Blackburn rack	Internal top tube guipump peg, shift lever
Shimano Hyperglide 12-28, 7-speed	Shimano Hyperglide	Shimano Deore DX 36 hole w/QR	15G stainless steel	Matrix Tour, Max 700C, hard anodized	Matrix Tour 700 x 30C Kevlar belted skinwall	MKS AR-8 alloy quill	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy black	Alloy micro-adjust 300mm	Vetta mens Lycra Gel	Cat eye nylon toeclips and straps	Top tube guides, du shift lever bosses, c front and rear ri
S SunTour 13-28 Accushift Plus 7-speed	SunTour Accushift Plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix Titan II, 700C, hard anodized	Matrix CD-2, 700 x 28C high pressure, skinwall	HTI alloy quill	H.L. aluminum alloy	Delta DL Aero alloy	Alloy micro-adjust 250mm	Avocet Touring	Cat eye nylon toeclips and straps	Top tube guides, du shift lever bosses, c rack mounts
Shimano 14-28, Hyperglide freewheel	Shimano Hyperglide	J.Y. alloy 36 hole sealed	14G UCP	Weinmann concave alloy	Matrix CD-2, 700 x 28C high pressure skinwall	HTI alloy quill	H. L. aluminum alloy sleeved	Delta DL Aero alloy	Steel pin	Avocet Touring	Toeclips and straps	Top tube guides, du shift lever bosses, a
trol :pads Pro, 12-28 vers	SunTour Accushift Plus	Bullseye precision sealed 32 hole	14G stainless steel	Matrix Mt. Aero ATB hard anodized	Matrix Single Track comp 26 x 2.0"	SunTour XC Pro competition alloy	Matrix/Easton aluminum alloy Taper-Lite black	ABM Tig-welded light alloy	Matrix bonded heat-treated Cro-moly aluminum	Sella Italia Turbo	Shimano seat post binder, nylon ATB toeclips and straps	Dual bottle mounts, cantilever cable sto, and chain hanger
r Shimano 12-28, 7-speed, Hyperglide	Shimano Hyperglide	Shimano Deore XT 32 hole w/QR	14G stainless steel	Matrix Mt. Aero ATB hard anodized	Matrix Single Track AT 26 x 2.0"	Shimano Deore XT alloy ATB w/XT nylon clips	Matrix/Easton aluminum alloy Taper-Lite black	Tioga T-bone Cro-moly	Matrix bonded heat-treated Cro-moly aluminum	Vetta Gel Turbo	Shimano seat post binder, XT ATB toeclips and straps	Dual bottle mounts, cantilever cable sto and chain hanger
X Shimano 13-30, 7-speed, Hyperglide	Shimano Hyperglide	Shimano Deore DX 32 hole w/QR	14G stainless steel	Matrix Mt. Aero ATB hard anodized	Matrix Single Track AT 26 x 2.0"	Shimano Deore DX alloy ATB	True Temper competition Cro-moly black	Tioga T-bone Cro-moly	Matrix bonded heat-treated Cro-moly aluminum	Vetta mens Lycra Gel	Shimano QR seat post binder, Cateye nylon ATB toeclips and straps	Dual bottle mounts cantilever cable sto and chain hanger
X Shimano 13-30, 7-speed Hyperglide	Shimano Hyperglide	Shimano Deore LX 32 hole w/QR	14G stainless steel	Matrix Mt. Aero ATB hard anodized	Matrix Single Track AT 26 x 1.95"	MKS black nylon ATB	True Temper competition Cro-moly black	H.L. T-bone Cro-moly	Micro-adjust alloy, 300mm	Vetta ATB Gel	Kalloy seat post QR, ATB clips and straps	Top tube mounts cantilever cable sto and chain hanger
T Shimano 12-28, 7-speed Hyperglide	Shimano Hyperglide	Shimano Deore XT 32 hole w/QR	14G stainless steel	Matrix Mt. Aero ATB hard anodized	Matrix Single Track AT 26 x 2.0"	Shimano Deore XT alloy ATB w/XT nylon clips	Matrix/Easton aluminum alloy Taper-Lite black	Tioga T-bone Cro-moly	Matrix bonded heat-treated Cro-moly aluminum	Vetta Gel Turbo	Shimano QR seat post binder, XT ATB toeclips and straps	Triple-Tech top tub cantilever cable sto and chain stay cab.
X Shimano 13-30, 7-speed, Hyperglide	Shimano Hyperglide	Shimano Deore DX 32 hole w/QR	14G stainless steel	Matrix ST Comp 26 x 1.25" hard anodized	Matrix Single Track AT 26 x 2.0"	Shimano Deore DX alloy ATB	True Temper competition Cro-moly black	Tioga T-bone Cro-moly	Matrix bonded heat-treated Cro-moly aluminum	Vetta mens Lycra Gel	Shimano QR seat post binder, Cateye nylon ATB toeclips and straps	Triple-Tech top tub cantilever cable sto and chain stay cab.
X Shimano 13-30, 7-speed, Hyperglide	Shimano Hyperglide	Shimano Deore LX 32 hole w/QR	14G stainless steel	Matrix Single Track 26 x 1.5" hard anodized	Matrix Single Track AT 26 x 1.95"	MKS black nylon ATB	True Temper competition Cro-moly black	H.L. T-bone Cro-moly	Micro-adjust alloy, 300mm	Vetta ATB Gel	Kalloy QR seat post skewer, Cateye nylon ATB toeclips and straps	Top tube cable sto, tube cable stops, c mounts, chain stay
S SunTour 13-30 Accushift Plus	SunTour Accushift Plus	Sansin sealed 32 hole w/QR	14G stainless steel	Matrix Single Track 26 x 1.5" hard anodized	Matrix Single Track AT 26 x 1.95"	MKS black nylon ATB	True Temper competition Cro-moly black	H.L. T-bone Cro-moly	Micro-adjust alloy, 300mm	Vetta ATB Gel	Kalloy QR seat post skewer, Cateye nylon ATB toeclips and straps	Top tube cable sto, tube cable stops, c mounts, chain stay
S SunTour 13-30 Accushift Plus	SunTour Accushift Plus	J.Y. sealed ATB 36 hole w/QR	14G UCP	Araya VP-20 26 x 1.5" alloy ATB	Matrix Single Track AT 26 x 1.95"	HTI nylon ATB	H.L. Competition black flat 600mm	H.L. T-bone Cro-moly	Micro-adjust alloy, 300mm	Avocet men's Touring	QR seat post binder	Top tube cable sto, tube cable stops, c mounts, chain stay
S Shimano 13-30, 7-speed Hyperglide	Shimano Hyperglide	Shimano 36 hole w/QR	14G UCP	Araya MP-22 26 x 1.5" alloy	Matrix CDX, 26 x 1.95" skinwall knobby	HTI nylon ATB	Black steel 600mm	H.L. T-bone Cro-moly	Micro-adjust alloy, 300mm	Viscount Ultra padded ATB	QR seat post binder	Top tube cable sto, tube cable stops, c mounts, chain stay
S Shimano 12-28, 7-speed Hyperglide	Shimano Hyperglide	Shimano 36 hole w/QR II	14G UCP	Araya MP-22 26 x 1.5" alloy	Matrix CDX, 26 x 1.95" skinwall knobby	HTI nylon ATB	Steel, black low rise 600mm	Tig-welded, black w/rise	Steel pin, 300mm	Matrix Lycra Gel ATB	QR seat post binder	Top tube cable sto, tube cable stops, c mounts, chain stay
I Shimano 12-28, 7-speed Hyperglide	Shimano Hyperglide	Shimano 36 hole w/QR II	14G UCP	Araya MP-22 26 x 1.5" alloy	Matrix CDX, 26 x 1.95" skinwall knobby	HTI nylon ATB	Steel, black low rise 600mm	Tig-welded, black w/rise	Steel pin, 300mm	Viscount Ultra padded ATB	QR seat post binder	Top tube cable sto, tube cable stops, c mounts, chain stay
I Shimano 12-28, 7-speed Hyperglide	Shimano Hyperglide	Shimano Deore DX sealed 32 hole w/QR	15G stainless steel	Matrix Titan II hard anodized	Matrix Multi-Track 700 x 35	SR low-fat alloy ATB	True Temper Cro-moly 520mm	SR forged alloy w/rise black	Matrix bonded heated treated Cro-moly aluminum	Vetta mens Lycra Gel	Shimano QR seat post binder, Cateye nylon ATB clips and straps	Top tube cable sto, cable stops, canli rack mounts, chal
SunTour 13-30T Accushift Plus	SunTour Accushift plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix Titan II hard anodized	Matrix Multi-Track 700 x 35	MKS black nylon ATB	True Temper Cro-moly 520mm	Delta alloy w/rise black	Alloy micro-adjust 300mm	Vetta mens Lycra Gel	Kalloy QR seat post skewer, Cateye nylon ATB clips and straps	Top tube cable sto, cable stops, canli rack mounts, chal
SunTour 13-30T Accushift Plus	SunTour Accushift Plus	J.Y. alloy sealed 36 hole w/QR	14G UCP	Alesa alloy 36 hole black	Matrix Multi-Track 700 x 35	HTI nylon ATB	Black flat, 540mm	Delta alloy w/rise black	Alloy micro-adjust 300mm	Matrix Lycra Gel ATB	Kalloy QR seat post skewer, nyton toeclips and straps	Top tube cable sto, cable stops, canli rack mounts, chal

This warranty does not apply to damage or failure due to accident, abuse, neglect, normal wear and tear, improper assembly or maintenance, or installation of parts or accessories not originally intended or incompatible with the bicycle as sold.

Trek shall not be responsible for incidental or consequential damage. The user assumes the risk of any personal injury or damage of the bicycle or other losses if Trek bicycles are used at any time for stunt riding, dirt biking or similar activities, power or motor assist of any kind, competition riding, or anything other than normal use. This warranty gives you specific legal rights and your rights may vary from state to state.

Trek Bicycle Corporation warrants each new Trek bicycle frame and fork against defects in workmanship and materials for the lifetime of the original owner. Trek likewise warrants all original parts for a period of one year from the date of purchase. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or part and is the sole remedy of the warranty. Claims under this warranty are to be made through an authorized Trek dealer. Proof of purchase is required.

TREK USA