1998 Klein

JUST BECAUSE A BIKE IS MADE BY HAND, DOESN'T MEAN YOU'D WANT TO RIDE IT.



MANTRA PRO"

SIZES

S, M, L

FRAME

Klein Power Tubing main beam, Gradient stays

SUSPENSION

Rock Shox SID 63mm travel (F) Fox Alps 5R (R)

DRIVETRAIN

Shimano XTR Rapid Rise

PEDALS

Time ATAC Carbon clipless

WHEELS

Cane Creek CronoMetro

BRAKESET

XTR v-brakes

WEIGHT

24.8 lbs. (11.2kg) Made in Chehalis, Washington



MANTRA RACE LT

SIZES S, M, L

FRAME Klein Power Tubing main beam, Gradient stays

SUSPENSION Manitou x-vert R 100mm travel (F) Fox Alps 5R (R)

DRIVETRAIN Shimano XT (F) XTR (R) and XT Rapid Fire SL shifters

PEDALS Time ATAC Carbon clipless

RIMS Bontrager Mustang ASYM (F&R)

BRAKESET Hayes Hydraulic Disk (F) XT v-brake (R)

WEIGHT 28.9 lbs. (13.2kg) Made in Chehalis, Washington

Also available as Mantra Race with following exceptions: Manitou sx-R 70mm travel (f) Fox Alps 5R (R), Shimano xr v-brakes, Bontrager Mustang (f) Mustang ASYM (R), Revolt SS folding tires, Bontrager Race bars. Details on p. 57.

Race = 26.5 16s

1.75 "



MANTRA COMP

SIZES

FRAME Klein Power Tubing main beam, Gradient stays

SUSPENSION Rock Shox Judy T2 63mm travel (F) Fox Vanilla (R)

DRIVETRAIN Shimano LX (F) XT (R) STX-RC shifters

PEDALS ICON clipless

RIMS Bontrager Mustang (F) Mustang ASYM (R)

BRAKESET Avid single digit 20 direct pull

S, M, L

WEIGHT 27.4 lbs. (12.5kg) Made in Chehalis, Washington



MANTRA

SIZES

S, M, L

FRAME

Klein Power Tubing main beam, Gradient stays

SUSPENSION

Manitou Spyder R 70mm travel (F) Fox Vanilla x (R)

DRIVETRAIN

Shimano STX-RC (F) XT (R) STX-RC shifters

PEDALS

ICON clipless

RIMS

Bontrager Mustang (F) Mustang ASYM (R)

BRAKESET

Avid single digit 10 direct pull

WEIGHT

28.0 lbs. (12.7kg) Made in Chehalis, Washington



KARMA

SIZES

S, M, L

FRAME

Klein Power Tubing main beam and stays

SUSPENSION

Rock Shox Indy xc 63mm travel (F) Klein BASF elastomer (R)

DRIVETRAIN

Shimano STX (F) LX (R) Grip Shift 6.0 shifters

PEDALS

Resin/alloy with clips and straps

RIMS

Bontrager Maverick (F) Maverick ASYM (R)

BRAKESET

Dia-Compe 737 direct pull

WEIGHT

29.0 lbs. (13.2kg) Made in Chehalis, Washington



KARMA PAVÉ"

SIZES

S, M, L

FRAME

Klein Power Tubing main beam and stays

SUSPENSION

Klein Unicrown CroMoly rigid fork (F) BASF Elastomer (R)

DRIVETRAIN

Shimano Nexave Rapid Rise

PEDALS

Resin/alloy with clips and straps

RIMS

Bontrager Maverick (F) Maverick ASYM (R)

BRAKESET

Shimano Nexave v-brakes with power modulation

WEIGHT

29.0 lbs. (13.2kg) Made in Chehalis, Washington



ATTITUDE PRO

SIZES

XS, S, M, L, XL

FRAME

Klein Gradient main and stays

SUSPENSION

Rock Shox SID 63mm travel

DRIVETRAIN

Shimano XTR Rapid Rise

PEDALS

Time ATAC Carbon clipless

WHEELS

Cane Creek CronoMetro

BRAKESET

Shimano xTR v-brakes

WEIGHT

22.2 lbs. (10.1kg) Made in Chehalis, Washington



ATTITUDE RACE

SIZES

XS, S, M, L, XL

FRAME

Klein Gradient main and stays

SUSPENSION

Manitou sx-R 70mm travel

DRIVETRAIN

Shimano XT (F) XTR (R) and shifters

PEDALS

Time ATAC Carbon clipless

WHEELS

Cane Creek CronoMetro

BRAKESET

Shimano xT v-brakes

WEIGHT

24.2 lbs. (11kg) Made in Chehalis, Washington



ATTITUDE COMP

SIZES

XS, S, M, L, XL

FRAME

Klein Gradient main and stays

SUSPENSION

Rock Shox Judy xc 63mm travel

DRIVETRAIN

Shimano LX (F) XTR (R) XT shifters

PEDALS

Time ATAC clipless

RIMS

Bontrager Mustang (F) Mustang ASYM (R)

BRAKESET

Avid single digit 20 direct pull

WEIGHT

24.2 lbs. (11kg) Made in Chehalis, Washington



PULSE PRO"

SIZES

XS, S, M, L, XL

FRAME

Klein Power Tubing main and Gradient stays

SUSPENSION

Rock Shox Judy T2 63mm travel

DRIVETRAIN

Shimano LX (F) Grip Shift ESP 9.0 (R) ESP 900 shifters

PEDALS

Time ATAC clipless

WHEELS

Cane Creek CronoMetro (F) Bontrager Mustang ASYM (R)

BRAKESET

Avid single digit 20 direct pull

WEIGHT

24.3 lbs. (11.0kg)



PULSE RACE"

SIZES

XS, S, M, L, XL

FRAME

Klein Power Tubing main and Gradient stays

SUSPENSION

Manitou Spyder R 70mm travel

DRIVETRAIN

Shimano STX-RC (F) XTR (R) STX-RC shifters

PEDALS

ICON clipless

RIMS

Bontrager Mustang (F) Mustang ASYM (R)

BRAKESET

Shimano M600 v-brakes

WEIGHT

24.8 lbs. (11.2kg)



PULSE COMP

SIZES

XS, S, M, L, XL

FRAME

Klein Power Tubing main and Gradient stays

SUSPENSION

Manitou Spyder 70mm travel

DRIVETRAIN

Shimano STX (F) XT (R) STX-RC shifters

PEDALS

ICON clipless

RIMS

Bontrager Maverick (F) Maverick ASYM (R)

BRAKESET

Avid single digit 10 direct pull

WEIGHT

25.9 lbs. (11.8kg)



PULSE

SIZES

XS, S, M, L, XL

F~R~A~M~E

Klein Power Tubing main and Gradient stays

SUSPENSION

Rock Shox Indy c 63mm travel

DRIVETRAIN

Shimano Alivio (F) LX (R) Grip Shift SRT 4.0

PEDALS

Resin/alloy with clips and straps

RIMS

Bontrager Maverick (F) Maverick ASYM (R)

BRAKESET

Dia-Compe 737 direct pull

WEIGHT

25.9 lbs. (11.8kg)



QUANTUM PRO

SIZES

51, 53, 55, 57, 59, 61, 63

FRAME

Klein Gradient Tubing main and stays

FORK

Klein Aeros Carbon

DRIVETRAIN

Shimano DuraAce 9 speed

PEDALS

Shimano DuraAce SPD

WHEELS

Rolf Custom AS 550

BRAKESET

Shimano DuraAce

WEIGHT

17.1 lbs. (7.8kg) Made in Chehalis, Washington



QUANTUM RACE

SIZES

51, 53, 55, 57, 59, 61, 63

FRAME

Klein Gradient Tubing main and stays

FORK

ICON AirRail carbon

DRIVETRAIN

Shimano Ultegra 9 speed

PEDALS

Shimano Ultegra SPD

RIMS

Matrix ISO 3

BRAKESET

Shimano Ultegra

WEIGHT

18.0 lbs. (8.2kg) Made in Chehalis, Washington



STAGE COMPR

SIZES 51, 55, 57, 59, 63

FRAME Klein Power Tubing main and stays

FORK ICON Classic Carbon

DRIVETRAIN Shimano Ultegra (F&R) 105 STI shifters

Shimano 105

PEDALS Shimano Ultegra SPD

RIMS Matrix ISO 3

BRAKESET

WEIGHT 21.5 lbs. (9.8kg) Made in Chehalis, Washington



STAGE COMPT

SIZES

51, 55, 57, 59, 63

FRAME

Klein Power Tubing main and stays

FORK

ICON Classic Carbon

DRIVETRAIN

Shimano Ultegra triple (F) Ultegra GS (R) 105 STI triple shifters

PEDALS

ICON clipless

RIMS

Matrix 1so 3

BRAKESET

Shimano 105

WEIGHT

21.8 lbs. (9.9kg) Made in Chehalis, Washington



STAGE

SIZES

51, 55, 57, 59, 63

FRAME

Klein Power Tubing main and stays

FORK

System 2 bonded aluminum

DRIVETRAIN

Shimano RX-100 (F) 105 (R) RSX STI shifters

PEDALS

ICON clipless

RIMS

Matrix Aurora

BRAKESET

Shimano RSX

WEIGHT

22.0 lbs. (10.0kg) Made in Chehalis, Washington



NAVIGATOR

SIZES

52, 56, 58, 60, 64

FRAME

Klein Power Tubing main and stays

FORK

Klein Unicrown with low rider bosses

DRIVETRAIN

Shimano 105 Triple (F) XT (R) Sachs Ergopower shifters

PEDALS

ICON clipless

RIMS

Matrix 1so 3

BRAKESET

Dia-Compe 757

WEIGHT

22.9 lbs. (10.4kg) Made in Chehalis, Washington



AEOLUS

SIZES

51, 53, 55, 57, 59, 61, 63

FRAME

Klein Gradient Tubing main and stays

FORK

Klein Aeros 650cm

WEIGHT

2.7 lbs. (1.2kg) for fuselage. Made in Chehalis, Washington



ADROIT

SIZES

XS, S, M, L, XL

FRAME

Klein Gradient Tubing main and stays

	Size	Typical Rider Heigh (inches)	st (millimeters)	Top Tube Standover (in./mm)	Bettom Bracket (in/mm)	Top Tube Length (in./mm)	Chainstay Leagth (in./mm)	Wheelbase (in/mm)	Front Fork Rake (in./mm)	Top Tobe Angle	Seat Tube Angle	Hee Tub Ang
	S	5' 4'-5' 7'	162 - 170	27.58/70.04	12.0/32.00	22.84/58.02	16.40/41,66	40.55/103.00	1.50/3.81	16.79	66.40°	72.2
MANTRA PRO	M	5 7-5 10	170 - 177	28.80/73.15	12.8/32.51	23.40/59.44	16.40/41.66	41.17/104.57	1.50/3.81	13.04	62.80*	72.8
The state of	L	5' 10"-6' 1	177 – 185	30.13/76.54	12.9/32.77	23.88/60.66	16.40/41.66	41.76/106.07	1.50/3.81	8.99*	63.70°	72.2
MANTRA	S	5' 4'-5' 7'	162 - 170	28.61/72.67	12.5/31.75	22.93/58.25	15.40/41.66	40.76/103.53	1.50/3.81	18.00"	62.50°	71.5
COMP/RACE	M	5' 7"- 5' 10"	170 - 177	28.78/73.09	12.7/32.26	23.63/60.02	15,40/41,66	41.33/104.98	1.50/3.81	16.62	64.40	72.0
325 7 71	L	5' 10" - 6' 1	177 – 185	30.02/76.25	12.9/32.77	23.69/60.18	16.40/41.66	41.33/104.98	1.50/3.81	15.93*	66.90"	72.2
	S	5 4'-5'7'	162 - 169	27.3/69.3	12.0/30.5	57.5/146.1	16.54/42.0	41.0/104.1	1.49/3.8	20.4"	73.20	71.5
KARMA	M	5' 7'-5' 10"	170 - 176	27.6/70.1	12.2/30.9	59.0/149.8	16.54/42.0	41.7/105.9	1.49/3.8	21.2	73.20	71.5
	L	5' 10" - 6' 1	177 – 185	31,9/81.0	12.3/31.2	60.0/152.4	16.54/42.0	42.0/106.6	1.49/3.8	5.3*	73.20	72.0
	XS	5' 0'-5' 4'	152 - 162	27.42/69.65	11.4/29.00	22.02/55.93	16.40/41.70	40,19/102.08	1.50/3.81	-	0.0000000	
	S	5'4'-5'7'	162 - 170	28.21/71.65	11.5/29.20	22.78/57.86	16.40/41.70	40.78/103.61	1.50/3.81	15.40°	73.20°	71.0
ADROIT	М	5' 7'-5' 10"	170 - 177	29.62/75.23	11.7/29.70	23.38/59.38	18.40/41.70	41.33/104.98	1.50/3.81	8.20	73.20	71.5
	1	5' 10"- 8' 1"	177 – 185	30.66/77.88	11.8/30.00	23.70/60.20	16.40/41.70	41.64/105.80	1.50/3.81	8.40	73.20	72.2
是對於	XL	5' 1' - 6' 6'	185 - 198	31.76/80.67	11.9/30.20	24.05/61.09	16.40/41.70	42.04/106.80	1.50/3.81	8.00"	73.20"	72.2
	XS	5'0"-5'4"	152 - 162	27.78/70.56	11.4/29.00	22.03/55.96	16.40/41.70	40.19/102.08	A CONTRACTOR OF THE	200	100000	2500
ATTITUDE/	S	5' 4'-5' 7'	162 - 170	28.58/72.59	11.5/29.20	22.76/57.81	16.40/41.70	40.19/102.08	1.50/3.81	17.20°	73.20	71.0
PULSE	M	5' 7'- 5' 10"	170 - 177	29.62/75.23	11.7/29.70	23.38/59.38	16.40/41.70	41.33/104.98	1.50/3.81	12.50° 8.27°	73.20° 73.20°	71.5
	l L	5' 10'- 6' 1"	177 - 185	30.68/77.93	11.8/30.00	23.60/59.94	16.40/41.70	41.64/105.80	1.50/3.81	8.47	73.20	72.0
	XL	6 1'-6'6'	185 - 198	31.78/80.72	11.9/30.20	24.05/61.09	16.40/41.70	42.04/106.80	1.50/3.81	8.07	73.20	72.2
A STANCE OF	51cm	5 2'-5' 4'	157 - 162	29.80/75.69	10.5/26.67	21.06/53.49	16.30/41.40	38.10/96.77	1 2 2 2 2 2 2	The same of	1	
	53cm	5 4'-5' 6'	162 - 167	30.60/77.72	10.6/26.92	21.54/54.71	16.30/41.40	38.60/98.04	1.50/3.81	0.0	74.00	73.5
QUANTUM	55cm	5 6'-5'8'	167 - 172	31,50/80.01	10.7/27.18	22.01/55.90	16.30/41.40	39.10/99.31	1.50/3.81	0.0"	74.00	73.5
PRO	57cm	5' 8"- 5' 11"	172 - 180	32.40/82.30	10.8/27.43	22.48/57.10	16.30/41.40	39.40/100.08	1.50/3.81	0.0	74.00°	73.5
	59cm	5' 11'-6' 1'	180 - 185	33.20/84.33	10.9/27.69	22.95/58.29	16.30/41.40	40.00/101.60	1.50/3.81	0.0	74.00	74.0
	61cm	6' 1"-6' 3"	185 - 190	34.10/86.61	11.0/27.94	23.43/59.51	16.30/41.40	40.40/102.62	1.50/3.81	0.0"	74.00	74.0
	63cm	6 3' - 6 5'	190 - 195	34.80/88.39	11.0/27.94	23.90/60.71	16.30/41.40	40.90/103.89	1.50/3.81	0.0"	74.00	74.0
	51cm	5'2"-5'4"	157 - 162	29.80/75.69	10.5/26.67	21.06/53.49	16.30/41.40	38.37/97.46	1.77/4.50	0.0"	74.00"	73.50
	53cm	5' 4'- 5' 6'	162 - 167	30.80/77.72	10.6/26.92	21.54/54.71	16.30/41.40	38.87/98.73	1.77/4.50	0.0	74.00	73.50
QUANTUM	55cm	5' 6'- 5' 8'	167 - 172	31.50/80.01	10.7/27.18	22.01/55.90	16.30/41.40	39.37/100.00	1.77/4.50	0.0	74.00°	73.50
RACE	57cm	5' 8'- 5' 11'	172 - 180	32.40/82.30	10.8/27.43	22.48/57.10	16.30/41.40	39.67/100.76	1.77/4.50	0.0"	74.00*	74.00
	59cm	5 11'- 6' 1'	180 - 185	33.20/84.33	10.9/27.69	22.95/58.29	16.30/41.40	40.27/102.28	1:77/4.50	0.0"	74.00	74.00
	61cm	6, 1,- 6, 3,	185 - 190	34.10/86.61	11.0/27.94	23.43/59.51	16.30/41.40	40.67/103.30	1.77/4.50	0.0*	74.00*	74.00
	63cm	6'3'-6'5'	190 - 195	34.80/88.39	11.0/27.94	23.90/60.71	16.30/41.40	41.17/104.57	1.77/4.50	0.0	74.00*	74.00
	47cm	4' 10'-5' 1'	147 - 154	26.18/66.49	10.1/25.65	20.14/51.16	16.60/42.16	31.22/79.29	1.85/4.70	17.7*	73.00"	71.00
	51cm	5' 1'- 5' 4'	154 - 162	27.52/69.91	10.2/25.91	21.23/53.92	16.60/42.16	38.82/88.59	1.85/4.70	9.6"	73.00*	72.00
STAGE	55cm	5 5'- 5' 8'	165 - 172	31.11/79.01	10.4/26.42	22.20/56.40	16.60/42.16	39.56/100.48	1.69/4.30	0.0*	73.00°	72.50
	57cm	5' 8' - 5' 11'	172 – 180	31.96/61.18	10.5/26.67	22.68/57.60	16.60/42.16	40.05/101.73	1.69/4.30	0.0"	73.00*	73.00
	59cm	5' 11' - 6' 2'	180 – 185	32.81/83.35	10.6/28.92	23.15/58.80	16.60/42.16	40.57/103.05	1.69/4.30	0.0*	73.00*	73.00
T. (12)	63cm	6 2 - 6 5	185 – 190	34.52/87.68	10.8/27.43	24.13/61.30	16.60/42.16	41.31/104.93	1.69/4.30	0.0"	73.00*	73.00
在 原始被	51cm	5' 2'-5' 4'	157 - 162	29.36/74.57	10.3/26.20	21.06/53.49	14.73/37.40	38.59/98.02	1.38/3.49	0.0°	78.00*	72.00
	53cm	5' 4'- 5' 6"	162 - 167	30.14/76.55	10.4/26.40	21.54/54.71	14.73/37.40	39.18/99.52	1.38/3.49	0.0"	78.00°	72.00
ACOUNG	55cm	5' 6"- 5' 8"	167 - 172	30.91/78.51	10.5/26.70	22.01/55.90	14.73/37.40	39.78/101.04	1.38/3.49	0.0*	78.00	72.00
AEOLUS	57cm	5'8'-5'11'	172 – 180	31.69/90.49	10.6/26.90	22.48/57.10	14.73/37.40	40.37/102.54	1.38/3.49	0.0"	78.00*	72.00
医乳质振荡	59cm	5' 11'-6' 1'	180 - 185	32.51/82.57	10.7/27.20	22.95/58.29	15.50/39.40	41.60/105.66	1.69/4.30	0.0°	78.00*	72.50
	61cm	6' 1'- 5' 3'	185 - 190	33.28/84.53	10.8/27.40	24.21/61.49	15.50/39.40	42.98/109.17	1.69/4.30	0.0"	78.00"	72.50
	63cm	6' 3" - 6' 5"	190 – 195	33.46/84.98	10.8/27.40	24.70/62.74	15.50/39.40	43.54/110.59	1.69/4.30	0.0*	78.00*	72.50
135 (S) 16	48cm	4' 10'-5' 0'	147 – 152	26.72/67.8	10.1/25.6	20.32/51.61	18.00/45.7	39.73/100.8	1.92/4.9	18.82*	71.87*	69.27
	52cm	5' 2'-5' 4"	157 - 162	28.27/71.8	10.2/25.9	21.38/54.31	18.00/45.7	40.32/102.3	1.92/4.9	10.69°	71.89"	70.89
NAVIGATOR	54cm	5' 4'- 5' 6'	162 - 167	30.34/77.0	10.3/26.1	21.82/55.42	18.00/45.7	40.82/103.6	1.92/4.9	1.644"	71.96	70.96
	56cm	5' 6" - 5' 8"	167 – 172	31.19/79.2	10.4/26.4	22.32/55.7	18.00/45.7	41.22/104.6	1.92/4.9	0.961"	72.04"	71.54
	58cm	5' 8'- 5' 11'	172 – 180	32.06/81.4	10.5/26.6	22.82/57.97	18.00/45.7	41.47/105.3	1.92/4.9	1.161	71.84*	71.84
	60cm	5' 11'-6' 1'	180 - 185	32.91/83.6	10.6/26.9	23.3/59.17	18.00/45.7	41.99/106.6	1.92/4.9	1.137*	71.86*	71.86
1000	64cm	6' 3'- 6' 5'	190 - 195	34.60/87.8	10.8/27.4	24.27/51.64	18,00/45.7	42.86/108.8	1.92/4.9	0.991*	72.01*	72.51

T		locat piesest received	7' bend, 25.4mm	5' bend; 25.4mm	7' bend, 25.4mm	alloy, 25.4mm	alloy; 30.0mm rise;		pena, za smini clamp diameter	clamp diameter	clamp diameter	plamp diameter	clamp diameter	clamp diameter	clamp diameter
	D 0010/ 20	clamp diameter,		clamp diameter	clamp diameter	clamp diameter	25.4mm clamp diam.		comp demand	100N forced alloy	Bontrager forged	Bontrager forged	Bontrager forged	Cold forged alloy	Mett forged altoy
1	clamp diameter ICON forged alloy direct connect;	ICON forged alloy direct connect:	ICON forged alloy direct connect; 39.5mm steerer	Bontrager forged alloy direct connect; 44.5mm steerer	Cold forged alloy direct connect; 41.0mm steerer	Cold forged alloy direct connect; 41,0mm steerer	Melt forged alloy direct connect; 41.0mm steerer	Klein MC3	ICON forged alloy direct connect; 39 5mm steerer clamp height	direct connect; 39.5mm steerer clamp height	alloy direct connect, 44 5mm clamp height	alloy direct connect. 44 Smm steerer clamp height	alloy direct connect; 44.5mm steerer clamp height	direct connect; 41.0mm steerer clamp height	direct connect; 41.0mm steerer clamp height
39.5mm steerer clamp height	39.5mm steerer	clamp height	clamp height	clamp height	and the State of t	clamp diameter		Thomson 1 piece	Thudbuster	Thomson 1 piece	Bontraper Comp;	Bontrager Comp.	SP-312 alloy micro-	SP-312 alloy	
	Thomson +12"	clamp height Thomson +12*	Thomson +12*	Bontrager Comp; 31.6mm diameter	Alloy micro-adjust, 31.6mm diameter	Alloy micro-adjust; 31.6mm diameter	SP-312 alloy micro-adjust;	31.6mm diameter	machined; 31.6mm	suspension: 31 6mm Gameter	machined, 31.6mm diameter	31.5mm diameter	31.6mm diameter	adjust; 31.8mm diameter	micro-adjust; 31,6mm diamete
	1 piece machined;	1 piece machined; 31.6mm diameter	1 piece machined; 31.6mm diameter	31.0 mm bonder	And the same of		31.6mm diameter		diameter	TOTAL SECTION AND ADDRESS OF		Bontrager FS+10	Bontrager FS+10	Bontrager FS+10	Bontrager FS+10
	31.6mm diameter			50.40	Destance Onco	Bontrager FS+10	Selle Bassano		Selle halia Filte,	WTB SSTX,	WTB SSTX,	Race, CroMoly	Race CroMoly	Comp	Comp.
	Selle Italia Flite, WTB SSTX Trianium perforated CroMoly re	WIB SSTX	OroMoly rails,	Bontrager FS+10 Race, CroMoly rails	Bontrager Race FS+10, CroMoly rails		Vision		Titanium perforated leather	CroMoly rails, leather cover	CroMoly reits, leather cover	rails	rails		
22									130,141	3 water bottle	3 water bottle	2 water bottle		2 water bottle	2 water bottle
Trianium perforated CroMoly rails, leather cover	100000000000000000000000000000000000000	1100000	1 water bottle mount,	e mount. 1 water bottle mount,	1 water bottle mount	1 water bottle mount	1 water bottle mount	3 water bottle mounts, CCD	mounts, CCD	mounts, CCD	mounts, CCD	mounts, CCD	mounts, CCD	mounts	
8	1 water bottle mount, 1 water bottle mount, CCD, shock pump CCD, shock pump	1 water bottle mount, CCO, shock pump	CCD	000			CCO, shock pump		1 mounts, cou						

1	QUANTUM PRO	QUANTUM RACE	STAGE COMP R	STAGE COMP T	STAGE	FUSELAGE FUSELAGE	NAVIGATOR	
	51/53/55/57/	51/53/55/57/ 59/51/63	51/55/57/59/63	51/55/57/59/63		51/53/55/57/ 59/61/63	52/56/58/60/84	
100	59/61/63 Jade chameleon		Yellow pearl	Candy blue	Race red .	Sea & Sky or Blue lime	Raven	
	Klein Gradient	Klein Gradient	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Gradient Tubing	Klein Power Tubing	
	Aluminum Klein Gradient	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	
	Aluminum Klein Aeros Carbon	KONN AirRail Carbon	ICON Carbon classic	ICON Carbon classic	System 2 bonded	Klein Aluminum alloy	Klein Unicrown	
	Klein Airhead precision	Tange Seiki VR254 22.2/30.2/26.4 35.2mm stack	Tange Seiki Passage DX alloy 22 2/30 2/26.4; 35 3mm stack	Tanga Selki Passage DX alloy 22 2/30 2/26.4 35 3mm stack	Tange Seiki CDS 22 2/30 2/26.4 33 7mm stack	Klein Airhead pracision	Tange Selki CDS 22 2/30 2/26 4 33 7mm stack	
	Shimano DuraAce 53/39 Bolt hole: 130mm	Shimano Ultegra 53/39 Bolt hole: 130mm	Sugina RD7000 53/39 Bolt hole: 130mm	Sugino RD7000 52/42/30 Bolt hole: 130/74mm	Sugina RD5000 52/42/30 Bolt hole: 130/74mm		Sugino R07000 52/42/30 Bolt hole: 130/74mm	
15	(F) Shimano DuraAce down pull; 34.9mm/ 1 W*, (R) Shimano DuraAce	(F) Shimeno Ultegra down pull 34 9mm/1 3/1*; (R) Shimeno Ultegra	(F) Shirnano Ultegra down pull; 34.9mm/ 1.1/4"; (R) Shirnano Ultegra SS	(F) Shimano Ultegra triple down pull; 34.9mm/1 1/s*; (R) Shimano Ultegra GS	(F) Shimano RX-100 down pull; 34.9mm/ 1 1/s*; (R) Shimano 105 GS		(F) Shimano 105 GS down pull; 34 9mm/ 1 ½°; (R) Shimano Deore XT SGS	
	Shimano DuraAce STI, dual control	Shimano Ultegra STI, dual control	Shimano 105 STI, dual control	Shimano 105 STI, dual control	Shimano RSX STI dual control		Sachs Ergopower, dual control Shirmano BB-UN52.	
	Shimano DuraAce, 68 x 109.5, splined	Shimano Ultegra, 68 x 109.5, splined	Shimano BB-UN52, 68 x 113	Shimano BB-UN52, 68 x 118	Shimano B8-UN52, 68 x 118		68 x 118	
	Shimano DuraAce, 108 length	Shimana HG92, 108 length	Shimano HG50, 106 length	Shimano HG50, 106 length	Shimano HG50, 108 length		Shimano HG50, 108 length	
	Shimano DuraAce SPD clipless, 1/1s* axle	Shimano Ultegra SPO clipless, 1/16'axle	Shimano Ultegra SPO clipless, 1/1s* axle	ICON clipless, 1/1s* axle	ICON clipless, 9/ie* axle		ICON clipless, 1/1s* axle	
	Rolf Aero; HyperGlide compact cassette, 9 spd; (F) 14' (R) 15'	Shimano Ultegra HyperGlide compact cassette, 9 spd; (F) 32* (B) 32*	Shimano 105, HyperGlide compact cassette, 8 spd; (F) 32* (R) 32*	Shimano 105, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimano RSX. HyperGlide compact cassette, 7 spd; (F) 32' (F) 32'		Shimano STX-RC, HyperGlide compact cassette, 7 spd; (F) 32' (R) 32'	
E	Shimano DuraAce, 12-23, 9 spd	Shimano DuraAce, 12-23, 9 spd	Shimano HG70, 13-26, 8 sod	Shimano HG70, 13-26, 8 spd	Shimano HG50, 13-26, 7 spd.		Shimano HG50, 13-26, 7 spd	
	Wheelsmith ACE-3 th blade; (F) 14* radial; (R) 284/ 286mm, 16* 1x	(F) DT 14/15g, 32° 3x; (R) DT 14g, 32° 3x	(F) DT 14/15g: 291m/n, 32° 3x (F) DT 14g: 288/ 290m/n, 32° 3x	(F) OT 14/15g: 291mm 32° 3x (R) OT 14g: 288/ 290mm, 32° 3x	DT 14g; 32" 3x		DT 14g; 32' 3x 297/298mm Matrix Iso 3.	
	Araya Super Aero SA-530C; 597 ERD	Matrix Iso 3, 592 ERD; 32*	Matrix Iso 3, 592 ERD; 32*	Matrix Iso 3, 592 ERD; 32"	Matrix Aurora, (F) 610 ERD; 32* (R) 603 ERD; 32*		592 ERD; 32"	
	Continental Grand Prix 3000, folding, 700 x 25c	Continental Grand Prix 3000, folding, 700 x 25c	Continental Super Sport Ultra, 700 x 25c	Continental Super Sport Ultra, 700 x 25c	Continental Sport, 700 x 25c		Panarater Pasela, 700 x 28c	
	Presta valve;) 48mm stem	Presta valve, 48mm stem	Presta valve, 48mm stem	Presta valve, 48mm stem	Presta valve		Presta valve	
ET	Shimano DuraAce	Shimano Ultegra	Shimano 105	Shimano 105	Shimano RSX		Dia-Compe 757 direct pull	
ARS	Ital Pro; 26.0mm clamp diameter	ICON 2014 Aluminu 26.0mm clamp diameter	n; 100N 6061 Aluminu 26.0mm clamp diameter	n, ICON 6061 Aluminu 26.0mm clamp diameter	m; System 1; 26.0mm clamp diameter		XXON 6061 Aluminum 26.0mm clamp diameter	
	Klein MC3	3T Evol 2002 forged front load; 22.2mm insertion	Alloy; 22 2mm insertion	Alloy 90"; 22.2mm insertion	CroMoly 90'; 22.2mm insertion		Alloy 90'; 22.2mm insertion	
ST	Thomson 1 piece machined; 31.6mm diameter	ICON 2, 2014 Aluminum, 31.6mm diameter	ICON 1, 6061 alloy, 31.6mm diameter	ICON 1, 5061 Aluminum; 31.6mm diameter	SP-312 alloy, micro- adjust; 31.6mm diameter	31.6mm diameter	(CON 1, 6061 Aluminum; 31.6mm diameter	
E	Selle Italia Flite, Titanium perforater leather	Selle Bassano Vuelta, CroMoly rails, leather cover	Selle Bassano Welta, CroMoly rails, leather cover	Selle Bassano Vision, CroMoly rails, leather cover	Selle Bassano Vision		Selle Bassano Vision, leather cover	
s	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts, rack moun	2 water bottle mounts, rack moun	2 water bottle ts mounts, rack moun	15	3 water bottle mounts, front and rear rack mounts	

WARRANTY	DOMESTIC	England Trek UK				
Klein Bicycle Corporation warrants each new Klein bicycle frame and rigid fork purchased from an authorized Klein dealer against defects in workmanship and materials for the lifetime of the original owner. Klein Bicycles likewise warrants all original parts, excluding suspension forks and rear shock absorbers, for a period of one	Design & Manufacturing Klein Bicycle Corporation 118 Klein Road Chehalis, WA 98532	15 Old Bridge Way Shefford Bedfordshire SG17 5HQ England Tel: 44 1 46 281 1458 Fax: 44 1 46 281 2799				
year from the date of purchase. Suspension forks and rear shock absorbers shall be covered under the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the war-	Customer Service Klein Bicycle Corporation 801 West Madison Street P. O. Box 183 Waterloo, WI 53594	European Central Office Bikeurope Europalaan 101 3526 KR Utrecht, Nethe Tel: 31 30 2888 434 Fax: 31 30 2870 215				
ranty. Labor charges for frame changeovers shall be covered for one year from the date of purchase. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Klein dealer. Proof of	Call 1-800-52-KLEIN for the Klein dealer nearest you.	Germany Trek Bicycle GMBH Heinrich Hertzstrasse 9				
purchase is required. A warranty registra- tion card must be completed and received	INTERNATIONAL	63225 Langen, German Tel: 49 61 035 0700				
purchase is required. A warranty registra- tion card must be completed and received by Klein Bicycles before a warranty claim may be processed. This warranty covers bicycles and components purchased outside the United States only if they are purchased through an authorized international Klein distributor or Klein dealer within the country of purchase. The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse abuse or neglect or modification of the frame, fork or components. Klein Bicycles	Austria Fahrradhandel Gesellschaft GMBH Husslstrasse 29B 6130 Schwaz Austria Tel: 43 524 272 440 Fax: 43 524 272 440 90	Fax: 49 61 037 4741 Japan Trek Japan 81 Fukaehama-Machi Higashinada-Ku Kobe 658, Japan Tel: 81 78 413 6606 Fax: 81 78 413 6607				
shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.	Benelux Bikeurope B.V. Edisonstraat 14-16 3861 NE Nijerk Netherlands Tel: 31 33 245 5500 Fax: 31 33 245 4587	Switzerland Trek Fahrrad AG Schutzenstrasse 33 8902 Urdorf/Zurich Switzerland Tel: 41 1 735 85 85 Fax: 41 1 735 85 75				

SHOCK MEASUREMENTS

6.75 EYETO EYE

6" "WHEEL" TRAVEL 7/8" EYE TOPHBOT.

(.875 OR ZZM

	MANTRA PRO	MANTRA RACE LT	MANTRA BAGE	MANTRA COMP	MANTRA	KARMA ATB	KARMA PAVÉ	ADROIT FUSELAGE	ATTITUDE PRO	ATTITUDE	ATTITUDE	PULSE PRO	PULSE RACE	PULSE	P
ES		***************************************			CMI	S, M, L	S, M, L	S, M, L	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, A
OR	S; M; L Blue Koi with black rear, blue fork	S. M. L Koi with black rear, mango fork	S, M, L Koi with black rear, mango fork	S, M, L Blastberry chameleon with black rear, black fork	S, M, L Black with black rear, mange fork	Graphite pearl with mango rear, black fock	Forest green pearl with black rear	Kai, yelfow fork	Blue Koi, black fork	Koi, mango fork	Blue to blue linear fade, black fork	Solar yellow, black fork	Orange nectar, mango fork	Clear blue, sliver fork	Red wit
ruses	Klein Power Tubing	Klein Pawer Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Po
YS	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gr Aluminu
NSION	(Fl Rock Shax SiD, 63mm travel (R) Fox Alps 5R air/oil with adjustable damping	(F) Menitou X-Vest, double triple clamp, 100mm travel; (R) Fox Alps 5R air/oil with adjustable damping	(F) Manitou SX-R, Twin Piston Chamber, 70mm travel; (B) Fox Alps 5R air/oil with adjustable damping	(F) Rock Shox Judy TZ; 63mm travel; (R) Fox Vanilla coil/oil	IF) Manitou Spyder R, 70mm travel (R) Fox Vanilla X coil/oil with adjustable damping	(F) Rock Shox Indy XC, 63mm travel (R) Klein elastomer, 105mm travel	(F) Klein Unicrown CroMoly; (F) Klein BASF elastomer, 105mm travel	Rock Shor Judy St., 63mm travel	Rock Shox SID, 63mm travel	Manitou SX-R Twin Piston Chamber, 70mm travel	Rock Shox Judy XC with alloy steerer, 63mm travel	Rock Shox Judy TZ alloy steerer, 63mm travel	Manitou Spyder R, 70mm travel	Manitou Spyder, 70mm travel	Rock Sh 63mm ti
SET	Chris King NoThreadSet 25.4/34.0/30.0 31.5mm stack	WTB Grease Guard 25.4/34.0/30.0 27.0mm stack	WTB Grease Guard 25.4/34.0/30.0 27.0mm stack	Olia-Compe SA Aheadset 25.4/34.0/30.0 27.0mm stack	Dia-Compe ST Aheadset, alloy, 25.4/34.0/30.0 25.4mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Klein Airhead precision	Chris King NoThreadSet 25.4/34.0/30.0 31.5mm stack	WTB Grease Guard 25.4/34.0/30.0 27.0mm stack	Dia-Compe SA Aheadset 25.4/34.0/30.0 27.0mm stack	Dia-Compe SA Aheadset, alloy, 25.4/34.0/30.0 27.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Dia-Con Aheada 25.4/34 25.0mm
KSET	Shimang XTR 4 arm; 46/34/24 Bolt hole: 112/58/mm	Shimana Deone XT 4 ann; 42/32/22 Bolt hole: 104/64mm	Shimano Decre XT 4 arm; 42/32/22 Bolt hole: 104/64mm	Sugina Mighty 500 42/32/20 Balt hole: 58/104mm	Sugina Mighty 350 42/32/20 Bolt hale: 58/104mm	Sugino Impel 300 42/32/20 Bolt hole: 58/94mm	Shimano Nexave with chainguard 48/38/28 Bolt hole: 79mm		Shimano XTR 4 arm; 46/34/24 Bolt hole: 112/68mm	Shimano Deore XT 4 atm; 42/32/22 Bolt hole: 104/64mm	Shimano Deore LX 4 arm; 42/32/22 Bolt hole: 104/64mm	Sugina Mighty 700 42/32/20 Bolt hole: 104/58mm.	Sugino Mighty 500 42/32/20 Bolt hole: 104/58mm	Sugino Mighty 350 42/32/20 Bolt hole: 104/58mm	Sugina 1 42/32/7 Bolt hol 94/58m
LEURS	(F) Shimang XTR top swing, down pull; 31.8mm/1 1/e*; (R) Shimang XTR Rapid Rise SGS	(F) Shimana Deore XT, top swing, dawn pull; 31 Brinn/1 1/4*; (R) Shimana XTR SGS	(F) Shimana Daora XT, top swing, down pull; 31 Smm/1 1/4"; (R) Shimana XTR SGS	(F) Shimana Decre LX, top swing, down pull; 31.9mm/1 1/4* (R) Shimana Decre	(F) Shimans STX-RC top swing, down pull; 31 S8mm/ (R) Shimans Decre XT	(F) Shimane STX, top swing, top pull, plate style; (R) Shimano Deore LX SGS	(F) Shimano Nexave top swing, top pull; plate style; (R) Shimano Nexave Rapid Rise		(F) Shimano XTR top swing, down pull; 34.9mm/1 ½1° (R) Shimano XTR Rapid Rise SGS	(F) Shimano Deore XT, top swing, down pull; 34 9mm/1 ½1* (R) Shimano XTR SGS	(F) Shimano Deore LX, top swing, down pull; 34.9mm/1 ½°; (R) Shimano XTR SGS	(F) Shimano Decra LX, top swing, top pult, 34.9mm/1 ½°; (F) Grip Shift ESP 9.0	(F) Shimano STX-RC top swing, down pull; 34.9mm/1 1/4*; (R) Shimano XTR SGS	(F) Shimano STX top swing, down pull; 34 Smm/1 ½* (R) Shimano Deore XT	34.9mm (R) Shim LX SGS
TERS	Shimana XTR RapidFire RR	Shimana Deare XT RepidFire SL	Shimano Deore XT RapidFire SL	Shimana STX RC RapidFire+	Shimano STX RC RapidFire+	Grip Shift SRT-6.0	Shimano Nekave RR OGD		Shimano XTR RapidFire RR	Shimano Deore XT RapidFire St.	Shimano Deore XT RapidFire SL	Grip Shift ESP-900	Shimano STX-RC RapidFire+	Shimano STX-RC RapidFire+	Grip Shi
COM	Shimano XIR, 73 x 116, splined axle	Shimane 88-UN72, 73 x 113	Shimano BB-UN72, 73 x 113	Shimano 88-UN5Z: 73 x 113	Shimano BB-UN52, 73 x 113	Shimano B8-LP27E, 73 x 113	Shimano BB-LP27E, 73 x 113		Shimano XTR, 73 x 116, splined axle	Shimano B8-UN72, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano 88-UN52, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-UN52, 73 x 113	Shiman 73 x 11:
VIN	Sachs PC-61, 104 length	Sachs PC-51, 104 length	Sachs PC-51, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length		Sachs PC-61, 104 length	Sachs PC-51, 104 length	Sachs PC-41, 104 length	Sechs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs F 104 len
ALS	Time ATAC Carbon clipless, 1/1s* axle	Time ATAC Carbon clipless, ³ /1s* axle	Time ATAC Carbon clipless, Yis' axle	ICON clipless, 1/16° axle	ICON clipless, 3/1s* axle	Resin/alloy with clips and straps, 1/10* axle	Resin/alloy with clips and straps, */** axle		Time ATAC Carbon clipless, 1/1s* axie	Time ATAC Carbon ofipiess, 3/is* exte	Time ATAC clipless, 3/1s' axle	Time ATAC clipless, */is* axle	ICON clipless, 3/16" axie	ICON clipless, I/is' axle	Resirva and stra
SET	Cane Greek Grono Metro; HyperGlide compact cassette, 8 spd; (F) 24" (F) 28"	Shimana Debre XT; HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimano Deore XT; HyperGlida compact cassetta, 8 spd; (F) 32" (R) 32"	Shimana STX-RC; HyperGlide compact cassette, 8 spd; (F) 32' (R) 32'	Shimano STX-RC; HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimana STX-RC; HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	(F) System 1, susp. axle, (R) Shimano STX-RC HyperGlide compact cassette, 8 spd; (F) 32* (R) 32*		Cane Creek Crono Metro; HyperGlide compact cassette, 8 spd; (F) 24* (R) 28*	Cane Creek Crono Metro; HyperGlide compact cassette, 8 spd; (F) 24" (R) 28"	Shimano Deore LX; HyperGlide compact cassette, 6 spd; (F) 32* (R) 32*	Cane Creek Crono Metro; Shimano LX HyperGlide compact cassette, 8 spd; (F) 24' (R) 32'	Shimano STX-RC; HyperGlide compact cassette, 8 spd, (F) 32° (R) 32°	Shimano STX-RC, HyperGlide compact cassette, 8 spd; (F) 32* (R) 32*	(F) Syste axle; 32 Shiman HyperG cassette
ETTE	Shimano XTR, 11-30, 8 spd	Shimano XT, 11-30, 8 spd	Shimana XT, 11-30, 8 spd	Shimana HG90-1, 11-30, 8 spd	Shimano HG80-I, 11-30, 8 spd	Shimang HG60-I, 11-30, 8 spd	Shimano HG60-I, 11-34, 8 spd		Shimano XTR, 11-30, 8 spd	Shimano XT, 11-30, 8 spd	Shimano HG70-I, 11-30, B spd	Shimano HG70-1, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd	Shimano HG60-1, 11-30, 8 spd	Shiman 11-30, 7
KES	(F) 25Zmm, 24° radial (R) Drive: 233mm, 28° 2s; Non-drive: 249mm, 28° radial	(F) DT 14/15g; 254mm; 32° radial (R) DT 14g; 32° 3x; Drive: 264mm; Non-drive: 265mm	(F) DT 14/15g; 254mm, 32" radial (R) DT 14g; 32' 3x; Drive: 284mm; Non-drive: 265mm	DT 14g; (F) 254mm 32* radial (R) 264/265mm, 32* 3x	DT 14g stainless (F) 254mm, 32' radial (F) 264/ 265mm, 32' 3x	OT 14g (F) 253mm, 32* radial; (F) 284/ 285mm, 32* 3x	DT 14g; 32° 3x		(f) 252mm, 24" radial; (R) 26"; Drive: 233mm, 2x; Non- drive: 249mm, radial	(F) 252mm, 24" radial; (R) 28"; Drive: 233mm, 2x; Non- drive: 249mm, radial	(F) DT 14/15g; 254mm, 32' radial (R) DT 14g; 264/ 265mm, 32' 3x	(F) 252mm, 24* radial (R) DT 14g; 264/ 265mm, 32* 3x	(F) DT 14g; 254mm, 32" radial (R) 14g; 264/ 265mm, 32" 3x	DT 14g (F) 253mm 32* radial; (R) 264/ 265mm, 32* 3x	DT 14g, (F) 266r (R) 264/
AS	Cane Creek Swami, 546 ERD (F) 24" (R) 25"	Bonträger Mustang ASYM; 541 EHD; 32*	(F) Bontrager Mustang, 542 ERD; 32°; (R) Bontrager Mustang ASYM, 541 ERD; 32°	(F) Bontrager Mustang, 542 ERD; 32"; (F) Bontrager Mustang ASYM, 541 ERD; 32"	(F) Bentrager Mustang, 542 ERD; 32"; (R) Bentrager Mustang ASYM, 541 ERD; 32"	(F) Bontrager Meverick, 542 ERD; 32' (R) Bontrager Maverick ASYM, 541 ERD; 32'	(F) Bontrager Maverick, 542 ERD; 32"; (R) Bontrager Maverick ASYM, 542 ERD; 32"		Cane Creek Swami 546 ERD; (F) 24* (R) 28*	Cane Creek Swami, 546 ERD; (F) 24' (R) 28'	(F) Bontrager Mustang, 542 ERD; 32°; (R) Bontrager Mustang ASYM, 541 ERD; 32°	(F) Cane Creek Swami, 545 ERD; 24" (R) Bontrager Mustang ASYM, 541 ERD; 32"	(F) Bontrager Mustang, 542 ERD; 32"; (R) Bontrager Mustang ASYM, 541 ERD; 32"	(F) Bontrager Maverick, 542 ERD; 32"; (R) Bontrager Maverick ASYM, 542 ERD; 32"	Bontrag (F) 542 (R) 541
ES	Bentrager Revolt SS, folding: (F) 49/53 (R) 46/50	Bontrager Jones, folding; (F) 49/53 (R) 48/50	Bontrager Revolt ST, folding: (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 48/50	Bontrager Jones, folding: (F) 49/53 (R) 46/50	Bontrager Jones, (F) 49/53 (R) 46/50	Panaracer Hi-Road, 25 x 1.5		Bontrager Revolt SS, folding: (F) 49/53 (R) 46/50	Bontrager Revolt SS, folding: (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 45/50	Bontrager Revolt ST, folding: (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding: (F) 49/53 (R) 46/50	Bontrager Jones, folding: (F) 49/53 (R) 46/50	Bontras (F) 49/5
ES	Presta valve, ultra light	Presta valva, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve	Presta valve		Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta
ESET	Shimana XTR V-brake	(F) Hayes hydraulic disc; (R) Shimano XT V-brake	Shimano XT V-brake	Avid single digit 20 direct pull	Avid single digit 10 direct pull	Dia-Compe 737 direct pull	Shimeno Nexave V-brake with power modulator		Shimano XTR V-brake	Shimano Deore XT V-brake	Avid single digit 20 direct pull	Avid single digit 20, direct pull	Shimano M600 V-brake	Avid single digit 10 direct pull	Dia Cor direct p
EBARS	ICON Carbon; 5' bend; 25.4mm clamp diameter	ICON Diesel, 25.4mm clamp diameter, 620mm wide	ICON 2014 Aluminum, 7° bend; 25.4mm clamp diameter	Bontrager Comp, 5' bend; 25.4mm clamp diameter	ICON 6061 Aluminum, 7° bend; 25,4mm clamp diameter	System 1 ATB, alloy, 25.4mm clamp diameter	System 1, 10° bend alloy; 30.0mm rise; 25.4mm clamp diam.		ICON Carbon, 5° bend; 25.4mm clamp diameter	1CON 2014 Aluminum 7° bend; 25.4mm clamp diameter	Bontrager Comp, 5' bend; 25.4mm clamp diameter	Bontrager Comp. 5' bend; 25.4mm clamp diameter	ICON 6061 Aluminum, 7" bend; 25.4mm clamp diameter	System 1 ATB, afloy: 25,4mm clamp diameter	System alloy, 2 clamp o
:MI	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Cold forged alloy direct connect; 41.0mm steerer clamp height	Cold forged alloy direct connect; 41.0mm steerer clamp height	Meit forged alloy direct connect; 41.0mm steerer clamp diameter	Klein MC3	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Bontrager forged alloy direct connect; 44 5mm steerer clamp height	Celd forged alloy direct connect; 41.0mm steerer clamp height	Melt for direct of 41.0mm clamp f
POST	Thomson +12' 1' piece machined; 31.6mm diameter	Thomson +12* 1 piece machined; 31.6mm diameter	Thomson +12* 1 piece machined; 31.6inm diameter	Bontrager Comp; 31.6mm diameter	Alloy micro-adjust 31.6mm diameter	Alloy micro-adjust; 31.6mm diameter	SP-312 alloy micro-adjust; 31.6mm diameter	31.6mm diameter	Thomson 1 piece machined; 31.6mm diameter	Thudbuster suspension; 31.6mm diameter	Thomson 1 piece machined; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	Bontrager Comp. 31.6mm diameter	SP-312 alloy micro- adjust; 31.6mm diameter	micro-a 31.6mm
DLE	Selle Italia Flita, Titanium perforated feather	WTB SSTX CroMoly rails, leather cover	WTB SSTX CroMoly rails, leather cover	Bontrager FS+10 Race, CroMoly rails	Bontrager Race FS+10, CroMoly rails	Bontrager FS+10 Comp	Selle Bassano Vision		Selle Italia Flite, Titanium perforated leather	WTB SSTX, CroMoly rails, leather cover	WTB SSTX, CroMoly rails, leather cover	Bontrager FS+10 Race, CroMoly rails	Bontrager FS+10 Race, CroMoly rails	Bontrager FS+10 Comp	Comp
IPS	1 water bottle mount, CCD, shock pump		1 water bottle mount,	1 water bottle mount, CCD	1 water bottle mount, CCD	1 water bottle mount	1 water bottle mount	1 water bottle mount CCD, shock pump	3 water bottle mounts, CCD	3 water bottle mounts, CCD	3 water bottle mounts, CCD	2 water bottle mounts, CCD	2 water bottle mounts, CCD	2 water bottle mounts, CCD	2 water mounts