

Crear el usuario colegioagazzis@localhost, contra: desarrolladorcolegio.

create user colegioagazzis_desarrollador@localhost identified by 'desarrolladorcolegio'

```
Pablo@DESKTOP-QBR1NU8 e:\xampp
# mysql -u root
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 12
Server version: 10.4.32-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create user colegioagazzis_desarrollador@localhost identified by 'desarrolladorcolegio'
-> ;
Query OK, 0 rows affected (0.003 sec)

MariaDB [(none)]> flush privileges;
Query OK, 0 rows affected (0.001 sec)
```

Garantizar permisos DML al usuario.

GRANT SELECT, INSERT, UPDATE, DELETE ON colegioagazzis.* TO 'colegioagazzis_desarrollador'@'localhost';

```
MariaDB [(none)]> GRANT SELECT, INSERT, UPDATE, DELETE ON colegioagazzis.* TO 'colegioagazzis_desarrollador'@'localhost';
Query OK, 0 rows affected (0.003 sec)

MariaDB [(none)]> flush privileges;
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> show grants for colegioagazzis_desarrollador@localhost;
+-----+
| Grants for colegioagazzis_desarrollador@localhost |
+-----+
| GRANT USAGE ON *.* TO `colegioagazzis_desarrollador`@`localhost` IDENTIFIED BY PASSWORD '*5DB676927F825FB9A2191360372F3968C7EBA03F' |
| GRANT SELECT, INSERT, UPDATE, DELETE ON `colegioagazzis`.* TO `colegioagazzis_desarrollador`@`localhost` |
+-----+
2 rows in set (0.000 sec)
```

Garantizar vistas y triggers al usuario.

GRANT TRIGGER, CREATE VIEW ON colegioagazzis.* TO 'colegioagazzis_desarrollador'@'localhost';

```
MariaDB [(none)]> GRANT TRIGGER, CREATE VIEW ON colegioagazzis.* TO 'colegioagazzis_desarrollador'@'localhost';
Query OK, 0 rows affected (0.003 sec)

MariaDB [(none)]> flush privileges;
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> show grants for colegioagazzis_desarrollador@localhost;
+-----+
| Grants for colegioagazzis_desarrollador@localhost |
+-----+
| GRANT USAGE ON *.* TO `colegioagazzis_desarrollador`@`localhost` IDENTIFIED BY PASSWORD '*5DB676927F825FB9A2191360372F3968C7EBA03F' |
| GRANT SELECT, INSERT, UPDATE, DELETE, CREATE VIEW, TRIGGER ON `colegioagazzis`.* TO `colegioagazzis_desarrollador`@`localhost` |
+-----+
2 rows in set (0.000 sec)
```

Garantizar ejecutar rutinas al usuario.

GRANT EXECUTE ON colegioagazzis.* TO 'colegioagazzis_desarrollador'@'localhost';

```
MariaDB [(none)]> GRANT EXECUTE ON colegioagazzis.* TO 'colegioagazzis_desarrollador'@'localhost';
Query OK, 0 rows affected (0.004 sec)

MariaDB [(none)]> flush privileges;
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> show grants for colegioagazzis_desarrollador@localhost;
+-----+
| Grants for colegioagazzis_desarrollador@localhost |
+-----+
| GRANT USAGE ON *.* TO `colegioagazzis_desarrollador`@`localhost` IDENTIFIED BY PASSWORD '*5DB676927F825FB9A2191360372F3968C7EBA03F' |
| GRANT SELECT, INSERT, UPDATE, DELETE, EXECUTE, CREATE VIEW, TRIGGER ON `colegioagazzis`.* TO `colegioagazzis_desarrollador`@`localhost` |
+-----+
2 rows in set (0.000 sec)
```

Garantizar crear rutinas al usuario.

GRANT CREATE ROUTINE on colegioagazzis.* TO 'colegioagazzis_desarrollador'@'localhost';

```
MariaDB [(none)]> GRANT CREATE ROUTINE on colegioagazzis.* TO 'colegioagazzis_desarrollador'@'localhost';
Query OK, 0 rows affected (0.003 sec)

MariaDB [(none)]> flush privileges;
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> show grants for colegioagazzis_desarrollador@localhost;
+-----+
| Grants for colegioagazzis_desarrollador@localhost |
+-----+
| GRANT USAGE ON *.* TO `colegioagazzis_desarrollador`@`localhost` IDENTIFIED BY PASSWORD '*5DB676927F825FB9A2191360372F3968C' |
| GRANT SELECT, INSERT, UPDATE, DELETE, EXECUTE, CREATE VIEW, CREATE ROUTINE, TRIGGER ON `colegioagazzis`.* TO `colegioagazzis_desarrollador`@`localhost` |
+-----+
2 rows in set (0.000 sec)
```