

WaTrck Helping Functions - CMD Quick Guide

Helping Functions folder: D:\Real Estate Projects\Advanced Tracking System\New\WaTrck\Helping Functions

1. First-time setup on a PC

```
gcloud auth login
gcloud config set project aida-muscat-wa-tracking
gcloud auth application-default login
cd /d "D:\Real Estate Projects\Advanced Tracking System\New\WaTrck\Helping Functions"
```

If this folder does not already have Node dependencies installed:

```
npm init -y
npm install firebase-admin
```

Do I authenticate every time? No. Normally authentication stays saved. Re-run the two auth commands only if credentials expire, you switch Google accounts, or you use another PC.

2. Normal use from a fresh CMD window

```
cd /d "D:\Real Estate Projects\Advanced Tracking System\New\WaTrck\Helping Functions"
gcloud config get-value project
```

It should print aida-muscat-wa-tracking. Then run the helper you need.

3. Run a helper

Delete tracking records

```
node delete_docs_by_token_v2.js
```

Put tokens in TOKENS_TO_DELETE first. This version deletes click + tokenIndex records and preserves all chats/messages.

Seed test conversions

```
node seed-test-conversions.js
```

Set PROJECT_IDS and Zigzag/Batch options first.

Debug exports

```
node debug-collectiongroup.js
```

Optional: add --project=PROJECT_ID or --token=TOKEN.

Copy project records

```
node copydocs.js
```

Set SOURCE_COLLECTION and DEST_COLLECTION first.

Clean tokenIndex

```
node token-cleanup.js
```

Set TOKENS_TO_KEEP first. Warning: it deletes every other tokenIndex record.

4. If authentication stops working

```
gcloud auth login
gcloud auth application-default login
```

Then return to the Helping Functions folder with `cd /d . . .` and run the helper again.