

Changing the WhatsApp number

WaTrck | Practical checklist | Verified migration: 16 September 2026

Required route: Meta -> Firebase whatsappWebhook -> Chatwoot.

A direct Meta -> Chatwoot override bypasses token matching and leaves **used=false**.

1 Identify the NEW number and its Meta ID

Use the new number's **Phone Number ID**, not the old number's ID or the WhatsApp Business Account ID. Our working UAE number is **+971586992542**; its Phone Number ID is **1276196482247814**. Replace these when migrating again.

2 Update source and publish the landing pages

Under **Landing_page/**, replace the old number in **data-wa-phone** and **DEFAULT_PHONE**, including the equivalent fallback in every **.min.html** copy. This migration changed 26 files / 52 occurrences. Publish the updated snippets in Webflow and check any CTA-specific phone overrides on the live page. Preserve legacy Google Ads events and token/GCLID tracking.

3 Confirm the Firebase-to-Chatwoot bridge

In **functions/index.js**, verify **CHATWOOT_WEBHOOK_URL** matches the new Chatwoot inbox webhook. If changed, deploy only **whatsappWebhook** using Firebase. Editing GitHub alone does not update the deployed function. Keep Meta's application callback pointing to Firebase.

4 Inspect routing using Windows CMD

Use a fresh Meta access token. Keep it private. Copy commands as plain text: no Markdown brackets or escaped underscores. Replace the two placeholder values below.

```
set "META_TOKEN=PASTE_FRESH_ACCESS_TOKEN_HERE"
set "PHONE_ID=NEW_PHONE_NUMBER_ID"
curl -s "https://graph.facebook.com/v24.0/%PHONE_ID%?fields=display_phone_number,webhook_configuration" ^
-H "Authorization: Bearer %META_TOKEN%"
```

Confirm **display_phone_number** is the new number. A **webhook_configuration.phone_number** value pointing to Chatwoot is the override that caused our issue.

5 Clear that phone-level override, then verify

```
curl -i -X POST "https://graph.facebook.com/v24.0/%PHONE_ID%" ^
-H "Authorization: Bearer %META_TOKEN%" -H "Content-Type: application/json" ^
--data "{\"webhook_configuration\":{\"override_callback_uri\":\"\"}}"
```

Expect **{"success":true}**. Repeat the GET command from step 4. The **phone_number** override should be absent, and **application** should be:

<https://us-central1-aida-muscat-wa-tracking.cloudfunctions.net/whatsappWebhook>

6 Run one end-to-end test

Click the published page's WhatsApp button; confirm the destination and send its message with **Ref: #TOKEN** intact. In Firestore, verify **projects/<projectId>/clicks/<TOKEN>** changes to **used=true**. Confirm the same message reaches Chatwoot. Both checks passed in this migration.

If it fails: token error **190 / 463** means refresh the access token. For missing delivery, use Google Cloud Logs Explorer, project **aida-muscat-wa-tracking**, **Last 30 minutes**, and filter **resource.labels.service_name="whatsappwebhook"**. A **saveToken** log only proves the browser click was saved. Recheck routing after any Chatwoot reconnect.