EXP.NO: 11a
DATE : 15/10/26

SIMULATE STATIC ROUTING CONFIGURATION USING CISCO PACKET TRACER.


AIM:


To simulate static Routing configuration using Cisco Packet Tracer.

PROCEDURE:

1) Open Cisco Packet Tracer
2) Create the topology using 3 routers, 2 Switches, 5 PCs end devices & 1 Server.
3) Connect the devices to form the three router network.
4) Configure Router 0, Router 1 & Router 2 with the required interfaces.
5) Configure end devices.
6) Enable all required router interfaces.
7) Configure static routes on Router 0 using the appropriate next-hop addresses.
8) Configure static routes on Router 1 for the remote 10.0.0.0/8 and 40.0.0.0/8 networks
9) Configure static routes on Router 2 for the remote 10.0.0.0/8 and 30.0.0.0/8 networks.
10) Verify routes using:

show ip route static


PC0
Physical
Config
Desktop
Programming
Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 30.0.0.100
Pinging 30.0.0.100 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 30.0.0.100:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\>ping 30.0.0.10
Pinging 30.0.0.10 with 32 bytes of data:
Request timed out.
Reply from 30.0.0.10: bytes=32 time<1ms TTL=128
Reply from 30.0.0.10: bytes=32 time<1ms TTL=128
Reply from 30.0.0.10: bytes=32 time<1ms TTL=128
Ping statistics for 30.0.0.10:
Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>
Top


PC-PT
PC0
PC-PT
PC1
PC-PT
PC2
PC-PT
PC3

11) Test connectivity from PC0 :

ping 30.0.0.10

12) Test connectivity from PC0 to Server 0

ping 30.0.0.100

13) Verify that packets successfully travel from the left side network to the right side network.

14) To test the back up route, disconnect the main Router 0 - Router 1 link & verify connectivity through the alternate path.

15) Reconnect the cable after completing the test.

RESULT:

Thus, static routing was successfully configured in Cisco Packet Tracer.