

CISC 7404 - Decision Making

Steven Morad

University of Macau

Admin	
Final Project	5
Review	
Actor Critic	
Advantage Actor Critic	
Off-Policy Gradient	28
Trust Regions	37
Proximal Policy Optimization	44

How is homework 2?

How is homework 2?

How is homework 2?

Deadlines

• 1 Quiz next week

How is homework 2?

- 1 Quiz next week
- Final project proposal due day after quiz

How is homework 2?

- 1 Quiz next week
- Final project proposal due day after quiz
- Homework 2 due in 2 weeks

How is homework 2?

- 1 Quiz next week
- Final project proposal due day after quiz
- Homework 2 due in 2 weeks
- Last quiz in ~ 1 month
- Final project ~ 6 weeks

- Actor critic
 - Basic algorithm
 - Advantages
 - Off-policy gradient
 - Trust regions
 - Will not coverPPO

- Actor critic
 - Basic algorithm
 - Advantages
 - Off-policy gradient
 - Trust regions
 - Will not coverPPO

- Policy gradient
 - Expectations, returns, notation
 - Optimization objective
 - ► REINFORCE

- Actor critic
 - Basic algorithm
 - Advantages
 - Off-policy gradient
 - Trust regions
 - Will not coverPPO

- Policy gradient
 - Expectations, returns, notation
 - Optimization objective
 - ► REINFORCE

- Q learning
 - Expectations, returns, notation
 - Different objectives
 - Relationships between V and Q

Quiz next week, topics:

- Actor critic
 - Basic algorithm
 - Advantages
 - Off-policy gradient
 - Trust regions
 - Will not coverPPO

- Policy gradient
 - Expectations, returns, notation
 - Optimization objective
 - ► REINFORCE

- Q learning
 - Expectations, returns, notation
 - Different objectives
 - Relationships between V and Q

Format/difficulty will be similar to last time (3-4 questions, 75 mins)

Quiz next week, topics:

- Actor critic
 - Basic algorithm
 - Advantages
 - Off-policy gradient
 - Trust regions
 - Will not coverPPO

- Policy gradient
 - Expectations, returns, notation
 - Optimization objective
 - ► REINFORCE

- Q learning
 - Expectations, returns, notation
 - Different objectives
 - Relationships between V and Q

Format/difficulty will be similar to last time (3-4 questions, 75 mins)

Continue lecture after quiz next week? Will you be too tired?

Final project information is released

Final project information is released

Suggest project and group members by next Friday (28th)

Final project information is released

Suggest project and group members by next Friday (28th)

Final project information is released

Suggest project and group members by next Friday (28th)

Find (or create) a gymnasium environment

• Ensure your task is MDP

Final project information is released

Suggest project and group members by next Friday (28th)

- Ensure your task is MDP
- Can also try POMDP, but make sure you are prepared!

Final project information is released

Suggest project and group members by next Friday (28th)

- Ensure your task is MDP
- Can also try POMDP, but make sure you are prepared!
- Groups of 5, results should be impressive

Final project information is released

Suggest project and group members by next Friday (28th)

- Ensure your task is MDP
- Can also try POMDP, but make sure you are prepared!
- Groups of 5, results should be impressive
- Due just before final exam study week

Final project information is released

Suggest project and group members by next Friday (28th)

Find (or create) a gymnasium environment

- Ensure your task is MDP
- Can also try POMDP, but make sure you are prepared!
- Groups of 5, results should be impressive
- Due just before final exam study week

https://ummoodle.um.edu.mo/pluginfile.php/6900679/mod_resource/content/6/project.pdf

Review

Today, we will investigate modern forms of policy gradient

Today, we will investigate modern forms of policy gradient

These forms of policy gradient also learn Q or V functions jointly

Today, we will investigate modern forms of policy gradient


These forms of policy gradient also learn Q or V functions jointly

We will learn the prerequisites to implement PPO, the most popular RL algorithm

Today, we will investigate modern forms of policy gradient

These forms of policy gradient also learn Q or V functions jointly

We will learn the prerequisites to implement PPO, the most popular RL algorithm



Recall the policy gradient

Recall the policy gradient

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Recall the policy gradient

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

We previously computed the Monte Carlo policy gradient (REINFORCE)

Recall the policy gradient

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

We previously computed the Monte Carlo policy gradient (REINFORCE)

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \sum_{t=0}^{\infty} \gamma^t \hat{\mathbb{E}}[\mathcal{R}(s_{t+1}) \mid s_0; \boldsymbol{\theta}_{\pi}]$$

Recall the policy gradient

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

We previously computed the Monte Carlo policy gradient (REINFORCE)

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \sum_{t=0}^{\infty} \gamma^t \hat{\mathbb{E}}[\mathcal{R}(s_{t+1}) \mid s_0; \boldsymbol{\theta}_{\pi}]$$

Question: Why don't we always use Monte Carlo?

Recall the policy gradient

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

We previously computed the Monte Carlo policy gradient (REINFORCE)

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \sum_{t=0}^{\infty} \gamma^t \hat{\mathbb{E}}[\mathcal{R}(s_{t+1}) \mid s_0; \boldsymbol{\theta}_{\pi}]$$

Question: Why don't we always use Monte Carlo?

Answer: Requires collecting an infinite sequence of rewards!

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \sum_{t=0}^{\infty} \gamma^t \hat{\mathbb{E}}[\mathcal{R}(s_{t+1}) \mid s_0; \boldsymbol{\theta}_{\pi}]$$

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \sum_{t=0}^{\infty} \gamma^t \hat{\mathbb{E}}[\mathcal{R}(s_{t+1}) \mid s_0; \boldsymbol{\theta}_{\pi}]$$

Question: Other way to compute $\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}]$?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \sum_{t=0}^{\infty} \gamma^t \hat{\mathbb{E}}[\mathcal{R}(s_{t+1}) \mid s_0; \boldsymbol{\theta}_{\pi}]$$

Question: Other way to compute $\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}]$?

Answer: Can use Q or V function with TD objective

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_\pi] = \sum_{t=0}^\infty \gamma^t \hat{\mathbb{E}}[\mathcal{R}(s_{t+1}) \mid s_0; \theta_\pi]$$

Question: Other way to compute $\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}]$?

Answer: Can use Q or V function with TD objective

$$V(s_0, \theta_{\pi}) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0, \theta_{\pi}] + \gamma V(s_1, \theta_{\pi})$$

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_\pi] = \sum_{t=0}^\infty \gamma^t \hat{\mathbb{E}}[\mathcal{R}(s_{t+1}) \mid s_0; \theta_\pi]$$

Question: Other way to compute $\mathbb{E}[\mathcal{G}(\tau) \mid s_0; \theta_{\pi}]$?

Answer: Can use Q or V function with TD objective

$$V(s_0,\theta_\pi) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0,\theta_\pi] + \gamma V(s_1,\theta_\pi)$$

$$Q(s_0, a_0, \theta_{\pi}) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_{\pi}] + \gamma Q(s_1, a_1, \theta_{\pi})$$

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_\pi] = \sum_{t=0}^\infty \gamma^t \hat{\mathbb{E}}[\mathcal{R}(s_{t+1}) \mid s_0; \theta_\pi]$$

Question: Other way to compute $\mathbb{E}[\mathcal{G}(\tau) \mid s_0; \theta_{\pi}]$?

Answer: Can use Q or V function with TD objective

$$V(s_0,\theta_\pi) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0,\theta_\pi] + \gamma V(s_1,\theta_\pi)$$

$$Q(s_0, a_0, \theta_\pi) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma Q(s_1, a_1, \theta_\pi)$$

I want to quickly repeat the relationship between V and Q

$$\begin{split} V(s_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, \theta_\pi] + \gamma V(s_1, \theta_\pi) \\ Q(s_0, a_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma Q(s_1, a_1, \theta_\pi) \end{split}$$

$$\begin{split} V(s_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, \theta_\pi] + \gamma V(s_1, \theta_\pi) \\ Q(s_0, a_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma Q(s_1, a_1, \theta_\pi) \end{split}$$

Q and V are closely related, we derived Q from V

$$\begin{split} V(s_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, \theta_\pi] + \gamma V(s_1, \theta_\pi) \\ Q(s_0, a_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma Q(s_1, a_1, \theta_\pi) \end{split}$$

Q and V are closely related, we derived Q from V

$$Q(s_0, a_0, \theta_{\pi}) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_{\pi}] + \gamma V(s_1, \theta_{\pi})$$

$$\begin{split} V(s_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, \theta_\pi] + \gamma V(s_1, \theta_\pi) \\ Q(s_0, a_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma Q(s_1, a_1, \theta_\pi) \end{split}$$

Q and V are closely related, we derived Q from V

$$Q(s_0, a_0, \theta_\pi) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma V(s_1, \theta_\pi)$$

This means we can convert Q to V or V to Q

$$\begin{split} V(s_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, \theta_\pi] + \gamma V(s_1, \theta_\pi) \\ Q(s_0, a_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma Q(s_1, a_1, \theta_\pi) \end{split}$$

Q and V are closely related, we derived Q from V

$$Q(s_0, a_0, \theta_\pi) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma V(s_1, \theta_\pi)$$

This means we can convert Q to V or V to Q

If you choose $a_0 \sim \pi(\cdot \mid s_0; \theta_{\pi})$ for Q

$$\begin{split} V(s_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, \theta_\pi] + \gamma V(s_1, \theta_\pi) \\ Q(s_0, a_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma Q(s_1, a_1, \theta_\pi) \end{split}$$

Q and V are closely related, we derived Q from V

$$Q(s_0, a_0, \theta_\pi) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma V(s_1, \theta_\pi)$$

This means we can convert Q to V or V to Q

If you choose $a_0 \sim \pi(\cdot \mid s_0; \theta_{\pi})$ for Q

$$Q(s_0, a_0, \theta_{\pi}) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_{\pi}] + \gamma V(s_1, \theta_{\pi})$$

$$\begin{split} V(s_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, \theta_\pi] + \gamma V(s_1, \theta_\pi) \\ Q(s_0, a_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma Q(s_1, a_1, \theta_\pi) \end{split}$$

Q and V are closely related, we derived Q from V

$$Q(s_0, a_0, \theta_\pi) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, \theta_\pi] + \gamma V(s_1, \theta_\pi)$$

This means we can convert Q to V or V to Q

If you choose $a_0 \sim \pi(\cdot \mid s_0; \theta_\pi)$ for Q

$$\begin{split} Q(s_0, a_0, \theta_\pi) &= \mathbb{E}[\mathcal{R}(s_1) \mid s_0, \underline{a_0}, \theta_\pi] + \gamma V(s_1, \theta_\pi) \\ &= V(s_0, \theta_\pi) \end{split}$$

Now that V and Q are clear, back to policy gradient

Now that V and Q are clear, back to policy gradient

Policy gradient objective uses the expected policy-conditioned return

Now that V and Q are clear, back to policy gradient

Policy gradient objective uses the expected policy-conditioned return

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Now that V and Q are clear, back to policy gradient

Policy gradient objective uses the expected policy-conditioned return

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Represent expected policy-conditioned return using value function

Now that V and Q are clear, back to policy gradient

Policy gradient objective uses the expected policy-conditioned return

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Represent expected policy-conditioned return using value function

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi})$$

Now that V and Q are clear, back to policy gradient

Policy gradient objective uses the expected policy-conditioned return

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Represent expected policy-conditioned return using value function

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi})$$

Replace MC return with V/Q in policy gradient, call it **actor-critic**

Now that V and Q are clear, back to policy gradient

Policy gradient objective uses the expected policy-conditioned return

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Represent expected policy-conditioned return using value function

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi})$$

Replace MC return with V/Q in policy gradient, call it **actor-critic**

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Now that V and Q are clear, back to policy gradient

Policy gradient objective uses the expected policy-conditioned return

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Represent expected policy-conditioned return using value function

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi})$$

Replace MC return with V/Q in policy gradient, call it **actor-critic** Actor pick action

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \frac{\boldsymbol{\tau}(a_0 \mid s_0; \theta_{\pi})}{\boldsymbol{\tau}(a_0 \mid s_0; \theta_{\pi})}$$

Now that V and Q are clear, back to policy gradient

Policy gradient objective uses the expected policy-conditioned return

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Represent expected policy-conditioned return using value function

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi})$$

Replace MC return with V/Q in policy gradient, call it **actor-critic**Actor pick action

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

$$\uparrow \text{Critic gives actor score}$$

Steven Morad Actor Critic I 14 / 50

Definition: The actor-critic algorithm that jointly trains a policy network and value function

Definition: The actor-critic algorithm that jointly trains a policy network and value function

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{V(s_0, \theta_{\pi,i}, \theta_{V,i})}_{\text{Expected return}} \cdot \nabla_{\theta_{\pi,i}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$

Definition: The actor-critic algorithm that jointly trains a policy network and value function

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{V(s_0, \theta_{\pi,i}, \theta_{V,i})}_{\text{Expected return}} \cdot \nabla_{\theta_{\pi,i}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$

$$\theta_{V,i+1} =$$

$$\underset{\theta_{V,i}}{\arg\min} \underbrace{\left(V\big(s_0,\theta_{\pi,i},\theta_{V,i}\big) - \left(\hat{\mathbb{E}}[\mathcal{R}(s_1) \mid s_0;\theta_{\pi}] + \neg d\gamma V\big(s_0,\theta_{\pi,i},\theta_{V,i}\big)\right)\right)^2}_{\text{TD error}}$$

Definition: The actor-critic algorithm that jointly trains a policy network and value function

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{V(s_0, \theta_{\pi,i}, \theta_{V,i})}_{\text{Expected return}} \cdot \nabla_{\theta_{\pi,i}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$

$$\theta_{V,i+1} =$$

$$\underset{\theta_{V,i}}{\operatorname{arg\;min}} \underbrace{\left(V\big(s_0,\theta_{\pi,i},\theta_{V,i}\big) - \left(\hat{\mathbb{E}}[\mathcal{R}(s_1) \mid s_0;\theta_{\pi}] + \neg d\gamma V\big(s_0,\theta_{\pi,i},\theta_{V,i}\big)\right)\right)^2}_{\text{TD\;error}}$$

Repeat process until convergence: $\theta_{\pi,i+1} = \theta_{\pi,i}, \quad \theta_{V,i+1} = \theta_{V,i}$

Definition: The actor-critic algorithm that jointly trains a policy network and value function

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{V(s_0,\theta_{\pi,i},\theta_{V,i})}_{\text{Expected return}} \cdot \nabla_{\theta_{\pi,i}} \log \pi (a_0 \mid s_0;\theta_{\pi,i})$$

$$\theta_{V,i+1} =$$

$$\underset{\theta_{V,i}}{\operatorname{arg\;min}} \underbrace{\left(V\big(s_0,\theta_{\pi,i},\theta_{V,i}\big) - \left(\hat{\mathbb{E}}[\mathcal{R}(s_1) \mid s_0;\theta_{\pi}] + \neg d\gamma V\big(s_0,\theta_{\pi,i},\theta_{V,i}\big)\right)\right)^2}_{\text{TD\;error}}$$

Repeat process until convergence: $\theta_{\pi,i+1} = \theta_{\pi,i}, \quad \theta_{V,i+1} = \theta_{V,i}$

Can train policy with single transition s_0, a_0, s_1, r_0, d_0

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Any scenarios where reward is always negative?

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Any scenarios where reward is always negative?

Answer: Distance to goal, $\mathcal{R}(s_{t+1}) = -(s_{t+1} - s_g)^2$

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Any scenarios where reward is always negative?

Answer: Distance to goal, $\mathcal{R}(s_{t+1}) = -(s_{t+1} - s_g)^2$

Question: What happens to return if reward is always negative?

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Any scenarios where reward is always negative?

Answer: Distance to goal, $\mathcal{R}(s_{t+1}) = - \left(s_{t+1} - s_g\right)^2$

Question: What happens to return if reward is always negative?

Answer: Return always negative

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Any scenarios where reward is always negative?

Answer: Distance to goal, $\mathcal{R}(s_{t+1}) = - \left(s_{t+1} - s_g\right)^2$

Question: What happens to return if reward is always negative?

Answer: Return always negative

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_{\pi}] = - \mid V(s_0, \theta_{\pi}) \mid \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Any scenarios where reward is always negative?

Answer: Distance to goal, $\mathcal{R}(s_{t+1}) = - \left(s_{t+1} - s_g\right)^2$

Question: What happens to return if reward is always negative?

Answer: Return always negative

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = - \mid V(s_0, \theta_{\pi}) \mid \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Similar results if reward is always positive

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = V(s_0, \theta_{\pi}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Any scenarios where reward is always negative?

Answer: Distance to goal, $\mathcal{R}(s_{t+1}) = - \left(s_{t+1} - s_g\right)^2$

Question: What happens to return if reward is always negative?

Answer: Return always negative

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = - \mid V(s_0, \theta_{\pi}) \mid \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Similar results if reward is always positive

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_{\pi}] = \mid V(s_0, \theta_{\pi}) \mid \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_{\pi}] = - \mid V(s_0, \theta_{\pi}) \mid \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = - \mid V(s_0, \theta_{\pi}) \mid \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Example: MDP with one state and continuous actions, negative reward

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = - \mid V(s_0, \theta_{\pi}) \mid \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Example: MDP with one state and continuous actions, negative reward

Sample k transitions $(s_0, a_0, r_0, d_0, s_1)$ for each policy update

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_{\pi}] = - \mid V(s_0, \theta_{\pi}) \mid \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Example: MDP with one state and continuous actions, negative reward

Sample k transitions $(s_0, a_0, r_0, d_0, s_1)$ for each policy update


What if we cannot sample all possible actions?

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_{\pi}] = - \mid V(s_0, \theta_{\pi}) \mid \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Example: MDP with one state and continuous actions, negative reward

Sample k transitions $(s_0, a_0, r_0, d_0, s_1)$ for each policy update

What if we cannot sample all possible actions?




$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_{\pi}] = - \mid V(s_0, \theta_{\pi}) \mid \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$


Example: MDP with one state and continuous actions, negative reward


Sample k transitions $(s_0, a_0, r_0, d_0, s_1)$ for each policy update

What if we cannot sample all possible actions?




https://media0.giphy.com/media/v1.Y2lkPTc5MGI3NjExeGdqZm56 NDgzcmY2Ym95dG13Ynczdm9lbDY0cGpjczdtMHBmcnJmMSZlcD12MV 9pbnRlcm5hbF9naWZfYnlfaWQmY3Q9Zw/MVUyVpyjakkRW/giphy.gif






Policy keeps oscillating, can destabilize learning



Policy keeps oscillating, can destabilize learning


Question: If we take 8 actions, will this fix it?

a a a a a a




a a a a a a

Question: Any solutions?




a a a a a a

Question: Any solutions?



Hint: Think about the mean of the return

a a a a a a




Question: Any solutions?

Hint: Think about the mean of the return

Answer: Recenter return such that mean is zero






Question: Any solutions?

Hint: Think about the mean of the return

Answer: Recenter return such that mean is zero

Does not completely solve issue, maybe $\mathcal{R}(s_A) < 0$

What if we:



Question: Any solutions?

Hint: Think about the mean of the return


Answer: Recenter return such that mean is zero

Does not completely solve issue, maybe $\mathcal{R}(s_A) < 0$

What if we:

Almost never update policy





Question: Any solutions?

Hint: Think about the mean of the return

Answer: Recenter return such that mean is zero

Does not completely solve issue, maybe $\mathcal{R}(s_A) < 0$

What if we:

- Almost never update policy
- Update the policy only if action is better/worse than expected

Question: What is the expected performance of the policy?

Question: What is the expected performance of the policy?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = V(s_0, \boldsymbol{\theta}_{\pi})$$

Question: What is the expected performance of the policy?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = V(s_0, \boldsymbol{\theta}_{\pi})$$

Question: What is the expected performance of a specific action?

Question: What is the expected performance of the policy?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = V(s_0, \boldsymbol{\theta}_{\pi})$$

Question: What is the expected performance of a specific action?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0; \boldsymbol{\theta}_{\pi}] = Q(s_0, a_0, \boldsymbol{\theta}_{\pi})$$

Question: What is the expected performance of the policy?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = V(s_0, \boldsymbol{\theta}_{\pi})$$

Question: What is the expected performance of a specific action?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0; \boldsymbol{\theta}_{\pi}] = Q(s_0, a_0, \boldsymbol{\theta}_{\pi})$$

Question: How can we tell if an action is better/worse than expected?

Question: What is the expected performance of the policy?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = V(s_0, \boldsymbol{\theta}_{\pi})$$

Question: What is the expected performance of a specific action?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0; \boldsymbol{\theta}_{\pi}] = Q(s_0, a_0, \boldsymbol{\theta}_{\pi})$$

Question: How can we tell if an action is better/worse than expected?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0; \boldsymbol{\theta}_{\pi}] - \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}]$$

Question: What is the expected performance of the policy?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = V(s_0, \boldsymbol{\theta}_{\pi})$$

Question: What is the expected performance of a specific action?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0; \boldsymbol{\theta}_{\pi}] = Q(s_0, a_0, \boldsymbol{\theta}_{\pi})$$

Question: How can we tell if an action is better/worse than expected?

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0; \theta_\pi] - \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0; \theta_\pi] = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

We call this the **advantage**, tells us if we should change policy

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

We call this the advantage, tells us if we should change policy

If a_0 produces better than expected return, increase policy probability

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

We call this the **advantage**, tells us if we should change policy

If a_0 produces better than expected return, increase policy probability

$$\theta_{\pi,i+1} = \theta_{\pi,i} + |A(s_0, a_0, \theta_{\pi,i})| \cdot \nabla_{\theta_{\pi,i}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

We call this the **advantage**, tells us if we should change policy

If a_0 produces better than expected return, increase policy probability

$$\theta_{\pi,i+1} = \theta_{\pi,i} + |A(s_0, a_0, \theta_{\pi,i})| \cdot \nabla_{\theta_{\pi,i}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$

If action a_0 produces worse return than expected, reduce probability

$$\theta_{\pi,i+1} = \theta_{\pi,i} - | \ A\big(s_0, a_0, \theta_{\pi,i}\big) \ | \cdot \nabla_{\theta_{\pi,i}} \log \pi \big(a_0 \ | \ s_0; \theta_{\pi,i}\big)$$

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

We call this the **advantage**, tells us if we should change policy

If a_0 produces better than expected return, increase policy probability

$$\theta_{\pi,i+1} = \theta_{\pi,i} + |A(s_0, a_0, \theta_{\pi,i})| \cdot \nabla_{\theta_{\pi,i}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$


If action a_0 produces worse return than expected, reduce probability

$$\theta_{\pi,i+1} = \theta_{\pi,i} - | A(s_0, a_0, \theta_{\pi,i}) | \cdot \nabla_{\theta_{\pi,i}} \log \pi(a_0 | s_0; \theta_{\pi,i})$$


If action a_0 produced expected return, do nothing $\theta_{\pi,i+1} = \theta_{\pi,i} + 0$

The policy will not oscillate – policy only changes if it improves return

The policy will not oscillate – policy only changes if it improves return



The policy will not oscillate – policy only changes if it improves return



Results in more stable training and faster convergence

Definition: The advantage A determines the relative advantage/disadvantage of taking an action a_0 in state s_0 for a policy θ_{π}

Definition: The advantage A determines the relative advantage/disadvantage of taking an action a_0 in state s_0 for a policy θ_{π}

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

Advantage requires both Q and V

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

Advantage requires both Q and V

But earlier, we saw Q = V in some circumstances

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

Advantage requires both Q and V

But earlier, we saw Q = V in some circumstances

Question: Can we replace Q with V? How?

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

Advantage requires both Q and V

But earlier, we saw Q = V in some circumstances

Question: Can we replace Q with V? How?

HINT: Think about TD error, will write as $A(s_0, s_1, r_0, \theta_{\pi})$

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

Advantage requires both Q and V

But earlier, we saw Q = V in some circumstances

Question: Can we replace Q with V? How?

HINT: Think about TD error, will write as $A(s_0, s_1, r_0, \theta_\pi)$

$$A(s_0, s_1, r_0, \theta_\pi) = -\underbrace{V(s_0, \theta_\pi)}_{\text{What we expect}} + \underbrace{\left(\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] + \neg d\gamma V(s_1, \theta_\pi)\right)}_{\text{What happens}}$$

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

Advantage requires both Q and V

But earlier, we saw Q = V in some circumstances

Question: Can we replace Q with V? How?

HINT: Think about TD error, will write as $A(s_0,s_1,r_0,\theta_\pi)$

$$A(s_0, s_1, r_0, \theta_\pi) = -\underbrace{V(s_0, \theta_\pi)}_{\text{What we expect}} + \underbrace{\left(\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] + \neg d\gamma V(s_1, \theta_\pi)\right)}_{\text{What happens}}$$

Better than expected: |A| > 0

$$A(s_0, a_0, \theta_\pi) = Q(s_0, a_0, \theta_\pi) - V(s_0, \theta_\pi)$$

Advantage requires both Q and V

But earlier, we saw Q = V in some circumstances

Question: Can we replace Q with V? How?

HINT: Think about TD error, will write as $A(s_0, s_1, r_0, \theta_\pi)$

$$A(s_0, s_1, r_0, \theta_\pi) = -\underbrace{V(s_0, \theta_\pi)}_{\text{What we expect}} + \underbrace{\left(\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] + \neg d\gamma V(s_1, \theta_\pi)\right)}_{\text{What happens}}$$

Better than expected: |A| > 0 , worse than expected |A| < 0

$$A(s_0,s_1,r_0,\theta_\pi,\theta_V) = -V(s_0,\theta_\pi,\theta_V) + \underbrace{\hat{\mathbb{E}}[\mathcal{R}(s_1) \mid s_0;\theta_\pi]}_{r_0} + \neg d\gamma V(s_1,\theta_\pi,\theta_V)$$

$$A(s_0,s_1,r_0,\theta_\pi,\theta_V) = -V(s_0,\theta_\pi,\theta_V) + \underbrace{\hat{\mathbb{E}}[\mathcal{R}(s_1) \mid s_0;\theta_\pi]}_{r_0} + \neg d\gamma V(s_1,\theta_\pi,\theta_V)$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{A(s_0, \theta_{\pi,i}, \theta_{V,i})}_{\text{Advantage}} \cdot \underbrace{\nabla_{\theta_{\pi,i}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})}_{\text{Policy gradient}}$$

$$A(s_0,s_1,r_0,\theta_\pi,\theta_V) = -V(s_0,\theta_\pi,\theta_V) + \underbrace{\hat{\mathbb{E}}[\mathcal{R}(s_1) \mid s_0;\theta_\pi]}_{r_0} + \neg d\gamma V(s_1,\theta_\pi,\theta_V)$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{A(s_0, \theta_{\pi,i}, \theta_{V,i})}_{\text{Advantage}} \cdot \underbrace{\nabla_{\theta_{\pi,i}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})}_{\text{Policy gradient}}$$

$$\theta_{V,i+1} =$$

$$\underset{\theta_{V,i}}{\operatorname{arg\;min}} \underbrace{\left(V\big(s_0,\theta_{\pi,i},\theta_{V,i}\big) - \left(\hat{\mathbb{E}}[\mathcal{R}(s_1) \mid s_0;\theta_{\pi}] + \neg d\gamma V\big(s_0,\theta_{\pi,i},\theta_{V,i}\big)\right)\right)^2}_{\text{TD\;error}}$$

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Is policy gradient off-policy or on-policy?

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Is policy gradient off-policy or on-policy?

Answer: On-policy, expected return depends on θ_{π}

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Is policy gradient off-policy or on-policy?

Answer: On-policy, expected return depends on θ_π

Question: Why do we care about being off-policy?

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Is policy gradient off-policy or on-policy?

Answer: On-policy, expected return depends on θ_{π}

Question: Why do we care about being off-policy?

Answer: Algorithm can reuse data, much more efficient

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Is policy gradient off-policy or on-policy?

Answer: On-policy, expected return depends on θ_{π}

Question: Why do we care about being off-policy?

Answer: Algorithm can reuse data, much more efficient

Question: What do we need to make policy gradient off-policy?

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Is policy gradient off-policy or on-policy?

Answer: On-policy, expected return depends on θ_π

Question: Why do we care about being off-policy?

Answer: Algorithm can reuse data, much more efficient

Question: What do we need to make policy gradient off-policy?

 $\text{Must approximate } \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] \text{ using } \mathbb{E}\big[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\beta}\big]$

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Is policy gradient off-policy or on-policy?

Answer: On-policy, expected return depends on θ_{π}

Question: Why do we care about being off-policy?

Answer: Algorithm can reuse data, much more efficient

Question: What do we need to make policy gradient off-policy?

Must approximate $\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \frac{\boldsymbol{\theta_{\pi}}}{\boldsymbol{\theta_{\pi}}}]$ using $\mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \frac{\boldsymbol{\theta_{\beta}}}{\boldsymbol{\theta_{\beta}}}\right]$ Training policy Behavior policy

$$\nabla_{\theta_{\pi}} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi})$$

Question: Is policy gradient off-policy or on-policy?

Answer: On-policy, expected return depends on θ_π

Question: Why do we care about being off-policy?

Answer: Algorithm can reuse data, much more efficient

Question: What do we need to make policy gradient off-policy?

Must approximate
$$\mathbb{E}[\mathcal{G}(\tau) \mid s_0; \theta_{\pi}]$$
 using $\mathbb{E}[\mathcal{G}(\tau) \mid s_0; \theta_{\beta}]$

Training policy

Behavior policy

Question: Any statistics students know how to do this?

In importance sampling, we want to estimate

In importance sampling, we want to estimate

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)]$$

In importance sampling, we want to estimate

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)]$$

Unfortunately, we only have data from

In importance sampling, we want to estimate

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)]$$

Unfortunately, we only have data from

$$\mathbb{E}[f(x) \mid x \sim \Pr(Y)]$$

In importance sampling, we want to estimate

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)]$$

Unfortunately, we only have data from

$$\mathbb{E}[f(x) \mid x \sim \Pr(Y)]$$

We can use their ratio to approximate the expectation

In importance sampling, we want to estimate

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)]$$

Unfortunately, we only have data from

$$\mathbb{E}[f(x) \mid x \sim \Pr(Y)]$$

We can use their ratio to approximate the expectation

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)] = \mathbb{E}\left[f(x) \cdot \frac{\Pr(X)}{\Pr(Y)} \middle| x \sim \Pr(Y)\right]$$

In importance sampling, we want to estimate

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)]$$

Unfortunately, we only have data from

$$\mathbb{E}[f(x) \mid x \sim \Pr(Y)]$$

We can use their ratio to approximate the expectation

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)] = \mathbb{E}\left[f(x) \cdot \frac{\Pr(X)}{\Pr(Y)} \mid x \sim \Pr(Y)\right]$$

Question: How can we use this to make policy gradient off-policy?

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)] = \mathbb{E}\left[f(x) \cdot \frac{\Pr(X)}{\Pr(Y)} \mid x \sim \Pr(Y)\right]$$

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)] = \mathbb{E}\left[f(x) \cdot \frac{\Pr(X)}{\Pr(Y)} \mid x \sim \Pr(Y)\right]$$

Consider our current policy is θ_{π} , we want $\mathbb{E}[\mathcal{G}(\tau) \mid s_0; \theta_{\pi}]$

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)] = \mathbb{E}\left[f(x) \cdot \frac{\Pr(X)}{\Pr(Y)} \mid x \sim \Pr(Y)\right]$$

Consider our current policy is θ_{π} , we want $\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}]$

A **behavior policy** θ_{β} collected the data $\mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau})\mid s_0;\theta_{\beta}\right]$

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)] = \mathbb{E}\left[f(x) \cdot \frac{\Pr(X)}{\Pr(Y)} \mid x \sim \Pr(Y)\right]$$

Consider our current policy is θ_{π} , we want $\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}]$

A behavior policy θ_{β} collected the data $\mathbb{E}\big[\mathcal{G}(m{ au})\mid s_0; \theta_{\beta}\big]$

 θ_{β} can be an old policy or some other policy

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)] = \mathbb{E}\left[f(x) \cdot \frac{\Pr(X)}{\Pr(Y)} \mid x \sim \Pr(Y)\right]$$

Consider our current policy is θ_{π} , we want $\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}]$

A behavior policy θ_{β} collected the data $\mathbb{E}\big[\mathcal{G}(m{ au})\mid s_0; \theta_{\beta}\big]$

 θ_{β} can be an old policy or some other policy

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \,\middle|\, s_0; \theta_\beta\right]$$

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)] = \mathbb{E}\left[f(x) \cdot \frac{\Pr(X)}{\Pr(Y)} \mid x \sim \Pr(Y)\right]$$

Consider our current policy is θ_{π} , we want $\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}]$

A behavior policy θ_{β} collected the data $\mathbb{E}\big[\mathcal{G}(m{ au})\mid s_0; \theta_{\beta}\big]$

 θ_{β} can be an old policy or some other policy

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_{\pi}] = \mathbb{E}\left[\frac{\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_{\pi})}{\pi(a \mid s_0; \theta_{\beta})} \middle| s_0; \theta_{\beta} \right]$$
Reward following θ_{β}

$$\mathbb{E}[f(x) \mid x \sim \Pr(X)] = \mathbb{E}\left[f(x) \cdot \frac{\Pr(X)}{\Pr(Y)} \mid x \sim \Pr(Y)\right]$$

Consider our current policy is θ_{π} , we want $\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}]$

A behavior policy θ_{β} collected the data $\mathbb{E}\big[\mathcal{G}(m{ au})\mid s_0; \theta_{\beta}\big]$

 θ_{β} can be an old policy or some other policy

Reward following θ_{π}

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \boldsymbol{\theta_{\pi}}] = \mathbb{E}\left[\left. \mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \boldsymbol{\theta_{\pi}})}{\pi(a \mid s_0; \boldsymbol{\theta_{\beta}})} \right| s_0; \boldsymbol{\theta_{\beta}} \right]$$
Reward following $\boldsymbol{\theta_{\beta}}$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \,\middle|\, s_0; \theta_\beta\right]$$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \,\middle|\, s_0; \theta_\beta\right]$$

Seems like magic, how does this actually work?

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \, \middle| \, s_0; \theta_\beta\right]$$

Seems like magic, how does this actually work?

Let us find out, start with expected reward from behavior policy

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \, \middle| \, s_0; \theta_\beta\right]$$

Seems like magic, how does this actually work?

Let us find out, start with expected reward from behavior policy

$$\mathbb{E}\big[\mathcal{R}(s_1) \mid s_0; \theta_\beta\big] = \sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \mathrm{Tr}(s_1 \mid s_0, a_0) \pi\big(a_0 \mid s_0; \theta_\beta\big)$$

$$\mathbb{E}\left[\mathcal{R}(s_1) \mid s_0; \theta_{\beta}\right] = \underbrace{\sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \mathrm{Tr}(s_1 \mid s_0, a_0) \pi\left(a_0 \mid s_0; \theta_{\beta}\right)}_{\text{Expected reward}} \underbrace{\frac{\pi(a_0 \mid s_0; \theta_{\beta})}{\pi\left(a_0 \mid s_0; \theta_{\beta}\right)}}_{\text{Correction}}$$

$$\mathbb{E}\left[\mathcal{R}(s_1) \mid s_0; \theta_{\beta}\right] = \underbrace{\sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \operatorname{Tr}(s_1 \mid s_0, a_0) \pi(a_0 \mid s_0; \theta_{\beta})}_{\text{Expected reward}} \underbrace{\frac{\pi(a_0 \mid s_0; \theta_{\pi})}{\pi(a_0 \mid s_0; \theta_{\beta})}}_{\text{Correction}}$$

$$\sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \operatorname{Tr}(s_1 \mid s_0, a_0) \underline{\pi(a_0 \mid s_0; \theta_\beta)} \underline{\frac{\pi(a_0 \mid s_0; \theta_\pi)}{\pi(a_0 \mid s_0; \theta_\beta)}}$$

$$\sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \operatorname{Tr}(s_1 \mid s_0, a_0) \pi(a_0 \mid s_0; \theta_\pi)$$

$$\mathbb{E}\left[\mathcal{R}(s_1) \mid s_0; \theta_{\beta}\right] = \underbrace{\sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \operatorname{Tr}(s_1 \mid s_0, a_0) \pi(a_0 \mid s_0; \theta_{\beta})}_{\text{Expected reward}} \underbrace{\frac{\pi(a_0 \mid s_0; \theta_{\pi})}{\pi(a_0 \mid s_0; \theta_{\beta})}}_{\text{Correction}}$$

$$\sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \operatorname{Tr}(s_1 \mid s_0, a_0) \underline{\pi(a_0 \mid s_0; \theta_\beta)} \underline{\underline{\pi(a_0 \mid s_0; \theta_\beta)}} \underline{\underline{\pi(a_0 \mid s_0; \theta_\beta)}}$$

$$\sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \operatorname{Tr}(s_1 \mid s_0, a_0) \pi(a_0 \mid s_0; \theta_\pi) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi]$$

$$\mathbb{E}\left[\mathcal{R}(s_1) \mid s_0; \theta_{\beta}\right] = \underbrace{\sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \operatorname{Tr}(s_1 \mid s_0, a_0) \pi(a_0 \mid s_0; \theta_{\beta})}_{\text{Expected reward}} \underbrace{\frac{\pi(a_0 \mid s_0; \theta_{\pi})}{\pi(a_0 \mid s_0; \theta_{\beta})}}_{\text{Correction}}$$

$$\sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \operatorname{Tr}(s_1 \mid s_0, a_0) \underline{\pi(a_0 \mid s_0; \theta_\beta)} \underline{\underline{\pi(a_0 \mid s_0; \theta_\beta)}} \underline{\underline{\pi(a_0 \mid s_0; \theta_\beta)}}$$

$$\sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \operatorname{Tr}(s_1 \mid s_0, a_0) \pi(a_0 \mid s_0; \theta_\pi) = \mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi]$$

Left with expected reward following θ_{π}

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \, \middle| \, s_0; \theta_\beta\right]$$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \mathrm{Tr}(s_1 \mid s_0, a_0) \pi \big(a_0 \mid s_0; \theta_\beta\big) \frac{\pi(a_0 \mid s_0; \theta_\pi)}{\pi \big(a_0 \mid s_0; \theta_\beta\big)}$$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \, \middle| \, s_0; \theta_\beta\right]$$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \mathrm{Tr}(s_1 \mid s_0, a_0) \pi \big(a_0 \mid s_0; \theta_\beta\big) \frac{\pi(a_0 \mid s_0; \theta_\pi)}{\pi \big(a_0 \mid s_0; \theta_\beta\big)}$$

We found a way to estimate the off-policy reward

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \,\middle|\, s_0; \theta_\beta\right]$$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \mathrm{Tr}(s_1 \mid s_0, a_0) \pi \big(a_0 \mid s_0; \theta_\beta\big) \frac{\pi(a_0 \mid s_0; \theta_\pi)}{\pi \big(a_0 \mid s_0; \theta_\beta\big)}$$

We found a way to estimate the off-policy reward

Apply the same approach to find the off-policy return (won't derive, trust me)

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \,\middle|\, s_0; \theta_\beta\right]$$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \mathrm{Tr}(s_1 \mid s_0, a_0) \pi \big(a_0 \mid s_0; \theta_\beta\big) \frac{\pi(a_0 \mid s_0; \theta_\pi)}{\pi \big(a_0 \mid s_0; \theta_\beta\big)}$$

We found a way to estimate the off-policy reward

Apply the same approach to find the off-policy return (won't derive, trust me)

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\pi})}{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\beta})} \middle| s_0; \boldsymbol{\theta}_{\beta}\right]$$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \, \middle| \, s_0; \theta_\beta\right]$$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \mathrm{Tr}(s_1 \mid s_0, a_0) \pi \big(a_0 \mid s_0; \theta_\beta\big) \frac{\pi(a_0 \mid s_0; \theta_\pi)}{\pi \big(a_0 \mid s_0; \theta_\beta\big)}$$

We found a way to estimate the off-policy reward

Apply the same approach to find the off-policy return (won't derive,

trust me)

Return following θ_{β}

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \mathbb{E}\left[\mathcal{R}(s_1) \cdot \frac{\pi(a \mid s_0; \theta_\pi)}{\pi(a \mid s_0; \theta_\beta)} \, \middle| \, s_0; \theta_\beta\right]$$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0; \theta_\pi] = \sum_{s_1 \in S} \mathcal{R}(s_1) \sum_{a_0 \in A} \mathrm{Tr}(s_1 \mid s_0, a_0) \pi \big(a_0 \mid s_0; \theta_\beta\big) \frac{\pi(a_0 \mid s_0; \theta_\pi)}{\pi \big(a_0 \mid s_0; \theta_\beta\big)}$$

We found a way to estimate the off-policy reward

Apply the same approach to find the off-policy return (won't derive,

trust me)

Return following θ_{β}

Definition: Off-policy gradient uses importance sampling to learn from off-policy data

Definition: Off-policy gradient uses importance sampling to learn from off-policy data

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \mathbb{E}\left[\left.\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\pi})}{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\beta})} \,\right| s_0; \boldsymbol{\theta}_{\beta}\right]$$

Definition: Off-policy gradient uses importance sampling to learn from off-policy data

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\pi})}{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\beta})} \left| s_0; \boldsymbol{\theta}_{\beta} \right]\right]$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi,i}} \log \pi (a_0 \mid s_0; \theta_{\pi,i})$$

Definition: Off-policy gradient uses importance sampling to learn from off-policy data

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\pi})}{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\beta})} \middle| s_0; \boldsymbol{\theta}_{\beta}\right]$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi,i}} \log \pi (a_0 \mid s_0; \theta_{\pi,i})$$

Note: Wrote MC version for clarity, but you can use V too

Definition: Off-policy gradient uses importance sampling to learn from off-policy data

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\pi})}{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\beta})} \,\middle|\, s_0; \boldsymbol{\theta}_{\beta}\right]$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] \cdot \nabla_{\theta_{\pi,i}} \log \pi (a_0 \mid s_0; \theta_{\pi,i})$$

Note: Wrote MC version for clarity, but you can use V too

$$V\big(s_0, \theta_\pi, \theta_\beta\big) = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^\infty \frac{\pi(a_t \mid s_t; \theta_\pi)}{\pi\big(a_t \mid s_t; \theta_\beta\big)} \,\middle|\, s_0; \theta_\beta\right]$$

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\pi})}{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\beta})} \middle| s_0; \boldsymbol{\theta}_{\beta}\right]$$

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \theta_{\pi})}{\pi(a_t \mid s_t; \theta_{\beta})} \middle| s_0; \theta_{\beta}\right]$$

Why did I tell you policy gradient is on policy?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\pi})}{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\beta})} \middle| s_0; \boldsymbol{\theta}_{\beta}\right]$$

Why did I tell you policy gradient is on policy?

Off-policy gradient does not work in most cases

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \theta_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \theta_{\pi})}{\pi(a_t \mid s_t; \theta_{\beta})} \middle| s_0; \theta_{\beta}\right]$$

Why did I tell you policy gradient is on policy?

Off-policy gradient does not work in most cases

Question: Why?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\pi})}{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\beta})} \middle| s_0; \boldsymbol{\theta}_{\beta}\right]$$

Why did I tell you policy gradient is on policy?

Off-policy gradient does not work in most cases

Question: Why? HINT: What happens to \prod ?

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\pi})}{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\beta})} \middle| s_0; \boldsymbol{\theta}_{\beta}\right]$$

Why did I tell you policy gradient is on policy?

Off-policy gradient does not work in most cases

Question: Why? HINT: What happens to \prod ?

$$\prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \theta_{\pi})}{\pi(a_t \mid s_t; \theta_{\beta})} \to 0, \infty$$

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0; \boldsymbol{\theta}_{\pi}] = \mathbb{E}\left[\mathcal{G}(\boldsymbol{\tau}) \prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\pi})}{\pi(a_t \mid s_t; \boldsymbol{\theta}_{\beta})} \middle| s_0; \boldsymbol{\theta}_{\beta}\right]$$

Why did I tell you policy gradient is on policy?

Off-policy gradient does not work in most cases

Question: Why? HINT: What happens to \prod ?

$$\prod_{t=0}^{\infty} \frac{\pi(a_t \mid s_t; \theta_{\pi})}{\pi(a_t \mid s_t; \theta_{\beta})} \to 0, \infty$$

Only works if $\pi(a_t \mid s_t; \theta_\pi) \approx \pi(a_t \mid s_t; \theta_\beta) \quad \forall t$

Training policies in RL is difficult


Training policies in RL is difficult

We often see strange results during training

Training policies in RL is difficult

We often see strange results during training


ep_rew_mean tag: rollout/ep_rew_mean



Training policies in RL is difficult


We often see strange results during training






Question: Any idea why?

train tag: Loss/train




train tag: Loss/train



See it in supervised learning too


train tag: Loss/train



See it in supervised learning too

Sometimes, the gradient is inaccurate producing a bad update

train tag: Loss/train




See it in supervised learning too

Sometimes, the gradient is inaccurate producing a bad update

In supervised learning, the network can easily recover

train tag: Loss/train




See it in supervised learning too

Sometimes, the gradient is inaccurate producing a bad update

In supervised learning, the network can easily recover

With policy gradient, it is much harder to recover





See it in supervised learning too


Sometimes, the gradient is inaccurate producing a bad update

In supervised learning, the network can easily recover


With policy gradient, it is much harder to recover

Question: Why is it harder to recover with policy gradient?

ep_rew_mean tag: rollout/ep_rew_mean




ep_rew_mean tag: rollout/ep_rew_mean



Our policy provides the training data $a \sim \pi(\cdot \mid s; \theta_{\pi})$


ep_rew_mean tag: rollout/ep_rew_mean



Our policy provides the training data $a \sim \pi(\cdot \mid s; \theta_\pi)$

One bad update breaks the policy

ep_rew_mean tag: rollout/ep_rew_mean




Our policy provides the training data $a \sim \pi(\cdot \mid s; \theta_\pi)$

One bad update breaks the policy

Policy collects useless data

ep_rew_mean tag: rollout/ep_rew_mean




Our policy provides the training data $a \sim \pi(\cdot \mid s; \theta_{\pi})$

One bad update breaks the policy

Policy collects useless data

Bad data = no policy recovery!

ep_rew_mean tag: rollout/ep_rew_mean




Our policy provides the training data $a \sim \pi(\cdot \mid s; \theta_{\pi})$


One bad update breaks the policy

Policy collects useless data

Bad data = no policy recovery!

Off-policy methods recover with "good" data from replay buffer, on-policy cannot





Our policy provides the training data $a \sim \pi(\cdot \mid s; \theta_{\pi})$

One bad update breaks the policy

Policy collects useless data

Bad data = no policy recovery!

Off-policy methods recover with "good" data from replay buffer, on-policy cannot

Must be very careful when updating policy using on-policy algorithms

We can fix this issue with small changes to the policy

We can fix this issue with small changes to the policy

Question: How can we make policy changes small?

We can fix this issue with small changes to the policy

Question: How can we make policy changes small?

Lower learning rate? Can help a little

We can fix this issue with small changes to the policy

Question: How can we make policy changes small?

Lower learning rate? Can help a little

Small parameter change can cause large changes in deep networks

We can fix this issue with small changes to the policy

Question: How can we make policy changes small?

Lower learning rate? Can help a little

Small parameter change can cause large changes in deep networks

$$\pi \big(a \mid s_A; \theta_{\pi,i} \big) = \begin{bmatrix} 0.4 \\ 0.6 \end{bmatrix}$$

We can fix this issue with small changes to the policy

Question: How can we make policy changes small?

Lower learning rate? Can help a little

Small parameter change can cause large changes in deep networks

$$\pi(a \mid s_A; \theta_{\pi,i}) = \begin{bmatrix} 0.4 \\ 0.6 \end{bmatrix} \qquad \qquad \pi(a \mid s_A; \theta_{\pi,i+1}) = \begin{bmatrix} 1.0 \\ 0.0 \end{bmatrix}$$

We can fix this issue with small changes to the policy

Question: How can we make policy changes small?

Lower learning rate? Can help a little

Small parameter change can cause large changes in deep networks

$$\pi(a \mid s_A; \theta_{\pi,i}) = \begin{bmatrix} 0.4 \\ 0.6 \end{bmatrix} \qquad \qquad \pi(a \mid s_A; \theta_{\pi,i+1}) = \begin{bmatrix} 1.0 \\ 0.0 \end{bmatrix}$$

Parameter-space constraints (learning rate) does not work very well!

We can fix this issue with small changes to the policy

Question: How can we make policy changes small?

Lower learning rate? Can help a little

Small parameter change can cause large changes in deep networks

$$\pi(a \mid s_A; \theta_{\pi,i}) = \begin{bmatrix} 0.4 \\ 0.6 \end{bmatrix} \qquad \qquad \pi(a \mid s_A; \theta_{\pi,i+1}) = \begin{bmatrix} 1.0 \\ 0.0 \end{bmatrix}$$

Parameter-space constraints (learning rate) does not work very well!

Question: What else can we constrain?

We can fix this issue with small changes to the policy

Question: How can we make policy changes small?

Lower learning rate? Can help a little

Small parameter change can cause large changes in deep networks

$$\pi\big(a\mid s_A;\theta_{\pi,i}\big) = \begin{bmatrix} 0.4\\0.6 \end{bmatrix} \qquad \qquad \pi\big(a\mid s_A;\theta_{\pi,i+1}\big) = \begin{bmatrix} 1.0\\0.0 \end{bmatrix}$$

Parameter-space constraints (learning rate) does not work very well!

Question: What else can we constrain?

Answer: The action distributions

Can measure the difference in distributions using KL divergence

Can measure the difference in distributions using KL divergence

$$\mathrm{KL}[\mathrm{Pr}(X),\mathrm{Pr}(Y)]\in[0,\infty]$$

Can measure the difference in distributions using KL divergence

$$\mathrm{KL}[\mathrm{Pr}(X),\mathrm{Pr}(Y)] \in [0,\infty]$$

Policies are just action distributions

Can measure the difference in distributions using KL divergence

$$\mathrm{KL}[\mathrm{Pr}(X),\mathrm{Pr}(Y)] \in [0,\infty]$$

Policies are just action distributions

$$\mathrm{KL}\big[\pi\big(a\mid s;\theta_{\pi,i}\big),\pi\big(a\mid s;\theta_{\pi,i+1}\big)\big]$$

Can measure the difference in distributions using KL divergence

$$\mathrm{KL}[\mathrm{Pr}(X),\mathrm{Pr}(Y)] \in [0,\infty]$$

Policies are just action distributions

$$\mathrm{KL}\big[\pi\big(a\mid s;\theta_{\pi,i}\big),\pi\big(a\mid s;\theta_{\pi,i+1}\big)\big]$$

Introduce **trust region** k to prevent large policy changes

Can measure the difference in distributions using KL divergence

$$\mathrm{KL}[\mathrm{Pr}(X),\mathrm{Pr}(Y)]\in[0,\infty]$$

Policies are just action distributions

$$\mathrm{KL}\big[\pi\big(a\mid s;\theta_{\pi,i}\big),\pi\big(a\mid s;\theta_{\pi,i+1}\big)\big]$$

Introduce **trust region** k to prevent large policy changes

$$\theta_{\pi,i+1} = V(s_0, \theta_{\pi,i}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$

Can measure the difference in distributions using KL divergence

$$\mathrm{KL}[\mathrm{Pr}(X),\mathrm{Pr}(Y)]\in[0,\infty]$$

Policies are just action distributions

$$\mathrm{KL}\big[\pi\big(a\mid s;\theta_{\pi,i}\big),\pi\big(a\mid s;\theta_{\pi,i+1}\big)\big]$$

Introduce **trust region** k to prevent large policy changes

$$\theta_{\pi,i+1} = V(s_0, \theta_{\pi,i}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$

s.t.
$$\mathrm{KL}\left[\pi(a \mid s; \theta_{\pi,i}), \pi(a \mid s; \theta_{\pi,i+1})\right] < k$$

Can measure the difference in distributions using KL divergence

$$\mathrm{KL}[\mathrm{Pr}(X),\mathrm{Pr}(Y)]\in[0,\infty]$$

Policies are just action distributions

$$\mathrm{KL}\big[\pi\big(a\mid s;\theta_{\pi,i}\big),\pi\big(a\mid s;\theta_{\pi,i+1}\big)\big]$$

Introduce **trust region** k to prevent large policy changes

$$\theta_{\pi,i+1} = V(s_0, \theta_{\pi,i}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$
s.t. $\text{KL}[\pi(a \mid s; \theta_{\pi,i}), \pi(a \mid s; \theta_{\pi,i+1})] < k$

See Trust Region Policy Optimization (TRPO), Natural Policy Gradient

$$\theta_{\pi,i+1} = V(s_0, \theta_{\pi,i}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$

s.t.
$$\mathrm{KL}\left[\pi\left(a\mid s;\theta_{\pi,i}\right),\pi\left(a\mid s;\theta_{\pi,i+1}\right)\right] < k$$

$$\theta_{\pi,i+1} = V(s_0, \theta_{\pi,i}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$
s.t. $\text{KL}[\pi(a \mid s; \theta_{\pi,i}), \pi(a \mid s; \theta_{\pi,i+1})] < k$

Constrained optimization can be expensive and tricky to implement

$$\theta_{\pi,i+1} = V(s_0, \theta_{\pi,i}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$

$$s.t. \ \mathrm{KL} \big[\pi \big(a \mid s; \theta_{\pi,i} \big), \pi \big(a \mid s; \theta_{\pi,i+1} \big) \big] < k$$

Constrained optimization can be expensive and tricky to implement

Often requires inverting the gradient or computing Hessian

$$\theta_{\pi,i+1} = V(s_0, \theta_{\pi,i}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$

$$s.t. \ \mathrm{KL} \big[\pi \big(a \mid s; \theta_{\pi,i} \big), \pi \big(a \mid s; \theta_{\pi,i+1} \big) \big] < k$$

Constrained optimization can be expensive and tricky to implement

Often requires inverting the gradient or computing Hessian

Hack: Add KL term to the objective (soft constraint)

$$\theta_{\pi,i+1} = V(s_0, \theta_{\pi,i}) \cdot \nabla_{\theta_{\pi}} \log \pi(a_0 \mid s_0; \theta_{\pi,i})$$
s.t.
$$KL[\pi(a \mid s; \theta_{\pi,i}), \pi(a \mid s; \theta_{\pi,i+1})] < k$$

Constrained optimization can be expensive and tricky to implement

Often requires inverting the gradient or computing Hessian

Hack: Add KL term to the objective (soft constraint)

$$\begin{aligned} \theta_{\pi,i+1} &= V\big(s_0, \theta_{\pi,i}\big) \cdot \nabla_{\theta_{\pi,i}} \big[\log \pi \big(a_0 \mid s_0; \theta_{\pi,i}\big)\big] \\ &- \rho \nabla_{\theta_{\pi,i+1}} \big[\mathrm{KL}\big[\pi \big(a \mid s; \theta_{\pi,i}\big), \pi \big(a \mid s; \theta_{\pi,i+1}\big)\big]\big] \end{aligned}$$

Proximal policy optimization (PPO) combines all we learned today

• Value function for policy gradient (actor critic)

- Value function for policy gradient (actor critic)
- Advantage (stable updates, faster convergence)

- Value function for policy gradient (actor critic)
- Advantage (stable updates, faster convergence)
- Off-policy gradient (data efficiency)

- Value function for policy gradient (actor critic)
- Advantage (stable updates, faster convergence)
- Off-policy gradient (data efficiency)
- Trust regions (stable updates, prevents policy collapse)

Proximal policy optimization (PPO) combines all we learned today

- Value function for policy gradient (actor critic)
- Advantage (stable updates, faster convergence)
- Off-policy gradient (data efficiency)
- Trust regions (stable updates, prevents policy collapse)

Let us see a pseudocode PPO update

```
for epoch in range(epochs):
    batch = collect rollout(theta beta)
   # Minibatching learns much faster
    # but is very slightly off-policy!
    for minibatch in batch:
        theta pi = update pi(
            theta pi, theta beta, theta V, batch
        theta V = update V(theta V, batch)
    theta beta = theta pi
```

There are different variations of PPO

There are different variations of PPO

- PPO clip
- PPO KL penalty
- PPO clip + KL penalty
- PPO clip + KL penalty + entropy bonus

There are different variations of PPO

- PPO clip
- PPO KL penalty
- PPO clip + KL penalty
- PPO clip + KL penalty + entropy bonus

We will focus on the simplest version (PPO KL penalty)

$$\theta_{\pi,i+1} =$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{\left(\frac{\pi(a \mid s; \theta_{\pi,i})}{\pi(a \mid s; \theta_{\beta})} A(s_0, s_1, r_0, \theta_{\beta}, \theta_V)\right)}_{\text{Value}}$$

$$\left. \cdot \left(\nabla_{\theta_{\pi,i}} \left[\log \pi \left(a_0 \mid s_0; \theta_{\pi,i} \right) \right] - \rho \nabla_{\theta_{\pi,i+1}} \left[\operatorname{KL} \left[\pi \left(a_0 \mid s_0; \theta_{\beta} \right), \pi \left(a_0 \mid s_0; \theta_{\pi,i+1} \right) \right] \right] \right) \right] \right) \right] + \left[\operatorname{KL} \left[\operatorname{KL} \left[\pi \left(a_0 \mid s_0; \theta_{\beta} \right), \pi \left(a_0 \mid s_0; \theta_{\pi,i+1} \right) \right] \right] \right] \right] \right] + \left[\operatorname{KL} \left[\operatorname{KL} \left[\pi \left(a_0 \mid s_0; \theta_{\beta} \right), \pi \left(a_0 \mid s_0; \theta_{\pi,i+1} \right) \right] \right] \right] \right] \right] \right] + \left[\operatorname{KL} \left[\operatorname{KL} \left[\pi \left(a_0 \mid s_0; \theta_{\beta} \right), \pi \left(a_0 \mid s_0; \theta_{\pi,i+1} \right) \right] \right] \right] \right] \right]$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{\left(\frac{\pi(a \mid s; \theta_{\pi,i})}{\pi(a \mid s; \theta_{\beta})} \right. A(s_0, s_1, r_0, \theta_{\beta}, \theta_V)\right)}_{\text{Value}}$$

$$\left. \cdot \left(\nabla_{\theta_{\pi,i}} \left[\log \pi \big(a_0 \mid s_0; \theta_{\pi,i} \big) \right] - \rho \nabla_{\theta_{\pi,i+1}} \left[\operatorname{KL} \left[\pi \big(a_0 \mid s_0; \theta_{\beta} \big), \pi \big(a_0 \mid s_0; \theta_{\pi,i+1} \big) \right] \right] \right) \right.$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{\left(\frac{\pi(a \mid s; \theta_{\pi,i})}{\pi(a \mid s; \theta_{\beta})} \frac{A(s_0, s_1, r_0, \theta_{\beta}, \theta_V)}{A(s_0, s_1, r_0, \theta_{\beta}, \theta_V)}\right)}_{\text{Value}}$$

$$\left. \cdot \left(\nabla_{\theta_{\pi,i}} \left[\log \pi \big(a_0 \mid s_0; \theta_{\pi,i} \big) \right] - \rho \nabla_{\theta_{\pi,i+1}} \left[\operatorname{KL} \left[\pi \big(a_0 \mid s_0; \theta_{\beta} \big), \pi \big(a_0 \mid s_0; \theta_{\pi,i+1} \big) \right] \right] \right) \right.$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{\begin{pmatrix} \pi(a \mid s; \theta_{\pi,i}) \\ \pi(a \mid s; \theta_{\beta}) \end{pmatrix}}_{\text{Value}} \underbrace{\begin{pmatrix} Advantage \\ A(s_0, s_1, r_0, \theta_{\beta}, \theta_V) \end{pmatrix}}_{\text{Value}}$$

$$\cdot \left(\nabla_{\theta_{\pi,i}} \left[\log \pi(a_0 \mid s_0; \theta_{\pi,i}) \right] - \rho \nabla_{\theta_{\pi,i+1}} \left[\operatorname{KL} \left[\pi(a_0 \mid s_0; \theta_{\beta}), \pi(a_0 \mid s_0; \theta_{\pi,i+1}) \right] \right] \right)$$

$$\land \text{Policy gradient}$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{\left(\frac{\pi(a \mid s; \theta_{\pi,i})}{\pi(a \mid s; \theta_{\beta})} \frac{A(s_0, s_1, r_0, \theta_{\beta}, \theta_V)}{A(s_0, s_1, r_0, \theta_{\beta}, \theta_V)}\right)}_{\text{Value}}$$

$$\cdot \left(\nabla_{\theta_{\pi,i}} \left[\log \pi(a_0 \mid s_0; \theta_{\pi,i}) \right] - \rho \nabla_{\theta_{\pi,i+1}} \left[\text{KL} \left[\pi(a_0 \mid s_0; \theta_{\beta}), \pi(a_0 \mid s_0; \theta_{\pi,i+1}) \right] \right] \right)$$

$$\uparrow \text{Policy gradient}$$

$$\uparrow \text{Trust region}$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{\left(\frac{\pi(a \mid s; \theta_{\pi,i})}{\pi(a \mid s; \theta_{\beta})} \frac{A(s_0, s_1, r_0, \theta_{\beta}, \theta_V)}{A(s_0, s_1, r_0, \theta_{\beta}, \theta_V)}\right)}_{\text{Value}}$$

$$\cdot \left(\nabla_{\theta_{\pi,i}} \left[\log \pi(a_0 \mid s_0; \theta_{\pi,i}) \right] - \rho \nabla_{\theta_{\pi,i+1}} \left[\text{KL} \left[\pi(a_0 \mid s_0; \theta_{\beta}), \pi(a_0 \mid s_0; \theta_{\pi,i+1}) \right] \right] \right)$$

$$\uparrow \text{Policy gradient}$$

$$\uparrow \text{Trust region}$$

$$A\big(s_0,s_1,r_0,\theta_\beta,\theta_V\big) = -V\big(s_0,\theta_\beta,\theta_V\big) + \left(\hat{\mathbb{E}}\big[\mathcal{R}(s_1) \mid s_0;\theta_\beta\big] + \neg d\gamma V\big(s_1,\theta_\beta,\theta_V\big)\right)$$

$$\theta_{\pi,i+1} = \theta_{\pi,i} + \alpha \cdot \underbrace{\left(\frac{\pi(a \mid s; \theta_{\pi,i})}{\pi(a \mid s; \theta_{\beta})} \frac{A(s_0, s_1, r_0, \theta_{\beta}, \theta_V)}{A(s_0, s_1, r_0, \theta_{\beta}, \theta_V)}\right)}_{\text{Value}}$$

$$\cdot \left(\nabla_{\theta_{\pi,i}} \left[\log \pi(a_0 \mid s_0; \theta_{\pi,i}) \right] - \rho \nabla_{\theta_{\pi,i+1}} \left[\text{KL} \left[\pi(a_0 \mid s_0; \theta_{\beta}), \pi(a_0 \mid s_0; \theta_{\pi,i+1}) \right] \right)$$
Policy gradient

Trust region

$$A\big(s_0,s_1,r_0,\theta_\beta,\theta_V\big) = -V\big(s_0,\theta_\beta,\theta_V\big) + \left(\hat{\mathbb{E}}\big[\mathcal{R}(s_1) \mid s_0;\theta_\beta\big] + \neg d\gamma V\big(s_1,\theta_\beta,\theta_V\big)\right)$$

$$\theta_{V,i+1} = \operatorname*{arg\ min}_{\theta_{V,i}} \left(V\big(s_0,\theta_{\beta},\theta_{V,i}\big) - \left(\hat{\mathbb{E}} \big[\mathcal{R}(s_1) \mid s_0;\theta_{\beta} \big] + \neg d \gamma V\big(s_0,\theta_{\beta},\theta_{V,i}\big) \right) \right)^2$$

Personal opinion: PPO is overrated, for some reason very popular

Personal opinion: PPO is overrated, for some reason very popular

Many hyperparameters, hard to implement, computationally expensive

Personal opinion: PPO is overrated, for some reason very popular

Many hyperparameters, hard to implement, computationally expensive

Cohere finds REINFORCE better than PPO for LLM training

Personal opinion: PPO is overrated, for some reason very popular

Many hyperparameters, hard to implement, computationally expensive

Cohere finds REINFORCE better than PPO for LLM training

https://arxiv.org/pdf/2402.14740v1

Personal opinion: PPO is overrated, for some reason very popular

Many hyperparameters, hard to implement, computationally expensive

Cohere finds REINFORCE better than PPO for LLM training

https://arxiv.org/pdf/2402.14740v1

Our experiments find that Q learning outperforms PPO

Personal opinion: PPO is overrated, for some reason very popular

Many hyperparameters, hard to implement, computationally expensive

Cohere finds REINFORCE better than PPO for LLM training

https://arxiv.org/pdf/2402.14740v1

Our experiments find that Q learning outperforms PPO

My suggestions:

Personal opinion: PPO is overrated, for some reason very popular

Many hyperparameters, hard to implement, computationally expensive

Cohere finds REINFORCE better than PPO for LLM training

https://arxiv.org/pdf/2402.14740v1

Our experiments find that Q learning outperforms PPO

My suggestions:

• Try A2C first, solid actor-critic method, easy to implement

Personal opinion: PPO is overrated, for some reason very popular

Many hyperparameters, hard to implement, computationally expensive

Cohere finds REINFORCE better than PPO for LLM training

https://arxiv.org/pdf/2402.14740v1

Our experiments find that Q learning outperforms PPO

My suggestions:

- Try A2C first, solid actor-critic method, easy to implement
- Large batches and regularization (weight decay, layer norm) helpful

Personal opinion: PPO is overrated, for some reason very popular

Many hyperparameters, hard to implement, computationally expensive

Cohere finds REINFORCE better than PPO for LLM training

https://arxiv.org/pdf/2402.14740v1

Our experiments find that Q learning outperforms PPO

My suggestions:

- Try A2C first, solid actor-critic method, easy to implement
- Large batches and regularization (weight decay, layer norm) helpful
- You can make any algorithm work with enough effort!

PPO plays Pokemon!

Video describes the RL experiment process, helpful for your final project

https://youtu.be/DcYLT37ImBY?si=jJfZyYwFkPYMJYMy