

# Quiz

### CISC 7404 - Decision Making

Steven Morad

University of Macau

Exam	. 2
Review	
Coding	. 8

• After all students put away their computer/notes/phone I will hand out exams

- After all students put away their computer/notes/phone I will hand out exams
- If you have computer/notes/phone out after this point, it counts as cheating

- After all students put away their computer/notes/phone I will hand out exams
- If you have computer/notes/phone out after this point, it counts as cheating
- I will hand out exams face down, do not turn them over until I say so

- After all students put away their computer/notes/phone I will hand out exams
- If you have computer/notes/phone out after this point, it counts as cheating
- I will hand out exams face down, do not turn them over until I say so
- After turning them over, I will briefly explain each question

- After all students put away their computer/notes/phone I will hand out exams
- If you have computer/notes/phone out after this point, it counts as cheating
- I will hand out exams face down, do not turn them over until I say so
- After turning them over, I will briefly explain each question
- After my explanation, you will have 75 minutes to complete the exam

- After all students put away their computer/notes/phone I will hand out exams
- If you have computer/notes/phone out after this point, it counts as cheating
- I will hand out exams face down, do not turn them over until I say so
- After turning them over, I will briefly explain each question
- After my explanation, you will have 75 minutes to complete the exam
- After you are done, give me your exam and go relax outside, we resume class at 8:30

- After all students put away their computer/notes/phone I will hand out exams
- If you have computer/notes/phone out after this point, it counts as cheating
- I will hand out exams face down, do not turn them over until I say so
- After turning them over, I will briefly explain each question
- After my explanation, you will have 75 minutes to complete the exam
- After you are done, give me your exam and go relax outside, we resume class at 8:30

• There may or may not be different versions of the exam

- There may or may not be different versions of the exam
- If your exam has the answer for another version, it is cheating

- There may or may not be different versions of the exam
- If your exam has the answer for another version, it is cheating
- Instructions are in both english and chinese, english instructions take precedence

- There may or may not be different versions of the exam
- If your exam has the answer for another version, it is cheating
- Instructions are in both english and chinese, english instructions take precedence
- Good luck!

- 在所有学生收起电脑/笔记/手机后,我会分发试卷。
- 如果在此之后仍有电脑/笔记/手机未收,将视为作弊。
- 试卷会背面朝下发下,在我宣布开始前请勿翻面。
- 试卷翻面后,我会简要说明每道题的注意事项。
- 说明结束后,你们有 75 分钟完成考试。
- 交卷后请到教室外休息,8:30 恢复上课。
- 试卷可能存在不同版本,细节略有差异。
- 若你的试卷上出现其他版本的答案,将被判定为作弊。
- 试卷说明为中英双语,若内容冲突以英文为准。
- 祝各位考试顺利!

Our lab is always looking for smart students to work on RL problems

Our lab is always looking for smart students to work on RL problems

If you thought the exam was easy, come talk to me after class

# Review

In this course, we will implement MDPs using **gymnasium** 

In this course, we will implement MDPs using **gymnasium** 

Developed by OpenAI for reinforcement learning

In this course, we will implement MDPs using gymnasium

Developed by OpenAI for reinforcement learning

Gymnasium provides an **environment** (MDP) API

In this course, we will implement MDPs using gymnasium

Developed by OpenAI for reinforcement learning

Gymnasium provides an **environment** (MDP) API

In this course, we will implement MDPs using gymnasium

Developed by OpenAI for reinforcement learning

Gymnasium provides an **environment** (MDP) API

Must define:

• state space (S)

In this course, we will implement MDPs using gymnasium

Developed by OpenAI for reinforcement learning

Gymnasium provides an **environment** (MDP) API

- state space (S)
- action space (A)

In this course, we will implement MDPs using gymnasium

Developed by OpenAI for reinforcement learning

Gymnasium provides an **environment** (MDP) API

- state space (S)
- action space (A)
- step (Tr, R, terminated)

In this course, we will implement MDPs using gymnasium

Developed by OpenAI for reinforcement learning

Gymnasium provides an **environment** (MDP) API

- state space (S)
- action space (A)
- step (Tr, R, terminated)
- reset  $(s_0)$

In this course, we will implement MDPs using gymnasium

Developed by OpenAI for reinforcement learning

Gymnasium provides an **environment** (MDP) API

#### Must define:

- state space (S)
- action space (A)
- step (Tr, R, terminated)
- reset  $(s_0)$

https://gymnasium.farama.org/api/env/

Gymnasium uses **observations** instead of **states** 

Gymnasium uses **observations** instead of **states** 

**Question:** What was the Markov condition for MDPs?

Gymnasium uses **observations** instead of **states** 

**Question:** What was the Markov condition for MDPs?

The next Markov state only depends on the current Markov state

Gymnasium uses **observations** instead of **states** 

**Question:** What was the Markov condition for MDPs?

The next Markov state only depends on the current Markov state

$$\Pr(s_{t+1} \mid s_t, s_{t-1}, ..., s_1) = \Pr(s_{t+1} \mid s_t)$$

Gymnasium uses **observations** instead of **states** 

**Question:** What was the Markov condition for MDPs?

The next Markov state only depends on the current Markov state

$$\Pr(s_{t+1} \mid s_t, s_{t-1}, ..., s_1) = \Pr(s_{t+1} \mid s_t)$$

If the Markov property is broken,  $s_t \in S$  is not a Markov state

Gymnasium uses **observations** instead of **states** 

**Question:** What was the Markov condition for MDPs?

The next Markov state only depends on the current Markov state

$$\Pr(s_{t+1} \mid s_t, s_{t-1}, ..., s_1) = \Pr(s_{t+1} \mid s_t)$$

If the Markov property is broken,  $s_t \in S$  is not a Markov state

Then, we change  $s_t \in S$  to an **observation**  $o_t \in O$  (more later)

Gymnasium uses **observations** instead of **states** 

**Question:** What was the Markov condition for MDPs?

The next Markov state only depends on the current Markov state

$$\Pr(s_{t+1} \mid s_t, s_{t-1}, ..., s_1) = \Pr(s_{t+1} \mid s_t)$$

If the Markov property is broken,  $s_t \in S$  is not a Markov state

Then, we change  $s_t \in S$  to an **observation**  $o_t \in O$  (more later)

Gymnasium uses observations, but for MDPs we treat them as states

```
import gymnasium as gym
MyMDP(gym.Env):
  def init (self):
    self action space = gym.spaces.Discrete(3) # A
    self.observation space = gym.spaces.Discrete(5) # S
  def reset(self, seed=None) -> Tuple[Observation, Dict]
  def step(self, action) -> Tuple[
    Observation, Reward, Terminated, Truncated, Dict
```

I stress MDPs in this course because it is the most important concept

I stress MDPs in this course because it is the most important concept

We will see an example of using RL to solve a task

I stress MDPs in this course because it is the most important concept

We will see an example of using RL to solve a task

You do not know any RL algorithms, but we will can still solve an MDP

I stress MDPs in this course because it is the most important concept

We will see an example of using RL to solve a task

You do not know any RL algorithms, but we will can still solve an MDP

If you can make an MDP, you can use existing code to solve it!

I stress MDPs in this course because it is the most important concept

We will see an example of using RL to solve a task

You do not know any RL algorithms, but we will can still solve an MDP

If you can make an MDP, you can use existing code to solve it!

For example, you can use stable-baselines3

https://stable-baselines3.readthedocs.io

https://colab.research.google.com/drive/1rDNik5oRl27si8wdtMLE7Y41U 5J2bx-I#scrollTo=yVjbC\_VQ-Wha