

CISC 7404 - Decision Making

Steven Morad

University of Macau

Review	3
Algorithms	5
Reward Optimization	14
Trajectory Optimization	24

If you have no score, come see me

If you have no score, come see me

Mean score is  $\frac{3.37}{4} \approx 84\%$ 

If you have no score, come see me

Mean score is  $\frac{3.37}{4} \approx 84\%$ 

You did better than expected!

If you have no score, come see me

Mean score is  $\frac{3.37}{4} \approx 84\%$ 

You did better than expected!

If mean course score is > 80% but you understand the material it is ok

If you have no score, come see me

Mean score is  $\frac{3.37}{4} \approx 84\%$ 

You did better than expected!

If mean course score is > 80% but you understand the material it is ok

I will not decrease total score

If you have no score, come see me

Mean score is  $\frac{3.37}{4} \approx 84\%$ 

You did better than expected!

If mean course score is > 80% but you understand the material it is ok

I will not decrease total score

Do not forget individual participation grade!

### Review

#### Review

Diffusion models

#### Review

Diffusion models

https://arxiv.org/pdf/2006.11239

Our goal is to maximize the discounted return

Our goal is to maximize the discounted return

Take actions in the MDP to maximize the discounted return

Our goal is to maximize the discounted return

Take actions in the MDP to maximize the discounted return

We introduce a **policy** to select actions

Our goal is to maximize the discounted return

Take actions in the MDP to maximize the discounted return

We introduce a **policy** to select actions

$$\pi: S \times \Theta \mapsto \Delta A$$

Our goal is to maximize the discounted return

Take actions in the MDP to maximize the discounted return

We introduce a **policy** to select actions

$$\pi: S \times \Theta \mapsto \Delta A$$

The policy is the "brain" of the agent

Our goal is to maximize the discounted return

Take actions in the MDP to maximize the discounted return

We introduce a **policy** to select actions


$$\pi: S \times \Theta \mapsto \Delta A$$

The policy is the "brain" of the agent

It makes decisions for the agent

Policies can be good, bad, or even human!

Policies can be good, bad, or even human!



We use **algorithms** to find good policies

We use **algorithms** to find good policies

**Question:** What makes a policy good?

We use **algorithms** to find good policies

**Question:** What makes a policy good?

**Answer:** It achieves a large discounted return

We use **algorithms** to find good policies

**Question:** What makes a policy good?

**Answer:** It achieves a large discounted return

Almost all the algorithms we learn in this course have guarantees

We use **algorithms** to find good policies

**Question:** What makes a policy good?

**Answer:** It achieves a large discounted return

Almost all the algorithms we learn in this course have guarantees

That is, if you train long enough, your policy will become optimal

We use **algorithms** to find good policies

**Question:** What makes a policy good?

**Answer:** It achieves a large discounted return

Almost all the algorithms we learn in this course have guarantees

That is, if you train long enough, your policy will become optimal

The policy is guaranteed to maximize the discounted return

Today, we will derive the **trajectory optimization** algorithm

Today, we will derive the **trajectory optimization** algorithm

This algorithm is old, and does not require deep learning

Today, we will derive the **trajectory optimization** algorithm

This algorithm is old, and does not require deep learning

These ideas appear in classical robotics and control theory

Today, we will derive the **trajectory optimization** algorithm

This algorithm is old, and does not require deep learning

These ideas appear in classical robotics and control theory

https://www.youtube.com/watch?v=6qj3EfRTtkE

There are two classes of algorithms

There are two classes of algorithms

Model-based

There are two classes of algorithms

#### Model-based

We know  $\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$ 

There are two classes of algorithms

#### Model-based

We know  $\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$ 

Cheap to train, expensive to use

There are two classes of algorithms

#### Model-based

We know  $\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$ 

Cheap to train, expensive to use

Closer to traditional control theory

There are two classes of algorithms

#### Model-based

Model-free

We know 
$$\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$$

Cheap to train, expensive to use

Closer to traditional control theory

There are two classes of algorithms

#### Model-based

We know  $\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$ 

Cheap to train, expensive to use

Closer to traditional control theory

#### Model-free

We do not know  $Tr(s_{t+1} \mid s_t, a_t)$ 

There are two classes of algorithms

#### Model-based

We know  $\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$ 

Cheap to train, expensive to use

Closer to traditional control theory

#### Model-free

We do not know  $Tr(s_{t+1} \mid s_t, a_t)$ 

Expensive to train, cheap to use

There are two classes of algorithms

#### Model-based

We know  $\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$ 

Cheap to train, expensive to use

Closer to traditional control theory

#### Model-free

We do not know  $\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$ 

Expensive to train, cheap to use

Closer to deep learning

There are two classes of algorithms

#### Model-based

We know  $\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$ 

Cheap to train, expensive to use

Closer to traditional control theory

#### Model-free

We do not know  $Tr(s_{t+1} \mid s_t, a_t)$ 

Expensive to train, cheap to use

Closer to deep learning

Today, we will cover a model-based algorithm called trajectory optimization

There are two classes of algorithms

#### Model-based

Model-free

We know  $\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$ 

We do not know  $\operatorname{Tr}(s_{t+1} \mid s_t, a_t)$ 

Cheap to train, expensive to use

Expensive to train, cheap to use

Closer to traditional control theory

Closer to deep learning

Today, we will cover a model-based algorithm called trajectory optimization

Critical part of Alpha-\* methods (AlphaGo, AlphaStar, AlphaZero)

Recall the discounted return, our objective for the rest of this course

Recall the discounted return, our objective for the rest of this course

$$G(\boldsymbol{\tau}) = \sum_{t=0}^{\infty} \gamma^t R(s_{t+1})$$

Recall the discounted return, our objective for the rest of this course

$$G(\boldsymbol{\tau}) = \sum_{t=0}^{\infty} \gamma^t R(s_{t+1}) \qquad \qquad \boldsymbol{\tau} = \begin{bmatrix} s_0 & a_0 \\ s_1 & a_1 \\ \vdots & \vdots \end{bmatrix}$$

Recall the discounted return, our objective for the rest of this course

$$G(\boldsymbol{\tau}) = \sum_{t=0}^{\infty} \gamma^t R(s_{t+1}) \qquad \qquad \boldsymbol{\tau} = \begin{bmatrix} s_0 & a_0 \\ s_1 & a_1 \\ \vdots & \vdots \end{bmatrix}$$

We want to maximize the discounted return

$$\underset{\boldsymbol{\tau}}{\arg\max}\,G(\boldsymbol{\tau}) = \underset{s_1,s_2,\ldots \in S}{\arg\max} \sum_{t=0}^{\infty} \gamma^t R(s_{t+1})$$

Recall the discounted return, our objective for the rest of this course

$$G(\boldsymbol{\tau}) = \sum_{t=0}^{\infty} \gamma^t R(s_{t+1}) \qquad \qquad \boldsymbol{\tau} = \begin{bmatrix} s_0 & a_0 \\ s_1 & a_1 \\ \vdots & \vdots \end{bmatrix}$$

We want to maximize the discounted return

$$\underset{\boldsymbol{\tau}}{\arg\max}\,G(\boldsymbol{\tau}) = \underset{s_1,s_2,\ldots \in S}{\arg\max} \sum_{t=0}^{\infty} \gamma^t R(s_{t+1})$$

We want to find  $\tau$  that provides the greatest discounted return

$$\underset{\boldsymbol{\tau}}{\arg\max}\,G(\boldsymbol{\tau}) = \underset{s_1,s_2,\ldots \in S}{\arg\max} \sum_{t=0}^{\infty} \gamma^t R(s_{t+1})$$

$$\underset{\boldsymbol{\tau}}{\arg\max}\,G(\boldsymbol{\tau}) = \underset{s_1,s_2,\ldots \in S}{\arg\max} \sum_{t=0}^{\infty} \gamma^t R(s_{t+1})$$

This objective looks simple, but  $R(s_{t+1})$  hides much of the process

$$\underset{\boldsymbol{\tau}}{\arg\max}\,G(\boldsymbol{\tau}) = \underset{s_1,s_2,\ldots \in S}{\arg\max} \sum_{t=0}^{\infty} \gamma^t R(s_{t+1})$$

This objective looks simple, but  $R(s_{t+1})$  hides much of the process

To understand what is hiding, let us examine the reward function

Consider the reward function

$$R(s_{t+1})$$

Consider the reward function

$$R(s_{t+1})$$

Perhaps we want to maximize the reward

$$\operatorname*{arg\ max}_{s_{t+1} \in S} R(s_{t+1})$$

Consider the reward function

$$R(s_{t+1})$$

Perhaps we want to maximize the reward

$$\operatorname*{arg\ max}_{s_{t+1} \in S} R(s_{t+1})$$

**Question:** In state  $s_t$ , take action  $a_t$ , what is  $R(s_{t+1})$ ?

Consider the reward function

$$R(s_{t+1})$$

Perhaps we want to maximize the reward

$$\underset{s_{t+1} \in S}{\operatorname{arg\ max}} \, R(s_{t+1})$$

**Question:** In state  $s_t$ , take action  $a_t$ , what is  $R(s_{t+1})$ ?

**Answer:** Not sure.  $R(s_{t+1})$  depends on  $\mathrm{Tr}(s_{t+1} \mid s_t, a_t)$ 

Consider the reward function

$$R(s_{t+1})$$

Perhaps we want to maximize the reward

$$\underset{s_{t+1} \in S}{\operatorname{arg\ max}} \, R(s_{t+1})$$

**Question:** In state  $s_t$ , take action  $a_t$ , what is  $R(s_{t+1})$ ?

**Answer:** Not sure.  $R(s_{t+1})$  depends on  $\mathrm{Tr}(s_{t+1} \mid s_t, a_t)$ 

Cannot know  $s_{t+1}$  with certainty, only know the distribution!

 $s_{t+1}$  is the **outcome** of a random process

 $s_{t+1}$  is the **outcome** of a random process

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$

 $s_{t+1}$  is the **outcome** of a random process

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$

**Question:** What is S?

 $s_{t+1}$  is the **outcome** of a random process

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$

**Question:** What is S?

**Answer:** State space, also the outcome space  $\Omega$  of Tr

 $s_{t+1}$  is the **outcome** of a random process

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$

**Question:** What is S?

**Answer:** State space, also the outcome space  $\Omega$  of Tr

$$s_{t+1} \in S \equiv \omega \in \Omega$$

 $s_{t+1}$  is the **outcome** of a random process

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$

**Question:** What is S?

**Answer:** State space, also the outcome space  $\Omega$  of  $\operatorname{Tr}$ 

$$s_{t+1} \in S \equiv \omega \in \Omega$$

**Question:** Ok, now what is the definition of R?

**Answer:** 

$$R: S \mapsto \mathbb{R}$$

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$
 
$$R: S \mapsto \mathbb{R}$$

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$
 
$$R: S \mapsto \mathbb{R}$$

If you can answer the following question, you understand the course

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$
 
$$R: S \mapsto \mathbb{R}$$

If you can answer the following question, you understand the course

**Question:** R is a special kind of function, what is it?

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$
 
$$R: S \mapsto \mathbb{R}$$

If you can answer the following question, you understand the course

**Question:** R is a special kind of function, what is it?

**Answer:** R is a random variable!

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$
 
$$R: S \mapsto \mathbb{R}$$

If you can answer the following question, you understand the course

**Question:** R is a special kind of function, what is it?

**Answer:** *R* is a random variable!

 $R: S \mapsto \mathbb{R}$ 

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$

$$R: S \mapsto \mathbb{R}$$

If you can answer the following question, you understand the course

**Question:** R is a special kind of function, what is it?

**Answer:** *R* is a random variable!

$$R: S \mapsto \mathbb{R}$$

$$S = \Omega$$

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$
 
$$R: S \mapsto \mathbb{R}$$

If you can answer the following question, you understand the course

**Question:** R is a special kind of function, what is it?

**Answer:** *R* is a random variable!

$$R: S \mapsto \mathbb{R}$$

$$S = \Omega$$

$$R:\Omega\mapsto\mathbb{R}$$

$$s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t), \quad s_t, s_{t+1} \in S$$
 
$$R: S \mapsto \mathbb{R}$$

If you can answer the following question, you understand the course

**Question:** R is a special kind of function, what is it?

**Answer:** *R* is a random variable!

$$R: S \mapsto \mathbb{R}$$

$$S = \Omega$$

$$R:\Omega\mapsto\mathbb{R}$$

We should write it as  $\mathcal{R}: S \mapsto \mathbb{R}$ 

$$\mathcal{R}: S \mapsto \mathbb{R}$$

$$\mathcal{R}: S \mapsto \mathbb{R}$$

**Question:** What do we like to do with random variables?

$$\mathcal{R}: S \mapsto \mathbb{R}$$

**Question:** What do we like to do with random variables?

**Answer:** Take the expectation!

$$\mathcal{R}: S \mapsto \mathbb{R}$$

**Question:** What do we like to do with random variables?

**Answer:** Take the expectation!

**Question:** Why do we like to take the expectation of random variables?

$$\mathcal{R}: S \mapsto \mathbb{R}$$

**Question:** What do we like to do with random variables?

**Answer:** Take the expectation!

**Question:** Why do we like to take the expectation of random variables?

**Answer:** It maps complex random processes to a single value, which is much easier to work with

$$\mathcal{R}(s_{t+1}), \quad s_{t+1} \sim \mathrm{Tr}(\cdot \mid s_t, a_t)$$

$$\mathcal{R}(s_{t+1}), \quad s_{t+1} \sim \text{Tr}(\cdot \mid s_t, a_t)$$

We cannot know for certain which reward we get in the future

$$\mathcal{R}(s_{t+1}), \quad s_{t+1} \sim \text{Tr}(\cdot \mid s_t, a_t)$$

We cannot know for certain which reward we get in the future

$$\mathcal{R}(s_{t+1}), \quad s_{t+1} \sim \text{Tr}(\cdot \mid s_t, a_t)$$

We cannot know for certain which reward we get in the future

$$\mathbb{E}[\mathcal{X}] = \sum_{\omega \in \Omega} \mathcal{X}(\omega) \cdot \Pr(\omega)$$

$$\mathcal{R}(s_{t+1}), \quad s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t)$$

We cannot know for certain which reward we get in the future

$$\mathbb{E}[\mathcal{X}] = \sum_{\omega \in \Omega} \mathcal{X}(\omega) \cdot \Pr(\omega)$$

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \text{Tr}(s_{t+1} \mid s_t, a_t)$$

$$\mathcal{R}(s_{t+1}), \quad s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t)$$

We cannot know for certain which reward we get in the future

$$\mathbb{E}[\mathcal{X}] = \sum_{\omega \in \Omega} \mathcal{X}(\omega) \cdot \Pr(\omega)$$

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \operatorname{Tr}(s_{t+1} \mid s_t, a_t)$$
 Random variable conditioned on  $s_t, a_t$ 

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \text{Tr}(s_{t+1} \mid s_t, a_t)$$

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \text{Tr}(s_{t+1} \mid s_t, a_t)$$

As an agent, we have partial control of the future reward

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \text{Tr}(s_{t+1} \mid s_t, a_t)$$

As an agent, we have partial control of the future reward

We cannot directly control the world  $(s_{t+1})$ 

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \text{Tr}(s_{t+1} \mid s_t, a_t)$$

As an agent, we have partial control of the future reward

We cannot directly control the world  $(s_{t+1})$ 

But we can choose an action  $a_t$  that maximizes the expected reward

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \text{Tr}(s_{t+1} \mid s_t, a_t)$$

As an agent, we have partial control of the future reward

We cannot directly control the world  $(s_{t+1})$ 

But we can choose an action  $a_t$  that maximizes the expected reward

$$\operatorname*{arg\ max}_{a_t \in A} \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \operatorname*{arg\ max}_{a_t \in A} \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \mathrm{Tr}(s_{t+1} \mid s_t, a_t)$$

$$\underset{a_t \in A}{\arg\max} \, \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \underset{a_t \in A}{\arg\max} \, \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \, \cdot \, \operatorname{Tr}(s_{t+1} \mid s_t, a_t)$$

$$\underset{a_t \in A}{\arg\max} \, \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \underset{a_t \in A}{\arg\max} \, \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \, \cdot \, \operatorname{Tr}(s_{t+1} \mid s_t, a_t)$$

$$\underset{a_t \in A}{\arg\max} \, \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \underset{a_t \in A}{\arg\max} \, \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \; \cdot \; \underbrace{\operatorname{Tr}(s_{t+1} \mid s_t, a_t)}_{}$$

- 1. Compute the probability for each outcome  $s_{t+1} \in S$ , for each  $a_t \in A$
- 2.
- 3.
- 4

$$\underset{a_t \in A}{\arg\max} \, \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \underset{a_t \in A}{\arg\max} \, \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \, \cdot \, \underbrace{\operatorname{Tr}(s_{t+1} \mid s_t, a_t)}_{}$$

- 1. Compute the probability for each outcome  $s_{t+1} \in S$ , for each  $a_t \in A$
- 2. Compute the reward for each possible outcome  $s_{t+1} \in S$
- 3.
- 4.

$$\underset{a_t \in A}{\operatorname{arg\ max}} \, \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \underset{a_t \in A}{\operatorname{arg\ max}} \, \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \, \cdot \, \underbrace{\operatorname{Tr}(s_{t+1} \mid s_t, a_t)}_{}$$

- 1. Compute the probability for each outcome  $s_{t+1} \in S$ , for each  $a_t \in A$
- 2. Compute the reward for each possible outcome  $s_{t+1} \in S$
- 3. Compute expected reward for  $s_{t+1} \in S$ , probability times reward
- 4.

$$\underset{a_t \in A}{\operatorname{arg\ max}} \, \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \underset{a_t \in A}{\operatorname{arg\ max}} \, \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \, \cdot \, \underbrace{\operatorname{Tr}(s_{t+1} \mid s_t, a_t)}_{}$$

- 1. Compute the probability for each outcome  $s_{t+1} \in S$ , for each  $a_t \in A$
- 2. Compute the reward for each possible outcome  $s_{t+1} \in S$
- 3. Compute expected reward for  $s_{t+1} \in S$ , probability times reward
- 4. Take the action  $a_t \in A$  that produces the largest the expected reward

$$\underset{a_t \in A}{\operatorname{arg\ max}} \, \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \underset{a_t \in A}{\operatorname{arg\ max}} \, \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \, \cdot \, \underbrace{\operatorname{Tr}(s_{t+1} \mid s_t, a_t)}_{}$$

#### What does this mean in English:

- 1. Compute the probability for each outcome  $s_{t+1} \in S$ , for each  $a_t \in A$
- 2. Compute the reward for each possible outcome  $s_{t+1} \in S$
- 3. Compute expected reward for  $s_{t+1} \in S$ , probability times reward
- **4.** Take the action  $a_t \in A$  that produces the largest the expected reward

**Question:** Have we seen something similar before?

$$\underset{a_t \in A}{\operatorname{arg\ max}} \, \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \underset{a_t \in A}{\operatorname{arg\ max}} \, \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \, \cdot \, \underbrace{\operatorname{Tr}(s_{t+1} \mid s_t, a_t)}_{}$$

#### What does this mean in English:

- 1. Compute the probability for each outcome  $s_{t+1} \in S$ , for each  $a_t \in A$
- 2. Compute the reward for each possible outcome  $s_{t+1} \in S$
- 3. Compute expected reward for  $s_{t+1} \in S$ , probability times reward
- **4.** Take the action  $a_t \in A$  that produces the largest the expected reward

**Question:** Have we seen something similar before?

**Answer:** Bandits!

$$\underset{a_t \in A}{\operatorname{arg\ max}} \, \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \underset{a_t \in A}{\operatorname{arg\ max}} \, \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \, \cdot \, \underbrace{\operatorname{Tr}(s_{t+1} \mid s_t, a_t)}_{}$$

#### What does this mean in English:

- 1. Compute the probability for each outcome  $s_{t+1} \in S$ , for each  $a_t \in A$
- 2. Compute the reward for each possible outcome  $s_{t+1} \in S$
- 3. Compute expected reward for  $s_{t+1} \in S$ , probability times reward
- 4. Take the action  $a_t \in A$  that produces the largest the expected reward

**Question:** Have we seen something similar before?

Answer: Bandits!  $\operatorname*{arg\ max}\mathbb{E}[\mathcal{X}_a]$   $a\in\{1...k\}$ 

$$\operatorname*{arg\ max}_{a_t \in A} \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \operatorname*{arg\ max}_{a_t \in A} \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \mathrm{Tr}(s_{t+1} \mid s_t, a_t)$$

Earlier, we said that algorithms provide a policy  $\pi: S \times \Theta \mapsto \Delta A$ 

$$\operatorname*{arg\ max}_{a_t \in A} \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \operatorname*{arg\ max}_{a_t \in A} \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \mathrm{Tr}(s_{t+1} \mid s_t, a_t)$$

Earlier, we said that algorithms provide a policy  $\pi: S \times \Theta \mapsto \Delta A$ 

But this equation is not yet a policy!

$$\operatorname*{arg\ max}_{a_t \in A} \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \operatorname*{arg\ max}_{a_t \in A} \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \mathrm{Tr}(s_{t+1} \mid s_t, a_t)$$

Earlier, we said that algorithms provide a policy  $\pi: S \times \Theta \mapsto \Delta A$ 

But this equation is not yet a policy!

Let us turn this equation into a policy

$$\operatorname*{arg\ max}_{a_t \in A} \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \operatorname*{arg\ max}_{a_t \in A} \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \mathrm{Tr}(s_{t+1} \mid s_t, a_t)$$

Earlier, we said that algorithms provide a policy  $\pi: S \times \Theta \mapsto \Delta A$ 

But this equation is not yet a policy!

Let us turn this equation into a policy

$$\pi(a_t \mid s_t; \theta) = \Pr(a_t \mid s_t; \theta) = \begin{cases} 1 \text{ if } a_t = \arg\max_{a_t \in A} \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t, \theta] \\ 0 \text{ otherwise} \end{cases}$$

$$\operatorname*{arg\ max}_{a_t \in A} \mathbb{E} \big[ \mathcal{R}(s_{t+1}) \mid s_t, a_t \big] = \operatorname*{arg\ max}_{a_t \in A} \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \mathrm{Tr}(s_{t+1} \mid s_t, a_t)$$

Earlier, we said that algorithms provide a policy  $\pi: S \times \Theta \mapsto \Delta A$ 

But this equation is not yet a policy!

Let us turn this equation into a policy

$$\pi(a_t \mid s_t; \theta) = \Pr(a_t \mid s_t; \theta) = \begin{cases} 1 \text{ if } a_t = \arg\max_{a_t \in A} \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t, \theta] \\ 0 \text{ otherwise} \end{cases}$$

This policy will always act to maximize the expected reward

We figured out the mystery the reward function was hiding

We figured out the mystery the reward function was hiding

We found a policy that is optimal with respect to the reward

We figured out the mystery the reward function was hiding

We found a policy that is optimal with respect to the reward

**Question:** Are we done? Why or why not?

**Answer:** No, we want to maximize the discounted return, not the reward!

We figured out the mystery the reward function was hiding

We found a policy that is optimal with respect to the reward

**Question:** Are we done? Why or why not?

**Answer:** No, we want to maximize the discounted return, not the reward!

We have one more thing to do

# **Trajectory Optimization**

# **Trajectory Optimization**

What we have:

What we have:

Expected reward, as a function of state and action

What we have:

Expected reward, as a function of state and action

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \text{Tr}(s_{t+1} \mid s_t, a_t)$$

What we have:

Expected reward, as a function of state and action

$$\mathbb{E}\big[\mathcal{R}(s_{t+1}) \mid s_t, a_t\big] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \mathrm{Tr}(s_{t+1} \mid s_t, a_t)$$

What we want:

Expected return, as a function of initial state and actions

What we have:

Expected reward, as a function of state and action

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \operatorname{Tr}(s_{t+1} \mid s_t, a_t)$$

What we want:

Expected return, as a function of initial state and actions

$$\mathbb{E}[G(\tau) \mid s_0, a_0, a_1, ...] = ?$$

What we have:

Expected reward, as a function of state and action

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \operatorname{Tr}(s_{t+1} \mid s_t, a_t)$$

What we want:

Expected return, as a function of initial state and actions

$$\mathbb{E}[G(\tau) \mid s_0, a_0, a_1, \ldots] = ?$$

**Question:** Why depend on future actions?

What we have:

Expected reward, as a function of state and action

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \text{Tr}(s_{t+1} \mid s_t, a_t)$$

What we want:

Expected return, as a function of initial state and actions

$$\mathbb{E}[G(\tau) \mid s_0, a_0, a_1, \ldots] = ?$$

**Question:** Why depend on future actions?

**Answer:** Agent picks actions, optimize over actions to maximize G

$$\mathbb{E}[G(\tau) \mid s_0, a_0, a_1, \ldots] = ?$$

$$\mathbb{E}[G(\tau) \mid s_0, a_0, a_1, ...] = ?$$

**Note:** *G* is also a random variable

$$\mathbb{E}[G(\tau) \mid s_0, a_0, a_1, \ldots] = ?$$

**Note:** *G* is also a random variable

$$G: \underbrace{S^n \times A^n}_{\text{Outcome of stochastic Tr}, \pi} \mapsto \mathbb{R}$$

$$\mathbb{E}[G(\tau) \mid s_0, a_0, a_1, ...] = ?$$

**Note:** *G* is also a random variable

$$G: \underbrace{S^n \times A^n}_{\text{Outcome of stochastic Tr}, \pi} \mapsto \mathbb{R}$$

We can rewrite it curly since it is a random variable

$$\mathbb{E}[G(\tau) \mid s_0, a_0, a_1, \ldots] = ?$$

**Note:** *G* is also a random variable

$$G: \underbrace{S^n \times A^n}_{\text{Outcome of stochastic Tr}, \pi} \mapsto \mathbb{R}$$

We can rewrite it curly since it is a random variable

$$\mathcal{G}: \underbrace{S^n \times A^n}_{\text{Outcome of stochastic Tr}, \pi} \mapsto \mathbb{R}$$

$$\mathbb{E}[G(\tau) \mid s_0, a_0, a_1, \ldots] = ?$$

**Note:** *G* is also a random variable

$$G: \underbrace{S^n \times A^n}_{\text{Outcome of stochastic Tr}, \pi} \mapsto \mathbb{R}$$

We can rewrite it curly since it is a random variable

$$\mathcal{G}: \underbrace{S^n \times A^n}_{\text{Outcome of stochastic Tr}, \pi} \mapsto \mathbb{R}$$

Back to the problem...

$$\mathbb{E}[G(\tau) \mid s_0, a_0, a_1, \ldots] = ?$$

**Note:** *G* is also a random variable

$$G: \underbrace{S^n \times A^n}_{\text{Outcome of stochastic Tr}, \pi} \mapsto \mathbb{R}$$

We can rewrite it curly since it is a random variable

$$\mathcal{G}: \underbrace{S^n \times A^n}_{\text{Outcome of stochastic Tr}, \pi} \mapsto \mathbb{R}$$

Back to the problem...

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0, a_1, \ldots] = ?$$

First step, write out the return

First step, write out the return

$$\mathcal{G}(\boldsymbol{\tau}) = \sum_{t=0}^{\infty} \gamma^t \mathcal{R}(s_{t+1})$$

First step, write out the return

$$\mathcal{G}(\boldsymbol{\tau}) = \sum_{t=0}^{\infty} \gamma^t \mathcal{R}(s_{t+1})$$

Remember, we can only maximize the expectation

First step, write out the return

$$\mathcal{G}(\boldsymbol{\tau}) = \sum_{t=0}^{\infty} \gamma^t \mathcal{R}(s_{t+1})$$

Remember, we can only maximize the expectation

Take the expected value of both sides

First step, write out the return

$$\mathcal{G}(\boldsymbol{\tau}) = \sum_{t=0}^{\infty} \gamma^t \mathcal{R}(s_{t+1})$$

Remember, we can only maximize the expectation

Take the expected value of both sides

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0, a_1, \ldots] = \mathbb{E}\left[\sum_{t=0}^{\infty} \gamma^t \mathcal{R}(s_{t+1}) \left| s_0, a_0, a_1, \ldots \right| \right]$$

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0, a_1, \ldots] = \mathbb{E}\left[ \sum_{t=0}^{\infty} \gamma^t \mathcal{R}(s_{t+1}) \,\middle|\, s_0, a_0, a_1, \ldots \right]$$

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \mathbb{E}\left[\sum_{t=0}^{\infty} \gamma^t \mathcal{R}(s_{t+1}) \,\middle|\, s_0, a_0, a_1, \ldots\right]$$

The expectation is a linear function, we can move it inside the sum

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0, a_1, \ldots] = \mathbb{E}\left[ \sum_{t=0}^{\infty} \gamma^t \mathcal{R}(s_{t+1}) \,\middle|\, s_0, a_0, a_1, \ldots \right]$$

The expectation is a linear function, we can move it inside the sum

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, ...] = \sum_{t=0}^{\infty} \mathbb{E}[\gamma^t \mathcal{R}(s_{t+1}) \mid s_0, a_0, a_1, ..., a_t]$$

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \mathbb{E}\left[\sum_{t=0}^{\infty} \gamma^t \mathcal{R}(s_{t+1}) \,\middle|\, s_0, a_0, a_1, \ldots\right]$$

The expectation is a linear function, we can move it inside the sum

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \sum_{t=0}^{\infty} \mathbb{E}[\gamma^t \mathcal{R}(s_{t+1}) \mid s_0, a_0, a_1, \ldots, a_t]$$

Expectation is linear, can factor out  $\gamma$ 

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \mathbb{E}\left[\sum_{t=0}^{\infty} \gamma^t \mathcal{R}(s_{t+1}) \,\middle|\, s_0, a_0, a_1, \ldots\right]$$

The expectation is a linear function, we can move it inside the sum

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \sum_{t=0}^{\infty} \mathbb{E}[\gamma^t \mathcal{R}(s_{t+1}) \mid s_0, a_0, a_1, \ldots, a_t]$$

Expectation is linear, can factor out  $\gamma$ 

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \sum_{t=0}^{\infty} \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_0, a_0, a_1, \ldots, a_t]$$

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \sum_{t=0}^{\infty} \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_0, a_0, a_1, \ldots]$$

Write out the sum

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \sum_{t=0}^{\infty} \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_0, a_0, a_1, \ldots]$$

Write out the sum

$$\begin{split} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \\ \gamma^0 \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, a_1, \ldots] + \gamma^1 \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1, \ldots] + \ldots \end{split}$$

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \sum_{t=0}^{\infty} \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_0, a_0, a_1, \ldots]$$

Write out the sum

$$\begin{split} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \\ \gamma^0 \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, a_1, \ldots] + \gamma^1 \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1, \ldots] + \ldots \end{split}$$

Rewards do not depend on future actions

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \sum_{t=0}^{\infty} \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_0, a_0, a_1, \ldots]$$

Write out the sum

$$\begin{split} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \\ \gamma^0 \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0, a_1, \ldots] + \gamma^1 \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1, \ldots] + \ldots \end{split}$$

Rewards do not depend on future actions

$$\begin{split} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \\ \gamma^0 \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] + \gamma^1 \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] + \gamma^2 \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] + \ldots \end{split}$$

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0, a_1, \ldots] =$$

$$\gamma^0 \ \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] + \gamma^1 \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] + \gamma^2 \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] + \dots$$

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] =$$

$$\gamma^0 \ \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] + \gamma^1 \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] + \gamma^2 \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] + \dots$$

**Question:** Do any terms look familiar?

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] =$$

$$\gamma^0 \ \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] + \gamma^1 \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] + \gamma^2 \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] + \dots$$

**Question:** Do any terms look familiar?

**Answer:** We know the expected reward from before!

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] =$$

$$\gamma^0 \ \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] + \gamma^1 \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] + \gamma^2 \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] + \dots$$

**Question:** Do any terms look familiar?

**Answer:** We know the expected reward from before!

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \operatorname{Tr}(s_{t+1} \mid s_t, a_t)$$

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0, a_1, \ldots] =$$

$$\gamma^0 \ \overline{\mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0]} + \gamma^1 \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] + \gamma^2 \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] + \dots$$

**Question:** Do any terms look familiar?

**Answer:** We know the expected reward from before!

$$\mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_t, a_t] = \sum_{s_{t+1} \in S} \mathcal{R}(s_{t+1}) \cdot \text{Tr}(s_{t+1} \mid s_t, a_t)$$

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] = \sum_{s_1 \in S} \mathcal{R}(s_1) \cdot \operatorname{Tr}(s_1 \mid s_0, a_0)$$

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}_n) \mid s_0, a_0, a_1, ..., a_n] =$$

$$\gamma^0 \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] + \gamma^1 \ \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] + \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] + \dots$$

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}_n) \mid s_0, a_0, a_1, ..., a_n] =$$

$$\gamma^0 \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] + \gamma^1 \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] + \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] + \dots$$

**Question:** Do we know the second term?

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}_n) \mid s_0, a_0, a_1, ..., a_n] =$$

$$\gamma^0 \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] + \gamma^1 \ \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] + \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] + \dots$$

**Question:** Do we know the second term?

**Answer:** It is more tricky

$$\mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1]$$

$$\mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1]$$

 $\mathcal{R}(s_2)$  needs  $s_2$ , but we only have  $s_0!$ 

$$\mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1]$$

 $\mathcal{R}(s_2)$  needs  $s_2$ , but we only have  $s_0!$ 

For  $\mathcal{R}(s_1)$  relies on the distribution  $\mathrm{Tr}(s_1 \mid s_0, a_0)$ 

$$\mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1]$$

 $\mathcal{R}(s_2)$  needs  $s_2$ , but we only have  $s_0!$ 

For  $\mathcal{R}(s_1)$  relies on the distribution  $\mathrm{Tr}(s_1 \mid s_0, a_0)$ 

For  $\mathcal{R}(s_2)$ , the reward relies on  $\mathrm{Tr}(s_2 \mid s_1, a_1)$  and  $\mathrm{Tr}(s_1 \mid s_0, a_0)$ 

$$\mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1]$$

 $\mathcal{R}(s_2)$  needs  $s_2$ , but we only have  $s_0!$ 

For  $\mathcal{R}(s_1)$  relies on the distribution  $\mathrm{Tr}(s_1 \mid s_0, a_0)$ 

For  $\mathcal{R}(s_2)$ , the reward relies on  $\mathrm{Tr}(s_2 \mid s_1, a_1)$  and  $\mathrm{Tr}(s_1 \mid s_0, a_0)$ 

For  $\mathcal{R}(s_{n+1})$  we need an expression for  $\Pr(s_{n+1} \mid s_0, a_0, a_1, ...)$ 

**Question:** How do we find  $Pr(s_{n+1} \mid s_0, a_0, a_1, ...)$ ?

**Question:** How do we find  $Pr(s_{n+1} \mid s_0, a_0, a_1, ...)$ ?

**Answer:** In lecture 3 we found the probability of a future state in a Markov process

**Question:** How do we find  $Pr(s_{n+1} \mid s_0, a_0, a_1, ...)$ ?

**Answer:** In lecture 3 we found the probability of a future state in a Markov process

$$\Pr(s_{n+1} \mid s_0) = \sum_{s_1, s_2, \dots s_n \in S} \prod_{t=0}^n \Pr(s_{t+1} \mid s_t)$$

**Question:** How do we find  $Pr(s_{n+1} \mid s_0, a_0, a_1, ...)$ ?

**Answer:** In lecture 3 we found the probability of a future state in a Markov process

$$\Pr(s_{n+1} \mid s_0) = \sum_{s_1, s_2, \dots s_n \in S} \prod_{t=0}^n \Pr(s_{t+1} \mid s_t)$$

To extend to MDP, just need to include the actions!

**Question:** How do we find  $Pr(s_{n+1} \mid s_0, a_0, a_1, ...)$ ?

**Answer:** In lecture 3 we found the probability of a future state in a Markov process

$$\Pr(s_{n+1} \mid s_0) = \sum_{s_1, s_2, \dots s_n \in S} \prod_{t=0}^n \Pr(s_{t+1} \mid s_t)$$

To extend to MDP, just need to include the actions!

$$\Pr(s_{n+1} \mid s_0, a_0, a_1, ..., a_{n-1}) = \sum_{s_1, s_2, ... s_n \in S} \prod_{t=0}^n \Pr(s_{t+1} \mid s_t, a_t)$$

**Question:** How do we find  $Pr(s_{n+1} \mid s_0, a_0, a_1, ...)$ ?

**Answer:** In lecture 3 we found the probability of a future state in a Markov process

$$\Pr(s_{n+1} \mid s_0) = \sum_{s_1, s_2, \dots s_n \in S} \prod_{t=0}^n \Pr(s_{t+1} \mid s_t)$$

To extend to MDP, just need to include the actions!

$$\Pr(s_{n+1} \mid s_0, a_0, a_1, ..., a_{n-1}) = \sum_{s_1, s_2, ... s_n \in S} \prod_{t=0}^n \Pr(s_{t+1} \mid s_t, a_t)$$

This predicts the future states of an MDP

Combine  $s_{n+1}$  distribution with  $\mathcal R$  to predict future rewards

Combine  $s_{n+1}$  distribution with  $\mathcal{R}$  to predict future rewards

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] = \sum_{s_1 \in S} \mathcal{R}(s_1) \operatorname{Tr}(s_1 \mid s_0, a_0)$$

Combine  $s_{n+1}$  distribution with  $\mathcal{R}$  to predict future rewards

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] = \sum_{s_1 \in S} \mathcal{R}(s_1) \operatorname{Tr}(s_1 \mid s_0, a_0)$$

$$\mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] = \sum_{s_2 \in S} \mathcal{R}(s_2) \sum_{s_1 \in S} \mathrm{Tr}(s_2 \mid s_1, a_1) \, \mathrm{Tr}(s_1 \mid s_0, a_0)$$

Combine  $s_{n+1}$  distribution with  $\mathcal{R}$  to predict future rewards

$$\mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] = \sum_{s_1 \in S} \mathcal{R}(s_1) \operatorname{Tr}(s_1 \mid s_0, a_0)$$

$$\mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] = \sum_{s_2 \in S} \mathcal{R}(s_2) \sum_{s_1 \in S} \mathrm{Tr}(s_2 \mid s_1, a_1) \, \mathrm{Tr}(s_1 \mid s_0, a_0)$$

$$\mathbb{E}[\mathcal{R}(s_{n+1}) \mid s_0, a_0, a_1, ... a_n] = \sum_{s_{n+1} \in S} \mathcal{R}(s_{n+1}) \sum_{s_1, ..., s_n \in S} \prod_{t=0}^n \mathrm{Tr}(s_{t+1} \mid s_t, a_t)$$


$$\mathbb{E}[\mathcal{R}(s_{n+1}) \mid s_0, a_0, a_1, ..., a_n] = \sum_{s_{n+1} \in S} R(s_{n+1}) \sum_{s_1, ..., s_n \in S} \prod_{t=0}^n \Pr(s_{t+1} \mid s_t, a_t)$$

$$\mathbb{E}[\mathcal{R}(s_{n+1}) \mid s_0, a_0, a_1, ..., a_n] = \sum_{s_{n+1} \in S} R(s_{n+1}) \sum_{s_1, ..., s_n \in S} \prod_{t=0}^n \Pr(s_{t+1} \mid s_t, a_t)$$

What does each piece mean?

$$\mathbb{E}[\mathcal{R}(s_{n+1}) \mid s_0, a_0, a_1, ..., a_n] = \sum_{s_{n+1} \in S} R(s_{n+1}) \sum_{s_1, ..., s_n \in S} \prod_{t=0}^n \Pr(s_{t+1} \mid s_t, a_t)$$

What does each piece mean?



What does each piece mean?

$$\mathbb{E}[\mathcal{R}(s_{n+1}) \mid s_0, a_0, a_1, ..., a_n] = \sum_{s_{n+1} \in S} \underbrace{R(s_{n+1})}_{s_1, ..., s_n \in S} \underbrace{\prod_{t=0}^n \Pr(s_{t+1} \mid s_t, a_t)}_{\text{Mean reward over possible } s_{n+1}}$$

What does each piece mean?

This is only for a single reward, must plug into return

$$\mathbb{E}[\mathcal{R}(s_{n+1}) \mid s_0, a_0, a_1, ..., a_n] = \sum_{s_{n+1} \in S} \underbrace{R(s_{n+1})}_{s_1, ..., s_n \in S} \underbrace{\prod_{t=0}^n \Pr(s_{t+1} \mid s_t, a_t)}_{\text{Mean reward over possible } s_{n+1}}$$

What does each piece mean?

This is only for a single reward, must plug into return

$$\mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = \sum_{t=0}^{\infty} \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_0, a_0, a_1, \ldots]$$

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0, a_1, \ldots] =$$

$$\mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0, a_1, \ldots] = \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0]$$

$$\begin{split} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] = & \quad \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] \\ + \gamma & \quad \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] \end{split}$$

$$\begin{split} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] &= & \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] \\ &+ \gamma & \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] \\ &+ \gamma^2 & \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] \end{split}$$

$$\begin{split} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] &= & \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] \\ &+ \gamma & \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] \\ &+ \gamma^2 & \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] \\ &+ & \ldots \end{split}$$

$$\begin{split} \mathbb{E}[\mathcal{G}(\tau) \mid s_0, a_0, a_1, \ldots] &= & \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] \\ &+ \gamma & \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] \\ &+ \gamma^2 & \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] \\ &+ & \ldots \\ &= & \sum_{s_1 \in S} \mathcal{R}(s_1) \operatorname{Tr}(s_1 \mid s_0, a_0) \end{split}$$

$$\begin{split} \mathbb{E}[\mathcal{G}(\pmb{\tau}) \mid s_0, a_0, a_1, \ldots] &= & \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] \\ &+ \gamma & \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] \\ &+ \gamma^2 & \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] \\ &+ & \ldots \\ &= & \sum_{s_1 \in S} \mathcal{R}(s_1) \operatorname{Tr}(s_1 \mid s_0, a_0) \\ &+ \gamma & \sum_{s_2 \in S} \mathcal{R}(s_2) \sum_{s_3 \in S} \operatorname{Tr}(s_2 \mid s_1, a_1) \operatorname{Tr}(s_1 \mid s_0, a_0) \end{split}$$

$$\begin{split} \mathbb{E}[\mathcal{G}(\tau) \mid s_0, a_0, a_1, \ldots] &= & \mathbb{E}[\mathcal{R}(s_1) \mid s_0, a_0] \\ &+ \gamma & \mathbb{E}[\mathcal{R}(s_2) \mid s_0, a_0, a_1] \\ &+ \gamma^2 & \mathbb{E}[\mathcal{R}(s_3) \mid s_0, a_0, a_1, a_2] \\ &+ & \ldots \\ &= & \sum_{s_1 \in S} \mathcal{R}(s_1) \operatorname{Tr}(s_1 \mid s_0, a_0) \\ &+ \gamma & \sum_{s_2 \in S} \mathcal{R}(s_2) \sum_{s_1 \in S} \operatorname{Tr}(s_2 \mid s_1, a_1) \operatorname{Tr}(s_1 \mid s_0, a_0) \\ &+ \gamma^2 & \sum_{s_3 \in S} \mathcal{R}(s_3) \sum_{s_2 \in S} \operatorname{Tr}(s_3 \mid s_2, a_2) \sum_{s_1 \in S} \operatorname{Tr}(s_2 \mid s_1, a_1) \ldots \\ &+ & \ldots \end{split}$$

To maximize the return, we take the arg max over possible actions

To maximize the return, we take the arg max over possible actions

$$\underset{a_0,a_1,\dots}{\arg\max}\,\mathbb{E}[\mathcal{G}(\boldsymbol{\tau})\mid s_0,a_0,a_1,\dots]$$

To maximize the return, we take the arg max over possible actions

$$\underset{a_0,a_1,\dots}{\arg\max}\,\mathbb{E}[\mathcal{G}(\boldsymbol{\tau})\mid s_0,a_0,a_1,\dots]$$

And turn it into a policy

To maximize the return, we take the arg max over possible actions

$$\underset{a_0,a_1,\dots}{\arg\max}\,\mathbb{E}[\mathcal{G}(\boldsymbol{\tau})\mid s_0,a_0,a_1,\dots]$$

And turn it into a policy

$$\pi(a_t \mid s_t; \theta) = \begin{cases} 1 \text{ if } a_t = \arg\max_{a_t \in A} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0, a_1, \ldots] \\ 0 \text{ otherwise} \end{cases}$$

To maximize the return, we take the arg max over possible actions

$$\underset{a_0,a_1,\dots}{\operatorname{arg\ max}}\,\mathbb{E}[\mathcal{G}(\boldsymbol{\tau})\mid s_0,a_0,a_1,\dots]$$

And turn it into a policy

$$\pi(a_t \mid s_t; \theta) = \begin{cases} 1 \text{ if } a_t = \arg\max_{a_t \in A} \mathbb{E}[\mathcal{G}(\boldsymbol{\tau}) \mid s_0, a_0, a_1, \ldots] \\ 0 \text{ otherwise} \end{cases}$$

We have a name for this policy in control theory

**Question:** Anyone know what we call it?

Answer: Model Predictive Control (MPC) or Receding Horizon Control

MPC is arguably the best practical method for control

MPC is arguably the best practical method for control

Most robots and autonomous vehicles today use some form of MPC

MPC is arguably the best practical method for control

Most robots and autonomous vehicles today use some form of MPC


Example application of trajectory optimization/MPC:

https://www.youtube.com/watch?v=bjlT-6KVQ7U


There is a lot of math behind trajectory optimization/MPC

There is a lot of math behind trajectory optimization/MPC


Let us do a visual example to help you understand



$$R(s_a) = 0 \qquad R(s_b) = 1$$




$$S = \{s_a, s_b\} \quad A = \{a_a, a_b\}$$



$$S = \{s_a, s_b\} \quad A = \{a_a, a_b\}$$

$$\Pr(s_a \mid s_a, a_a) = 0.8; \ \Pr(s_b \mid s_a, a_a) = 0.2$$




$$R(s_a) = 0 \qquad R(s_b) = 1$$

$$S = \{s_a, s_b\} \quad A = \{a_a, a_b\}$$

$$\Pr(s_a \mid s_a, a_a) = 0.8; \ \Pr(s_b \mid s_a, a_a) = 0.2$$

$$\Pr(s_a \mid s_a, a_b) = 0.7; \ \Pr(s_b \mid s_a, a_b) = 0.3$$




$$R(s_a) = 0 \qquad R(s_b) = 1$$

$$S = \{s_a, s_b\} \quad A = \{a_a, a_b\}$$

$$\Pr(s_a \mid s_a, a_a) = 0.8; \ \Pr(s_b \mid s_a, a_a) = 0.2$$

$$Pr(s_a \mid s_a, a_b) = 0.7; Pr(s_b \mid s_a, a_b) = 0.3$$

$$Pr(s_a \mid s_b, a_a) = 0.6; Pr(s_b \mid s_a, a_a) = 0.4$$



$$S = \{s_a, s_b\} \quad A = \{a_a, a_b\}$$

$$\Pr(s_a \mid s_a, a_a) = 0.8; \ \Pr(s_b \mid s_a, a_a) = 0.2$$

$$Pr(s_a \mid s_a, a_b) = 0.7; Pr(s_b \mid s_a, a_b) = 0.3$$

$$Pr(s_a \mid s_b, a_a) = 0.6; Pr(s_b \mid s_a, a_a) = 0.4$$

$$Pr(s_a \mid s_b, a_b) = 0.1; Pr(s_b \mid s_a, a_b) = 0.9$$

We can build this into a decision tree


We can build this into a decision tree

The root corresponds to  $s_0$ 

We can build this into a decision tree


The root corresponds to  $s_0$ 

Each level of the tree enumerates possible outcomes



$$t = 2$$

•



**Question:** How many nodes does our tree have?

**Question:** How many nodes does our tree have?

**Answer:**  $O(|S| \cdot |A|)^n$ 

**Question:** How many nodes does our tree have?

**Answer:**  $O(|S| \cdot |A|)^n$ 

**Question:** What does this mean?

**Question:** How many nodes does our tree have?

**Answer:**  $O(|S| \cdot |A|)^n$ 

**Question:** What does this mean?

**Answer:** Do not have the memory/compute to evaluate all possibilities

**Question:** How many nodes does our tree have?

**Answer:**  $O(|S| \cdot |A|)^n$ 

**Question:** What does this mean?

**Answer:** Do not have the memory/compute to evaluate all possibilities

We have some tricks to make this tractable

**Question:** How many nodes does our tree have?

**Answer:**  $O(|S| \cdot |A|)^n$ 

**Question:** What does this mean?

**Answer:** Do not have the memory/compute to evaluate all possibilities

We have some tricks to make this tractable

$$\mathop{\arg\max}_{a_0,a_1,\ldots\in A} \mathbb{E}[\mathcal{G}(\pmb{\tau})\mid s_0,a_0,a_1,\ldots] = \mathop{\arg\max}_{a_0,a_1,\ldots} \sum_{t=0}^{\infty} \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1})\mid s_0,a_0,a_1,\ldots]$$

**Trick 1:** Introduce a **horizon** *n* 

$$\mathop{\arg\max}_{a_0,a_1,\ldots\in A} \mathbb{E}[\mathcal{G}(\pmb{\tau})\mid s_0,a_0,a_1,\ldots] = \mathop{\arg\max}_{a_0,a_1,\ldots} \sum_{t=0}^{\infty} \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1})\mid s_0,a_0,a_1,\ldots]$$

**Trick 1:** Introduce a **horizon** *n* 

$$\underset{a_0,\dots,a_n\in A}{\arg\max}\,\mathbb{E}[\mathcal{G}(\pmb{\tau_n})\mid s_0,a_0,\dots,\underset{a_0,\dots,a_n\in A}{\pmb{a_n}}] = \underset{a_0,\dots,a_n\in A}{\arg\max}\,\sum_{t=0}^n \gamma^t\mathbb{E}[\mathcal{R}(s_{t+1})\mid s_0,a_0,\dots,\underset{a_n}{\pmb{a_n}}]$$

Now we can limit computation to  $O(|S| \cdot |A|)^n$ 

$$\mathop{\arg\max}_{a_0,a_1,\ldots\in A} \mathbb{E}[\mathcal{G}(\pmb{\tau})\mid s_0,a_0,a_1,\ldots] = \mathop{\arg\max}_{a_0,a_1,\ldots} \sum_{t=0}^{\infty} \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1})\mid s_0,a_0,a_1,\ldots]$$

**Trick 1:** Introduce a **horizon** *n* 

$$\underset{a_0,\dots,a_n\in A}{\arg\max}\,\mathbb{E}[\mathcal{G}(\pmb{\tau_n})\mid s_0,a_0,\dots,\underset{a_0,\dots,a_n\in A}{\pmb{a_n}}] = \underset{a_0,\dots,a_n\in A}{\arg\max}\,\sum_{t=0}^n \gamma^t\mathbb{E}[\mathcal{R}(s_{t+1})\mid s_0,a_0,\dots,\underset{a_n}{\pmb{a_n}}]$$

Now we can limit computation to  $O(|S| \cdot |A|)^n$ 

**Question:** Drawback?

$$\mathop{\arg\max}_{a_0,a_1,\ldots\in A} \mathbb{E}[\mathcal{G}(\pmb{\tau})\mid s_0,a_0,a_1,\ldots] = \mathop{\arg\max}_{a_0,a_1,\ldots} \sum_{t=0}^{\infty} \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1})\mid s_0,a_0,a_1,\ldots]$$

Trick 1: Introduce a horizon n

$$\underset{a_0,\dots,a_n\in A}{\arg\max}\,\mathbb{E}[\mathcal{G}(\pmb{\tau_n})\mid s_0,a_0,\dots,\underset{a_0,\dots,a_n\in A}{\pmb{a_n}}] = \underset{a_0,\dots,a_n\in A}{\arg\max}\,\sum_{t=0}^n \gamma^t\mathbb{E}[\mathcal{R}(s_{t+1})\mid s_0,a_0,\dots,\underset{a_n}{\pmb{a_n}}]$$

Now we can limit computation to  $O(|S| \cdot |A|)^n$ 

**Question:** Drawback?

**Answer:** We no longer consider the infinite future, our agent may get greedy and be trapped

$$\underset{a_0, \dots, a_n \in A}{\arg\max} \, \mathbb{E}[\mathcal{G}(\pmb{\tau}_n) \mid s_0, a_0, \dots, a_n] = \underset{a_0, \dots, a_n \in A}{\arg\max} \, \sum_{t=0}^n \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_0, a_0, \dots, a_n]$$

**Trick 2:** Only simulate k states and k actions

$$\underset{a_0, \dots, a_n \in A}{\arg\max} \, \mathbb{E}[\mathcal{G}(\pmb{\tau}_n) \mid s_0, a_0, \dots, a_n] = \underset{a_0, \dots, a_n \in A}{\arg\max} \, \sum_{t=0}^n \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_0, a_0, \dots, a_n]$$

Trick 2: Only simulate k states and k actions

$$\underset{a_0, \dots, a_n \sim A^k}{\arg\max} \, \mathbb{E}[\mathcal{G}(\pmb{\tau}_n) \mid s_0, a_0, \dots, a_n] = \underset{a_0, \dots, a_n \sim A^k}{\arg\max} \, \sum_{t=0}^n \gamma^t \frac{1}{k} \sum_{s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t)} \mathcal{R}(s_{t+1})$$

Now, computation is  $O(k \cdot k)^n$ 

$$\underset{a_0, \dots, a_n \in A}{\arg\max} \, \mathbb{E}[\mathcal{G}(\pmb{\tau}_n) \mid s_0, a_0, \dots, a_n] = \underset{a_0, \dots, a_n \in A}{\arg\max} \, \sum_{t=0}^n \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_0, a_0, \dots, a_n]$$

Trick 2: Only simulate k states and k actions

$$\underset{a_0, \dots, a_n \sim A^k}{\arg\max} \, \mathbb{E}[\mathcal{G}(\pmb{\tau}_n) \mid s_0, a_0, \dots, a_n] = \underset{a_0, \dots, a_n \sim A^k}{\arg\max} \, \sum_{t=0}^n \gamma^t \frac{1}{k} \sum_{s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t)} \mathcal{R}(s_{t+1})$$

Now, computation is  $O(k \cdot k)^n$ 

**Question:** Drawbacks?

$$\underset{a_0, \dots, a_n \in A}{\arg\max} \, \mathbb{E}[\mathcal{G}(\pmb{\tau}_n) \mid s_0, a_0, \dots, a_n] = \underset{a_0, \dots, a_n \in A}{\arg\max} \, \sum_{t=0}^n \gamma^t \mathbb{E}[\mathcal{R}(s_{t+1}) \mid s_0, a_0, \dots, a_n]$$

Trick 2: Only simulate k states and k actions

$$\underset{a_0, \dots, a_n \sim A^k}{\arg\max} \, \mathbb{E}[\mathcal{G}(\pmb{\tau}_n) \mid s_0, a_0, \dots, a_n] = \underset{a_0, \dots, a_n \sim A^k}{\arg\max} \, \sum_{t=0}^n \gamma^t \frac{1}{k} \sum_{s_{t+1} \sim \operatorname{Tr}(\cdot \mid s_t, a_t)} \mathcal{R}(s_{t+1})$$

Now, computation is  $O(k \cdot k)^n$ 

**Question:** Drawbacks?

**Answer:** Optimal action may not be sampled, results in less-optimal trajectory

Trajectory optimization/MPC is an "older" method

Trajectory optimization/MPC is an "older" method

Often because it is limited by compute

Trajectory optimization/MPC is an "older" method

Often because it is limited by compute

With modern GPUs, we are using MPC more and more

Trajectory optimization/MPC is an "older" method

Often because it is limited by compute

With modern GPUs, we are using MPC more and more

https://www.youtube.com/watch?v=bjlT-6KVQ7U

https://www.youtube.com/watch?v=Kf9WDqYKYQQ

To summarize trajectory optimization/MPC:

• Model-based method (we must know Tr)

- Model-based method (we must know Tr)
- Results in theoretically optimal policy

- Model-based method (we must know Tr)
- Results in theoretically optimal policy
- In practice, make approximations that sacrifice optimality for tractability

- Model-based method (we must know Tr)
- Results in theoretically optimal policy
- In practice, make approximations that sacrifice optimality for tractability
- Computationally expensive, but requires **no training data**

To summarize trajectory optimization/MPC:

- Model-based method (we must know Tr)
- Results in theoretically optimal policy
- In practice, make approximations that sacrifice optimality for tractability
- Computationally expensive, but requires **no training data**

Next time, we will see what happens when we don't have a model