

CS408 - Defect Log

Team: Dhiman Swadia, Manoj Polisetti, Harsha Lingareddy, Sanat Mouli, and Vishaal Bommena

Defect Number:	Defect:	Output Before Seeding:	Output after Seeding:	Suggested Correction:	Severity:
1	In timings screen, the Summer Hours button displays the Standard Hours screen and the same occurs for Standard Hours	Clicking on the Summer Hours Button displays the Summer Hours Screen and the Standard Hours Button displays the Standard Hours Screen	Clicking on the Summer Hours Button displays the Standard Hours Screen and the Standard Hours Button displays the Summer Hours Screen	Segue the buttons to the correct screens	3
2	Sign up throws empty textbox error when one characters is passed in as the input for the email	Sign up throws empty textbox error when zero characters is passed in as the input for the email	Sign up throws empty textbox error when one characters is passed in as the input for the email	Check if the email string is empty	3
3	Reset Password throws empty textbox error when one characters is passed in as the input for the email	Reset password throws empty textbox error when zero characters is passed in as the input for the email	Reset throws empty textbox error when one characters is passed in as the input for the email	Check if the email string is empty	3
4	Create Account does not tell user if email is badly formatted	If the user does not input a valid email, the application launches a popup to insert a valid email.	If the user does not input a valid email, the application does not launch a popup to insert a valid email.	Check if the email is valid, and if so then popup an alert box to insert a proper email.	3

5	Login Account does not tell user if email is badly formatted	If the user does not input a valid email, the application launches a popup to insert a valid email.	If the user does not input a valid email, the application does not launch a popup to insert a valid email.	Check if the email is valid, and if so then popup an alert box to insert a proper email.	3
6	Reset Password throws successful reset password message when email is badly formatted.	Reset Password throws error dialog box when email is badly formatted.	Reset Password throws successful reset password message dialog box	Check if an error exists and if so display the alert dialog box.	2
7	User is not alerted if the email textbox is empty in the Login View controller	If the user does not input an email, the application launches a popup message to prompt the user to do so	If the user does not input an email, the application does not launch a popup message to prompt the user to do so	Check if the email string is empty, and if so popup an alert box	2
8	User is not alerted on Login if the email textbox contains an email that is not in the database	If the user does not input an email that is in the database, the application launches a popup message to prompt the user to do so.	If the user does not input an email that is in the database, the application does not launch a popup message to prompt the user to do so	Check if the email is not in the database, and if so popup an alert box	2
9	User is not alerted if the email textbox is empty on the reset password screen.	If the user does not input an email, the application launches a popup message to prompt the user to do so	If the user does not input an email, the application does not launch a popup message to prompt the user	Check if the email string is empty, and if so popup an alert box	2

			to do so		
10	User is not alerted if the email textbox is input with an email that is not in the database in the Reset Password screen	If the user does not input an email that is previously registered, the application launches a popup message to prompt the user to do so	If the user does not input an email that is previously registered, the application does not launch a popup message to prompt the user to do so	Check if the email is part of the database, and if so popup an alert box	2
11	Number of sets count can be a negative integer	Stops the counter at zero decrementing anymore	Shows the negative number in the display	Check if the counter is zero and stop decrementing if the decrease button is pressed after	1
12	Number of reps count can be a negative integer	Stops the counter at zero decrementing anymore	Shows the negative number in the display	Check if the counter is zero and stop decrementing if the decrease button is pressed after	1
13	When you subtract from number of sets the decrement is by 2	The counter is decrement by subtract 1	The counter is decrement by subtract 2	Change the value of the decrement to 1 instead of 2	3

14	When you add from number of sets the increment is by 2	The counter is increment by adding 2	The counter is increment by subtract 2	Change the value of the increment to 1 instead of 2	3
15	When you subtract from number of reps the decrement is by 2	The counter is decrement by subtract 1	The counter is decrement by subtract 2	Change the value of the decrement to 1 instead of 2	3
16	When you add from number of reps the increment is by 2	The counter is increment by adding 2	The counter is increment by subtract 2	Change the value of the increment to 1 instead of 2	
17	Displaying data of sets as reps after new workout	The sets and reps were set to their respective variables	The sets and reps were set to the set variables	Change the sets and reps back to their unique variables	3
18	Submit Button on customworkout screen	The submit button click send it back to customworkout tableview	The submit button submits the workout but stays on the same function	The submit button should have a segue on click that send it back to the tableview screen	3

19	Navigation Bar title is malformed On Detailed Workout View	The app will display the correct title.	The app will show a malformed title when the user visits the screen	Do not append to the title screen when each page is visited.	2
20	When a Custom Workout is added, it is added twice to the list	Workout is only displayed once per added instance	The custom workout displays the workout added multiple times as separate instances	Push Last Workout to TableView as a String instead of an Array of separate workouts	2
21	When the number of reps is zero and the workout is submitted, the app adds it to the custom workout with the reps as zero	The application should set reps as zero	The workout is added with the reps as blank	Have a check to see if the number of reps is greater than zero when submit is pressed	2
22	When the number of sets is zero and the workout is submitted, the app adds it to the custom workout with the reps as zero	The application doesn't let the user submit the workout if the number of sets is zero	The workout is added with the sets as blank	Have a check to see if the number of sets is greater than zero when submit is pressed	2
23	Can resubmit a preexisting name for a custom workout	The application doesn't let the user submit the same name	The workout is added with the preexisting name to the list	Add a check for the array to see if the name already exists	2

24	In Standard Hours screen, Weekday hours does not change for different locations	The weekday hours label changes based on the location selected in scrollview	The weekday hours label does not change based on the location selected in scrollview and	Change the row index to check for the user selected row when loading data from the array	3
25	In Summer Hours screen, labels do not change for different locations	The weekday and weekend label changes based on the location selected in scrollview	The weekday and weekend label does not change based on the location selected in scrollview	Change the label text so that it displays the information for the selected location	3