Go 1 · Principles

Agents that run traffic lights

What an AI agent is, how an adaptive traffic signal works, and how the two fit together to make traffic more efficient, coordinated, greener and ready for connected and automated vehicles.

smrahmanbd.github.io/agentic-atsc-lab

8 ideas, each building on the last

1 What 'agentic AI' means: the agent loop

2 s how often the course agent runs its loop

2 How an adaptive traffic signal works

13.3% of a 60 s two-stage cycle lost to intergreens

3 Linkage 1: efficiency and pressure

6 vs 2 pressure picks NS although EW's queue is longer

4 Linkage 2: coordination and green waves

24 s offset for 300 m at 45 km/h

5 Linkage 3: eco-driving with SPaT and GLOSA

32 km/h advice for 250 m with green in 28 s

6 Linkage 4: intelligent transport systems

1800 decisions per junction per hour at one every 2 s

7 Linkage 5: autonomous and connected vehicles

×4 each connected car stands for four at 25%

8 Guardrails and levels of autonomy

33% time lost if an agent flips at 8 s greens

Three surprises to start

The 'brain' is not the dangerous part.

A clever controller that proposes a bad switch is harmless if a simple, fixed set of rules checks every order before the lights change. That is why agentic signal control is built around a shield the agent cannot override.

The longest queue is not always the right one to serve.

If the road beyond the junction is already full, sending more cars into it just moves the jam backwards. A one-line rule called pressure notices this; a 'serve the longest queue' rule does not.

A traffic light can save fuel in cars it never stops.


If the signal broadcasts when it will turn green, a connected car can slow down early and roll through without stopping. The catch: an adaptive agent must keep its promise for that to work.

Words you will meet

Agent	A program that keeps perceiving, reasoning and acting on its own to reach a goal.
Stage	A set of traffic streams that get green at the same time, for example 'main road both ways'.
Cycle	One full round through all stages, for example 60 seconds.
Split	How the cycle is shared between stages: 'main road 35 s, side road 17 s'.
Offset	When one junction's cycle starts compared with its neighbour's.

Intergreen	The yellow plus all-red gap between two greens. Nobody moves; it is lost time.
Platoon	A bunch of cars travelling together, usually released by the previous green.
Connected vehicle (CV)	A vehicle that exchanges data with the signals and other vehicles (V2X).
Penetration rate	The share of vehicles that are connected, for example 25%.

The map of today's ideas



1 What 'agentic AI' means: the agent loop

IN PLAIN WORDS

A good traffic warden looks at the queues, weighs who has waited too long, waves one stream on, notes what happened and radios the next warden. An agent does the same loop, every two seconds, without getting tired.

- Perceive, reason, act, remember and talk
- Tools are the agent's eyes
- Goals written as weights
- A shield checks every action

2 s

how often the course agent runs its loop


Worked example: One decision, two seconds

$$\text{score(stage)} = 1 \times \text{cars queued} + 0.15 \times \text{longest wait (s)}$$
$$\text{switch only if score(other)} > \text{score(current)} + 2$$


Main road (EW) has green for 18 s: 3 cars queued, longest wait 6 s. Side road (NS): 7 cars queued, longest wait 40 s.

1. Perceive: read the four numbers from the tools.
2. Score EW (current) = 3 + 0.15 × 6 = 3 + 0.9 = **3.9**.
3. Score NS (other) = 7 + 0.15 × 40 = 7 + 6 = **13.0**.
4. Reason: is 13.0 > 3.9 + 2 = 5.9? Yes, so propose **switch**.
5. Shield: EW has had 18 s of green, above the 8 s minimum, so the switch is **allowed**.
6. Act: yellow, all-red, then green to NS. Log the reason and tell the neighbours.

The agent switches, and it can explain why in one line: 'NS scored 13.0 against 3.9 plus 2'.



Remember it: Agent loop



PICTURE THIS · STOP 1: CITY GATE

A robot traffic warden at the city gate has huge camera EYES, a glowing BRAIN in a jar, long HANDS on the signal levers, a NOTEBOOK chained to its belt and a WALKIE-TALKIE crackling.

TRAP

An agent is not defined by using a language model. A hand-written scoring rule can be the policy of an agent. What makes it agentic is the loop with tools, goals, memory, messages and a degree of autonomy.

2 How an adaptive traffic signal works

IN PLAIN WORDS

A junction is a single bathroom shared by a busy house. Each person (stage) gets a turn; one round of turns is the cycle; how long each person gets is the split. Every change-over, while one leaves and the next enters, nobody is using it.

- Stages take turns sharing the road
- Cycle, split, offset: three timing knobs
- Yellow plus all-red is lost time
- Fixed, actuated, adaptive, then agentic

13.3%

of a 60 s two-stage cycle lost to intergreens


Worked example: Sharing a 60 s cycle

lost time per cycle = number of stages × (yellow + all-red)
green for a stage = (cycle − lost time) × its share of demand


Two stages. Yellow 3 s, all-red 1 s. Main road demand 600 veh/h, side road 300 veh/h.

1. Lost time = 2 × (3 + 1) = **8 s** per cycle.
2. Share lost: 8 ÷ 60 = **13.3%** of every cycle.
3. Green to share = 60 − 8 = **52 s**.
4. Main road: 52 × 600 ÷ 900 = **34.7 s**.
5. Side road: 52 × 300 ÷ 900 = **17.3 s**.
6. Cycles per hour = 3600 ÷ 60 = 60, so 60 × 8 = **480 s** lost per hour.

Eight minutes of every hour nobody moves. Fewer, longer greens lose less time but make people wait longer: every controller balances the two.



Remember it: How ATSC works



PICTURE THIS · STOP 2: CLOCK TOWER

The clock tower has THREE dials: one spins once per cycle, one is a pie cut into slices, one is set a few minutes ahead of the next tower. Between the hours a yellow-then-red curtain drops.

TRAP

The intergreen is not wasted by a bad controller; it is needed for safety. What a controller can waste is the number of intergreens: switching more often than needed multiplies the lost time (concept 8).

3 Linkage 1: efficiency and pressure

IN PLAIN WORDS

Pouring water from a jug into glasses: you pour where the jug is fullest and the glass below is emptiest. Pouring into a full glass only spills it back over the table, however much water is waiting in the jug.

- Efficiency: most people, least delay
- Pressure = waiting minus on exit
- Serve the highest pressure
- Never push cars into a full road

6 vs 2

pressure picks NS although EW's queue is longer


Worked example: Which stage gets the green?

pressure(stage) = cars waiting to enter − cars on its exit road
serve the stage with the largest pressure

EW: 12 cars waiting, 10 cars already on its exit road. NS: 7 cars waiting, 1 car on its exit road.

1. Longest-queue rule: 12 > 7, so it would serve **EW**.
2. Pressure EW = 12 − 10 = **2**.
3. Pressure NS = 7 − 1 = **6**.
4. 6 > 2, so max-pressure serves **NS**.
5. Why: EW's exit is nearly full, so EW cars would soon stop on it and could block the junction.

The two rules disagree. Pressure picks the stage whose cars can actually move away, which keeps the network flowing.



Remember it: Efficiency & pressure



PICTURE THIS · STOP 3: FOUNTAIN SQUARE

A giant pressure cooker sits on the fountain. Water pours IN from the waiting streets and OUT into the exits; when an exit basin is full, the lid rattles and refuses to open that way.

TRAP

Pressure is not the queue length. A long queue facing a full exit can have low, even negative, pressure. Always subtract what is on the exit road.

4 Linkage 2: coordination and green waves

IN PLAIN WORDS

A row of people doing a stadium wave: each stands up a moment after the person beside them, timed so the wave rolls smoothly round. If anyone stands at the wrong moment, the wave breaks.

- Green wave: platoons meet only greens
- Offset = spacing ÷ speed
- Subtract whole cycles from big offsets
- Agents share 'n cars in t s'

24 s

offset for 300 m at 45 km/h


Worked example: Four junctions 300 m apart at 45 km/h

offset = spacing ÷ speed
offset at junction n = (n − 1) × offset, minus whole cycles


Cycle 60 s, green 30 s at each junction. A platoon leaves J1 as its green starts.

1. Speed: 45 ÷ 3.6 = **12.5 m/s**.
2. Travel time J1 → J2: 300 ÷ 12.5 = **24 s**. That is the offset.
3. J3 starts 2 × 24 = **48 s** after J1.
4. J4: 3 × 24 = 72 s; minus one 60 s cycle = **12 s**.
5. The platoon reaches J4 after 900 ÷ 12.5 = **72 s**, as J4's green starts.

Offsets 0, 24, 48 and 12 s give a green wave: the platoon never stops. This is what the course widget's agents compute when you let them talk.



Remember it: Coordination



PICTURE THIS · STOP 4: BOULEVARD

A surfer rides one long green wave down the boulevard while the junction robots shout to each other through tin-can phones: "eight surfers reaching you in fifteen seconds!"

TRAP

The offset is not the spacing or the speed alone; it is spacing ÷ speed, and it must be taken modulo the cycle. 72 s on a 60 s cycle is an offset of 12 s.

5 Linkage 3: eco-driving with SPaT and GLOSA

IN PLAIN WORDS

Walking to a level crossing whose barrier you know will lift in 30 seconds. Instead of hurrying, then standing and waiting, you stroll and arrive just as it rises. Same arrival time, less effort.

- Every stop wastes fuel
- SPaT: the signal says when
- GLOSA speed = distance ÷ time to green
- Adaptive agents must keep their promises

32 km/h

advice for 250 m with green in 28 s


Worked example: GLOSA advice 250 m from a red light

time to arrive at current speed = distance ÷ speed
advised speed = distance ÷ time to green


Car at 50 km/h, 250 m from the stop line. SPaT says green in 28 s.

1. Speed: 50 ÷ 3.6 = **13.9 m/s**.
2. Without advice it arrives after 250 ÷ 13.9 = **18.0 s**, 10 s before green: it stops and waits **10 s**.
3. Advised speed = 250 ÷ 28 = **8.93 m/s**.
4. In km/h: 8.93 × 3.6 = **32.1 km/h**.
5. Check the minimum: 32.1 ≥ 18 km/h, so the advice is **useful**.

Advice: 32 km/h. The car reaches the line at 28 s exactly as the light turns green, with no stop and no idling.



Remember it: Eco-driving



PICTURE THIS · STOP 5: SWAN LAKE BRIDGE

A blue swan wearing a stopwatch necklace glides slowly onto the bridge exactly as the light turns green, while a red goose slams its brakes and puffs black smoke.

TRAP

GLOSA does not make the car arrive earlier. Both cars reach the line at the same time; the saving is the stop (braking, idling, accelerating), not the travel time.

6 Linkage 4: intelligent transport systems

IN PLAIN WORDS

A hospital: patients, monitors, a pager system, the locked drug cabinet with its own rules, the doctor deciding treatment, and a board of managers setting policy. The doctor matters, but cannot work without every other layer.

- The agent is one layer of six
- Sensing and V2X feed the agent
- Edge controller enforces safety rules
- Humans in the control centre oversee

1800

decisions per junction per hour at one every 2 s


Worked example: How much does the chain carry?

decisions per hour = 3600 ÷ decision interval


A corridor of 4 junctions. Each agent decides every 2 s. Each decision is checked by its edge controller.

1. Decisions per junction per hour = 3600 ÷ 2 = **1800**.
2. Corridor: 4 × 1800 = **7200** decisions per hour.
3. Edge safety checks: one per decision, so also **7200**.
4. Per day: 7200 × 24 = **172,800** decisions to log for audit.

Far too many for an operator to approve one by one. That is why the shield must be automatic and the operator sets goals and watches, rather than approving each move.



Remember it: ITS



PICTURE THIS · STOP 6: ITS TOWER

A six-storey tower: cars and people on the ground floor, cameras and loops on the first, a radio antenna on the second, a locked cabinet on the third, the robot on the fourth, and engineers with coffee in the glass penthouse.

TRAP

The agent does not drive the lamps directly. Its orders go to the edge controller in the cabinet, which applies minimum green, intergreen and the conflict monitor first.

7 Linkage 5: autonomous and connected vehicles

IN PLAIN WORDS

Counting a crowd from the people wearing hi-vis vests. If one person in four wears one and you see 4 vests, you guess 16 people. With many vests the guess is good; with very few, one extra vest changes everything.

- CV talks, AV drives, CAV does both
- New eyes: queues without loops
- New hands: follow advice, platoon
- Estimate = seen ÷ penetration rate

×4

each connected car stands for four at 25%


Worked example: Seeing a queue through connected cars

$$\text{estimated queue} = \text{connected cars seen} \div \text{penetration rate}$$
$$\text{typical relative error} \approx \sqrt{((1 - p) \div (p \times N))}$$

True queue 14 cars (unknown to the agent). Penetration 25%. The agent sees 4 connected cars in the queue.

1. Estimate = 4 ÷ 0.25 = **16 cars**.
2. Error = 16 − 14 = **2 cars**, or 2 ÷ 14 = **14%**.
3. If it had seen 3 instead: 3 ÷ 0.25 = 12, error **2 cars** the other way.
4. At 10% penetration, seeing 1 car gives 10; seeing 2 gives **20**.
5. One car more or less now moves the estimate by **10 cars**.

At 25% each connected car stands for 4; at 10% it stands for 10. Low penetration makes the agent's eyes coarse and jumpy.



Remember it: AVs & CAVs



PICTURE THIS · STOP 7: CAR PARK

Only the blue robot cars wear glowing glasses; the robot warden can see only them, so it counts them and multiplies by four to guess the whole queue.

TRAP

Connected is not the same as automated. A connected car with a human driver can send data and show advice; only an automated one can follow the advice by itself. The signal agent's 'eyes' need connection, not automation.

8 Guardrails and levels of autonomy

IN PLAIN WORDS

A bouncer at a club door with a fixed rulebook. However charming or clever the guest, if the rule says no, the answer is no. The bouncer does not need to understand the guest; he only checks the rules.

- Shield sits outside the agent
- Min green, max green, intergreen
- Autonomy granted in five levels
- Every switch costs four seconds

33%

time lost if an agent flips at 8 s greens


Worked example: The cost of flipping too often

$$\text{cycle} = 2 \times (\text{green} + 4\ \text{s}) \text{ for two stages}$$
$$\text{share lost} = 8\ \text{s} \div \text{cycle}$$


Two stages, intergreen 4 s. Compare an agent that switches at the 8 s minimum green with one that holds 30 s greens.

1. Flipping agent: cycle = 2 × (8 + 4) = **24 s**.
2. Lost share = 8 ÷ 24 = **33%**.
3. Steady agent: cycle = 2 × (30 + 4) = **68 s**.
4. Lost share = 8 ÷ 68 = **11.8%**.
5. Per hour: 3600 ÷ 24 × 8 = **1200 s** lost against 3600 ÷ 68 × 8 ≈ **424 s**.

Flipping at the minimum wastes a third of the hour. The shield's minimum green stops worse, and switching reluctance keeps the agent nearer the steady case.



Remember it: Guardrails & autonomy



PICTURE THIS · STOP 8: NIGHTCLUB DOOR

A bouncer with an iron rulebook stands at the signal's door and turns away any order that breaks a rule, however clever. Behind him, five steps lead up from "manual" to "autonomous".

TRAP

Do not put the safety rules inside the agent's goal as a big penalty. A goal can be outweighed or misread; a shield outside the agent cannot. The shield is never optional, at every autonomy level.

Four ways to run a traffic light

	Fixed time	Actuated	Adaptive	Agentic
Sees traffic?	no	stop-line detectors	detectors, measured demand	any tool: loops, video, CAV data, messages
Decides with	a stored plan	gaps between vehicles	continuous re-optimisation	goal weights and a policy (rules, RL or LLM)
Coordinates?	if designed so	no	yes, through offsets	yes, by messages between agents
Explains itself?	no	no	rarely	yes, logs a reason for each act
Safety rules	in the plan	in the controller	in the controller	shield outside the agent

Things beginners mix up

This…	…is not this	The fact that tells them apart
Agent	**Language model**	An agent is a loop with tools, goals and memory; its policy may or may not be a language model.
Queue length	**Pressure**	Pressure subtracts the cars on the exit road; a long queue into a full road has low pressure.
Offset	**Travel time**	Offset = travel time minus whole cycles: 72 s on a 60 s cycle is 12 s.
Connected (CV)	**Automated (AV)**	CV exchanges data; AV drives itself; a CAV does both.
Shield	**Goal penalty**	The shield is hard rules outside the agent; a penalty inside the goal can be outweighed.

Check yourself (1 of 2)

EW has green: 4 cars queued, longest wait 8 s. NS: 6 cars, longest wait 30 s. With weights 1 and 0.15 and reluctance 2, what does the agent propose?

A. Keep EW

B. Switch to NS

C. Switch both

D. Nothing; it needs more data

What problem does pressure help avoid that 'serve the longest queue' does not?

A. Red-light running

B. Spill-back into a full exit road

C. Pedestrian delay

D. Detector failure

Answers are in the speaker notes and in the study guide's answer key.

Check yourself (2 of 2)

At which autonomy level does the agent suggest and the operator approve?

A. 0 Manual

B. 1 Advisory

C. 2 Supervised

D. 4 Autonomous

An engineer suggests removing the shield and adding a −1000 penalty for unsafe switches to the agent's goal. Best response?

A. Fine, the penalty is large enough


B. No: safety rules must be checked outside the agent, where no goal can outweigh or misread them

C. Fine at autonomy level 4 only

D. No, because penalties slow the agent down

Answers are in the speaker notes and in the study guide's answer key.

Walk the memory route



1 City gate = Agent loop · 2 Clock tower = How ATSC works · 3 Fountain square = Efficiency & pressure · 4 Boulevard = Coordination · 5 Swan lake bridge = Eco-driving · 6 ITS tower = ITS · 7 Car park = AVs & CAVs · 8 Nightclub door = Guardrails & autonomy

Numbers to remember

› Agent decides every 2 s; goal 1 per car + 0.15 per s; reluctance 2

› Intergreen 3 s yellow + 1 s all-red; 60 s, 2 stages → 8 s lost (13.3%)

› Pressure = in − out: EW 12 − 10 = 2, NS 7 − 1 = 6

› Offset = 300 m ÷ 12.5 m/s = 24 s; 4 junctions: 0, 24, 48, 12 s

› GLOSA: 250 m, green in 28 s → 32 km/h; minimum 18 km/h

› CAV estimate = seen ÷ p: 4 at 25% → 16

› Shield: min green 8 s, max green 60 s; levels 0-4

Keep going

Study guide, interactive lab and SUMO code: smrahmanbd.github.io/agentic-atsc-lab