
AGENTIC ATSC LAB · STUDY GUIDE

Agents that run traffic lights

What an AI agent is, how an adaptive traffic signal works, and how the two fit together to make traffic more efficient, coordinated, greener and ready for connected and automated vehicles.

Go 1 · Principles



INSIDE

- The four-step loop every agent runs: perceive, reason, act, remember and talk
- Pressure: why 'cars waiting minus cars on the exit' beats 'longest queue'
- A green wave and a glide to the green, both worked by hand
- Why the safety shield sits outside the agent, whatever AI is inside

Beginner-friendly companion to smrahmanbd.github.io/agentic-atsc-lab

The map: AATSC Go 1

This guide is for complete beginners. You need no traffic engineering, no programming and only school arithmetic. By the end you will understand what makes a traffic-signal controller an **agent**, how adaptive signals share the road, and how agents link to five big themes: efficiency, coordination, eco-driving, intelligent transport systems and connected and automated vehicles. There are eight ideas. Each builds on the one before.




Figure 0. The whole guide on one page. Each box is one concept section; the arrows say how one idea feeds the next. Come back to this page whenever you feel lost.

1. What 'agentic AI' means: the agent loop
2. How an adaptive traffic signal works
3. Linkage 1: efficiency and pressure
4. Linkage 2: coordination and green waves
5. Linkage 3: eco-driving with SPaT and GLOSA
6. Linkage 4: intelligent transport systems
7. Linkage 5: autonomous and connected vehicles
8. Guardrails and levels of autonomy

HOW TO USE THIS GUIDE

Read one concept per sitting (15 to 25 minutes). Do every **Simple calculation** with a pencil before reading the answer. Say the **Picture this** scene out loud while you imagine walking along Smart Boulevard: the sillier it feels, the better it sticks. The **Recap so far** box at the end of each section grows as you go; reading it is your free revision. When you finish, take the self-quiz, then follow the revision plan on the last page. The course website has a live widget for every section.

What you will be able to do

- Name the four parts of the agent loop and the five words that make a controller 'agentic' (tools, goals, memory, messages, shield).
- Explain cycle, split, offset and intergreen, and work out how much of a cycle is lost to yellow and all-red.
- Compute the pressure of each stage and say why serving pressure avoids spill-back.
- Find the green-wave offset between two junctions from their spacing and the driving speed.
- Work out a GLOSA speed advice from a SPaT message and say when no useful advice exists.
- Place the agent in the ITS chain, from road users to the control centre.
- Estimate a queue from connected vehicles only, and explain why the estimate gets noisy at low penetration.
- Describe the safety shield and the five levels of autonomy, and compute the cost of switching too often.

Before we start

HOOK

The 'brain' is not the dangerous part. A clever controller that proposes a bad switch is harmless if a simple, fixed set of rules checks every order before the lights change. That is why agentic signal control is built around a **shield** the agent cannot override.

HOOK

The longest queue is not always the right one to serve. If the road beyond the junction is already full, sending more cars into it just moves the jam backwards. A one-line rule called **pressure** notices this; a 'serve the longest queue' rule does not.

HOOK

A traffic light can save fuel in cars it never stops. If the signal broadcasts when it will turn green, a connected car can slow down early and roll through without stopping. The catch: an adaptive agent must keep its promise for that to work.

Words you will meet

You do not need to memorise these now. Each one is explained again when it first matters.


Word	In plain words
Agent	A program that keeps perceiving, reasoning and acting on its own to reach a goal.
Stage	A set of traffic streams that get green at the same time, for example 'main road both ways'.
Cycle	One full round through all stages, for example 60 seconds.
Split	How the cycle is shared between stages: 'main road 35 s, side road 17 s'.
Offset	When one junction's cycle starts compared with its neighbour's.
Intergreen	The yellow plus all-red gap between two greens. Nobody moves; it is lost time.
Platoon	A bunch of cars travelling together, usually released by the previous green.
Connected vehicle (CV)	A vehicle that exchanges data with the signals and other vehicles (V2X).
Penetration rate	The share of vehicles that are connected, for example 25%.

CONCEPT 1 OF 8 · AATSC GO 1

What 'agentic AI' means: the agent loop

HOOK

A thermostat reacts. A chess program plans. What extra does a program need before we call it an agent that can run a traffic light?



IN PLAIN WORDS

A good traffic warden looks at the queues, weighs who has waited too long, waves one stream on, notes what happened and radios the next warden. An agent does the same loop, every two seconds, without getting tired. *Where the picture breaks:* a human warden uses judgement and common sense about anything unusual; an agent only knows what its tools report and what its goal says matters.

An **agent** is a program that keeps doing four things in a loop, on its own, to reach a goal. It **perceives** the world through **tools** (detectors, cameras, messages, data from connected cars). It **reasons**, comparing options against its **goals** (less delay, fairness, safety). It **acts**, changing something in the world: keep the green, or switch. And it **remembers and talks**: it keeps a memory of what happened and sends messages to other agents.

The rule that turns what it sees into an action is its **policy**. It can be hand-written, learned by trial and error (reinforcement learning) or produced by a language model. The **goal** is written as weights, for example 1 point per queued car and 0.15 points per second of the longest wait. A **switching reluctance** (here 2 points) stops the agent flipping back and forth over tiny differences.

What makes it **agentic** rather than 'just an algorithm' is the combination: it chooses which tools to use, keeps a goal over time, explains itself, works with other agents and runs with a degree of **autonomy**. Because it acts in the real world, it always sits behind a **safety shield**: hard rules checked after it decides and before the signal changes.

$$\text{score}(\text{stage}) = 1 \times \text{cars queued} + 0.15 \times \text{longest wait (s)}$$

the course widget's default goal weights

$$\text{switch only if score}(\text{other}) > \text{score}(\text{current}) + 2$$

2 = switching reluctance

SIMPLE CALCULATION · One decision, two seconds

Main road (EW) has green for 18 s: 3 cars queued, longest wait 6 s. Side road (NS): 7 cars queued, longest wait 40 s.

1. Perceive: read the four numbers from the tools.
2. Score EW (current) = 3 + 0.15 × 6 = 3 + 0.9 = **3.9**.
3. Score NS (other) = 7 + 0.15 × 40 = 7 + 6 = **13.0**.
4. Reason: is 13.0 > 3.9 + 2 = 5.9? Yes, so propose **switch**.
5. Shield: EW has had 18 s of green, above the 8 s minimum, so the switch is **allowed**.
6. Act: yellow, all-red, then green to NS. Log the reason and tell the neighbours.

The agent switches, and it can explain why in one line: 'NS scored 13.0 against 3.9 plus 2'.




Figure 1. The agent loop at one junction. What to notice: the shield sits between the decision and the signal, and the loop closes because the agent perceives the result of its own action. Read it left to right, then back along the second row.

TRAP

An agent is **not** defined by using a language model. A hand-written scoring rule can be the policy of an agent. What makes it agentic is the loop with tools, goals, memory, messages and a degree of autonomy.

PICTURE THIS · STOP 1 OF THE ROUTE

A robot traffic warden at the city gate has huge camera EYES, a glowing BRAIN in a jar, long HANDS on the signal levers, a NOTEBOOK chained to its belt and a WALKIE-TALKIE crackling.
What it encodes: Eyes = perceive; brain = reason; hands = act; notebook = memory; walkie-talkie = talking to other agents. Together: the agent loop.

TRY IT NOW (about 90 seconds)

EW has green: 5 cars queued, longest wait 10 s. NS: 6 cars queued, longest wait 20 s. Keep or switch?
Answer in the key at the back.

RECAP SO FAR


1. **Agent loop: perceive (tools) → reason (goal weights) → act → remember and talk; a shield checks every action; 'agentic' = loop + autonomy.**

CONCEPT 2 OF 8 · AATSC GO 1

How an adaptive traffic signal works

HOOK

Every junction shares one piece of road between streams that would crash into each other. How do you share it fairly, and what does it cost every time you hand it over?



IN PLAIN WORDS

A junction is a single bathroom shared by a busy house. Each person (stage) gets a turn; one round of turns is the cycle; how long each person gets is the split. Every change-over, while one leaves and the next enters, nobody is using it. *Where the picture breaks:* people in a house can see the queue at the door; a fixed-time signal cannot, which is exactly what adaptive control fixes.

A signal gives each **stage** a turn. One round of all stages is a **cycle**; how the cycle is shared is the **split**; when a junction's cycle starts relative to its neighbour is the **offset**. Between greens comes the **intergreen**: yellow then all-red, so the junction clears before the next stream starts. In the course simulator that is 3 s of yellow and 1 s of all-red. It is lost time.

Fixed time repeats a stored plan: cheap and predictable, but blind to today's traffic. **Actuated** signals use detectors at the stop line to extend the green while cars keep coming and end it after a gap. **Adaptive** systems measure demand and re-optimise cycle, split and offset continuously; SCOOT (model-based, upstream detectors) and SCATS (degree of saturation at the stop line) are well-known examples.

Max-pressure is a simple decentralised rule (concept 3). **Agentic** control frames adaptive control as an agent with tools, goals, memory, messages, explanations and a shield; it can use any of the others as tools. We judge all of them by **delay** (extra time compared with free flow), **stops**, **queue length**, the **longest wait** (fairness) and **emissions**.

$$\text{lost time per cycle} = \text{number of stages} \times (\text{yellow} + \text{all-red})$$

the intergreen is lost to every stream

$$\text{green for a stage} = (\text{cycle} - \text{lost time}) \times \text{its share of demand}$$

a simple proportional split

SIMPLE CALCULATION · Sharing a 60 s cycle

Two stages. Yellow 3 s, all-red 1 s. Main road demand 600 veh/h, side road 300 veh/h.

1. Lost time = 2 × (3 + 1) = **8 s** per cycle.
2. Share lost: 8 ÷ 60 = **13.3%** of every cycle.
3. Green to share = 60 − 8 = **52 s**.
4. Main road: 52 × 600 ÷ 900 = **34.7 s**.
5. Side road: 52 × 300 ÷ 900 = **17.3 s**.
6. Cycles per hour = 3600 ÷ 60 = 60, so 60 × 8 = **480 s** lost per hour.

Eight minutes of every hour nobody moves. Fewer, longer greens lose less time but make people wait longer: every controller balances the two.




Figure 2. Where the 60 s cycle goes. What to notice: the intergreen takes 8 s of every cycle whatever the traffic. The greens are shared in proportion to demand (600 : 300 veh/h). Values from the worked example.

TRAP

The intergreen is **not** wasted by a bad controller; it is needed for safety. What a controller can waste is the **number** of intergreens: switching more often than needed multiplies the lost time (concept 8).

PICTURE THIS · STOP 2 OF THE ROUTE

The clock tower has THREE dials: one spins once per cycle, one is a pie cut into slices, one is set a few minutes ahead of the next tower. Between the hours a yellow-then-red curtain drops.
What it encodes: Spinning dial = cycle; pie = split; dial set ahead = offset; the yellow-then-red curtain = intergreen (yellow + all-red), which is lost time.

TRY IT NOW (about 90 seconds)

A three-stage junction has a 90 s cycle, 3 s yellow and 2 s all-red. How much time is lost per cycle and per hour? *Answer in the key at the back.*

RECAP SO FAR

1. **Agent loop:** perceive (tools) → reason (goal weights) → act → remember and talk; a shield checks every action; 'agentic' = loop + autonomy.
2. **How ATSC works: stages take turns; cycle, split, offset; intergreen is lost time; fixed → actuated → adaptive → agentic; score by delay, stops, queue, longest wait, emissions.**

CONCEPT 3 OF 8 · AATSC GO 1

Linkage 1: efficiency and pressure

HOOK

Twelve cars wait on the main road, seven on the side road. The obvious move is to serve the main road. When is the obvious move wrong?



IN PLAIN WORDS

Pouring water from a jug into glasses: you pour where the jug is fullest and the glass below is emptiest. Pouring into a full glass only spills it back over the table, however much water is waiting in the jug. *Where the picture breaks:* water flows instantly; cars take time to travel down the exit road, so pressure is a snapshot that must be re-measured every few seconds.

Efficiency means moving the most people with the least delay. An agent gets there by **measuring** instead of guessing: queues, arrivals and how full the exit roads are.

One powerful signal is **pressure**: cars waiting to enter minus cars already on the exit road. A stage whose exit is nearly full has low pressure even if its queue is long, because the cars could not go anywhere useful.

Max-pressure control serves the stage with the highest pressure, using only local counts, so each junction can decide on its own (it is decentralised). Its big advantage is avoiding **spill-back**: pushing cars into a road that is already full, so that its queue reaches back and blocks the junction behind it.

$$\text{pressure}(\text{stage}) = \text{cars waiting to enter} - \text{cars on its exit road}$$

a simple form of the max-pressure idea

$$\text{serve the stage with the largest pressure}$$

re-measured at every decision

SIMPLE CALCULATION · Which stage gets the green?

EW: 12 cars waiting, 10 cars already on its exit road. NS: 7 cars waiting, 1 car on its exit road.

1. Longest-queue rule: 12 > 7, so it would serve **EW**.
2. Pressure EW = 12 − 10 = **2**.
3. Pressure NS = 7 − 1 = **6**.
4. 6 > 2, so max-pressure serves **NS**.
5. Why: EW's exit is nearly full, so EW cars would soon stop on it and could block the junction.

The two rules disagree. Pressure picks the stage whose cars can actually move away, which keeps the network flowing.




Figure 3. Queue alone versus pressure. What to notice: EW has the longer queue but the lower pressure, because its exit already holds 10 cars. Values from the worked example (the course widget's default settings).

TRAP

Pressure is **not** the queue length. A long queue facing a full exit can have low, even negative, pressure. Always subtract what is on the exit road.

PICTURE THIS · STOP 3 OF THE ROUTE

A giant pressure cooker sits on the fountain. Water pours IN from the waiting streets and OUT into the exits; when an exit basin is full, the lid rattles and refuses to open that way.
What it encodes: Water in = cars waiting; water out = exit road; pressure = in − on exit; the lid refusing a full basin = never pushing cars into a full road (spill-back).

TRY IT NOW (about 90 seconds)

EW: 15 waiting, 3 on exit. NS: 9 waiting, 18 on exit. Which stage does max-pressure serve? What is odd about NS? *Answer in the key at the back.*

RECAP SO FAR

1. **Agent loop:** perceive (tools) → reason (goal weights) → act → remember and talk; a shield checks every action; 'agentic' = loop + autonomy.
2. **How ATSC works:** stages take turns; cycle, split, offset; intergreen is lost time; fixed → actuated → adaptive → agentic; score by delay, stops, queue, longest wait, emissions.
3. **Efficiency: measure queues and exits; pressure = waiting in − on exit; serve the highest pressure; avoid spill-back.**

CONCEPT 4 OF 8 · AATSC GO 1

Linkage 2: coordination and green waves

HOOK

Drive down a street with four signals. Stop at every one, or sail through on green. The difference is just a few seconds' shift in when each light starts its cycle.



IN PLAIN WORDS

A row of people doing a stadium wave: each stands up a moment after the person beside them, timed so the wave rolls smoothly round. If anyone stands at the wrong moment, the wave breaks. *Where the picture breaks:* a stadium wave runs one way at one speed; a two-way street needs a compromise, because offsets that suit one direction may not suit the other.

Junctions close together should not act alone. If each upstream green is timed so its platoon reaches the next junction on green, traffic rides a **green wave**. The timing knob is the **offset**: the delay between one junction's green starting and the next one's.

The ideal offset is the **travel time** between junctions: spacing divided by speed. Because the lights repeat every cycle, an offset bigger than the cycle is taken 'modulo' the cycle (subtract whole cycles). Engineers draw this on a **time-space diagram**: distance up the page, time across, cars as sloping lines.

Classic systems set offsets centrally. Agents can instead **talk**: the upstream agent tells its neighbour 'about 8 cars will reach you in 15 s', and the neighbour holds or starts its green for them. In the course's SUMO corridor this messaging is Lab 2 of Go 2.

$$\text{offset} = \text{spacing} \div \text{speed}$$

travel time between neighbouring junctions

$$\text{offset at junction n} = (\text{n} - 1) \times \text{offset, minus whole cycles}$$

taken modulo the cycle length

SIMPLE CALCULATION · Four junctions 300 m apart at 45 km/h

Cycle 60 s, green 30 s at each junction. A platoon leaves J1 as its green starts.

1. Speed: 45 ÷ 3.6 = **12.5 m/s**.
2. Travel time J1 → J2: 300 ÷ 12.5 = **24 s**. That is the offset.
3. J3 starts 2 × 24 = **48 s** after J1.
4. J4: 3 × 24 = 72 s; minus one 60 s cycle = **12 s**.
5. The platoon reaches J4 after 900 ÷ 12.5 = **72 s**, as J4's green starts.

Offsets 0, 24, 48 and 12 s give a green wave: the platoon never stops. This is what the course widget's agents compute when you let them talk.




Figure 4. A platoon riding the green wave. What to notice: the platoon's line is straight because it never stops; its slope is the speed (12.5 m/s). Each dashed line is a junction, crossed exactly when its green starts (24, 48, 72 s). Values from the worked example.

TRAP

The offset is **not** the spacing or the speed alone; it is spacing ÷ speed, and it must be taken modulo the cycle. 72 s on a 60 s cycle is an offset of 12 s.

PICTURE THIS · STOP 4 OF THE ROUTE

A surfer rides one long green wave down the boulevard while the junction robots shout to each other through tin-can phones: "eight surfers reaching you in fifteen seconds!"
What it encodes: The surfer on one wave = a platoon on a green wave set by offsets; the tin-can phones = agents sharing platoon forecasts with their downstream neighbour.

TRY IT NOW (about 90 seconds)

Junctions 400 m apart, speed 50 km/h, cycle 80 s. What offset should J2 have, and J3? *Answer in the key at the back.*

RECAP SO FAR


1. **Agent loop:** perceive (tools) → reason (goal weights) → act → remember and talk; a shield checks every action; 'agentic' = loop + autonomy.
2. **How ATSC works:** stages take turns; cycle, split, offset; intergreen is lost time; fixed → actuated → adaptive → agentic; score by delay, stops, queue, longest wait, emissions.
3. **Efficiency:** measure queues and exits; pressure = waiting in − on exit; serve the highest pressure; avoid spill-back.
4. **Coordination: offset = spacing ÷ speed (mod cycle) makes a green wave; agents can share platoon forecasts instead of fixed central offsets.**

CONCEPT 5 OF 8 · AATSC GO 1

Linkage 3: eco-driving with SPaT and GLOSA

HOOK

You speed up to a red light, brake hard, wait, then accelerate again. What if the light had told you, 250 m back, that it turns green in 28 seconds?



IN PLAIN WORDS

Walking to a level crossing whose barrier you know will lift in 30 seconds. Instead of hurrying, then standing and waiting, you stroll and arrive just as it rises. Same arrival time, less effort. *Where the picture breaks:* a level crossing keeps its schedule; an adaptive signal may change its plan after you have slowed down, which breaks the promise you relied on.

Every stop costs fuel: braking throws energy away and accelerating from rest burns more. If the signal tells approaching cars **when** it will turn green, a connected car can slow down early and glide through instead of stopping.

The message is **SPaT** (Signal Phase and Timing): the current colour and the time until it changes. The in-car advice is **GLOSA** (Green Light Optimal Speed Advisory): the speed that brings the car to the stop line just as the light turns green, which is distance ÷ time to green. If that speed is too low to be useful (the course widget uses 18 km/h), no advice is given and the car stops.

There is a catch for adaptive control: an agent that keeps changing its mind cannot promise a time. Eco-driving needs **predictability**, adaptivity wants freedom. Go 3 measures this trade-off.

$$\text{time to arrive at current speed} = \text{distance} \div \text{speed}$$

if this is after green starts, no advice is needed

$$\text{advised speed} = \text{distance} \div \text{time to green}$$

given only if ≥ the minimum useful speed (18 km/h = 5 m/s)

SIMPLE CALCULATION · GLOSA advice 250 m from a red light

Car at 50 km/h, 250 m from the stop line. SPaT says green in 28 s.

1. Speed: 50 ÷ 3.6 = **13.9 m/s**.
2. Without advice it arrives after 250 ÷ 13.9 = **18.0 s**, 10 s before green: it stops and waits **10 s**.
3. Advised speed = 250 ÷ 28 = **8.93 m/s**.
4. In km/h: 8.93 × 3.6 = **32.1 km/h**.
5. Check the minimum: 32.1 ≥ 18 km/h, so the advice is **useful**.

Advice: 32 km/h. The car reaches the line at 28 s exactly as the light turns green, with no stop and no idling.




Figure 5. Stop-and-go versus a GLOSA glide. What to notice: without advice the car reaches the line at 18 s and sits still (flat line) until 28 s. With advice it arrives at 28 s anyway, without stopping. Values from the worked example; after green the stopped car restarts slowly.

TRAP

GLOSA does **not** make the car arrive earlier. Both cars reach the line at the same time; the saving is the stop (braking, idling, accelerating), not the travel time.

PICTURE THIS · STOP 5 OF THE ROUTE

A blue swan wearing a stopwatch necklace glides slowly onto the bridge exactly as the light turns green, while a red goose slams its brakes and puffs black smoke.
What it encodes: Stopwatch = SPaT (time to green); the gliding blue swan = a connected car following GLOSA advice; the braking, smoking goose = stop-and-go: more fuel and CO2.

TRY IT NOW (about 90 seconds)

A car at 50 km/h is 150 m from the line; green in 20 s. Is advice needed? If so, what? Same car at 100 m with green in 30 s? *Answer in the key at the back.*

RECAP SO FAR


1. **Agent loop:** perceive (tools) → reason (goal weights) → act → remember and talk; a shield checks every action; 'agentic' = loop + autonomy.
2. **How ATSC works:** stages take turns; cycle, split, offset; intergreen is lost time; fixed → actuated → adaptive → agentic; score by delay, stops, queue, longest wait, emissions.
3. **Efficiency:** measure queues and exits; pressure = waiting in − on exit; serve the highest pressure; avoid spill-back.
4. **Coordination:** offset = spacing ÷ speed (mod cycle) makes a green wave; agents can share platoon forecasts instead of fixed central offsets.
5. **Eco-driving: SPaT tells cars when green starts; GLOSA speed = distance ÷ time to green, if above a minimum; it needs a signal that keeps its promise.**

CONCEPT 6 OF 8 · AATSC GO 1

Linkage 4: intelligent transport systems

HOOK

The agent is clever, but it cannot see, talk, switch a lamp or take responsibility on its own. What else has to exist around it?



IN PLAIN WORDS

A hospital: patients, monitors, a pager system, the locked drug cabinet with its own rules, the doctor deciding treatment, and a board of managers setting policy. The doctor matters, but cannot work without every other layer. *Where the picture breaks:* in a hospital the doctor can open the cabinet; in ITS the agent can never override the edge controller's safety rules.

The agent is one part of a larger **intelligent transport system (ITS)** chain with six layers. **Road users**: drivers, pedestrians, buses, emergency vehicles and CAVs that can follow speed advice. **Sensing**: loop detectors, video, radar and probe data from connected vehicles; the agent's eyes.

Communication: fibre and cellular links to the centre, and **V2X** (vehicle-to-everything, via DSRC or C-V2X radio) between signals and vehicles: SPaT and MAP messages out, CAV data in. The **edge controller** is the signal cabinet at the junction. It runs the safety rules (minimum green, intergreen, conflict monitor) that no agent may override.

The **agentic layer** perceives, reasons, acts and talks to neighbouring agents. It may run at the edge (fast) or in the cloud (more context). At the top, the **traffic management centre** has operators who set strategy, manage incidents and oversee the agents: the human in the loop.

$$\text{decisions per hour} = 3600 \div \text{decision interval}$$

every decision passes through the edge controller

SIMPLE CALCULATION · How much does the chain carry?

A corridor of 4 junctions. Each agent decides every 2 s. Each decision is checked by its edge controller.

1. Decisions per junction per hour = 3600 ÷ 2 = **1800**.
2. Corridor: 4 × 1800 = **7200** decisions per hour.
3. Edge safety checks: one per decision, so also **7200**.
4. Per day: 7200 × 24 = **172,800** decisions to log for audit.

Far too many for an operator to approve one by one. That is why the shield must be automatic and the operator sets goals and watches, rather than approving each move.




Figure 6. Where the agent sits in ITS. What to notice: the agent is the fifth layer of six, between the edge controller (which enforces safety) and the control centre (where humans set goals and can overrule). Read it left to right, then back along the second row.

TRAP

The agent does **not** drive the lamps directly. Its orders go to the edge controller in the cabinet, which applies minimum green, intergreen and the conflict monitor first.

PICTURE THIS · STOP 6 OF THE ROUTE

A six-storey tower: cars and people on the ground floor, cameras and loops on the first, a radio antenna on the second, a locked cabinet on the third, the robot on the fourth, and engineers with coffee in the glass penthouse.

What it encodes: Floors bottom to top: road users, sensing, V2X communication, edge controller (locked cabinet), agentic layer (robot), control centre with humans in the loop (penthouse).

TRY IT NOW (about 90 seconds)

A city runs 50 agent-controlled junctions, each deciding every 2 s. How many decisions per hour across the city? *Answer in the key at the back.*

RECAP SO FAR

1. **Agent loop:** perceive (tools) → reason (goal weights) → act → remember and talk; a shield checks every action; 'agentic' = loop + autonomy.
2. **How ATSC works:** stages take turns; cycle, split, offset; intergreen is lost time; fixed → actuated → adaptive → agentic; score by delay, stops, queue, longest wait, emissions.
3. **Efficiency:** measure queues and exits; pressure = waiting in − on exit; serve the highest pressure; avoid spill-back.
4. **Coordination:** offset = spacing ÷ speed (mod cycle) makes a green wave; agents can share platoon forecasts instead of fixed central offsets.
5. **Eco-driving:** SPaT tells cars when green starts; GLOSA speed = distance ÷ time to green, if above a minimum; it needs a signal that keeps its promise.
6. **ITS: users → sensing → V2X → edge controller (safety) → agentic layer → control centre (humans); the agent is one layer, never the last word.**

CONCEPT 7 OF 8 · AATSC GO 1

Linkage 5: autonomous and connected vehicles

HOOK

If every car told the signal where it was, nobody would need loops in the road. But what can the signal know when only one car in four is connected?



IN PLAIN WORDS

Counting a crowd from the people wearing hi-vis vests. If one person in four wears one and you see 4 vests, you guess 16 people. With many vests the guess is good; with very few, one extra vest changes everything. *Where the picture breaks:* vests might be spread evenly; connected cars come in random clumps, so even at the same rate one queue may hold many and the next none.

A **connected vehicle (CV)** exchanges data with the infrastructure and other vehicles. An **automated vehicle (AV)** drives itself to some level (SAE levels 0 to 5). A **CAV** is both. For signal agents CAVs matter in three ways.

New eyes: CAVs report position and speed, so the agent can estimate queues without loops, if enough vehicles are connected. It scales what it sees by the **penetration rate**: estimated queue = connected cars seen ÷ penetration. **New hands:** CAVs can follow speed advice (eco-driving) or even platoon through on green.

New responsibility: humans and CAVs will share the road for decades, so the agent must work at **every** penetration level. At low penetration the estimate is noisy, because whether a connected car happens to be in the queue is a matter of chance. Simple sampling statistics give a typical relative error of √((1 − p) ÷ (p × N)) for a true queue of N cars.

$$\text{estimated queue} = \text{connected cars seen} \div \text{penetration rate}$$

scaling up what the agent can see

$$\text{typical relative error} \approx \sqrt{((1 - p) \div (p \times N))}$$

p = penetration, N = true queue (sampling statistics)

SIMPLE CALCULATION · Seeing a queue through connected cars

True queue 14 cars (unknown to the agent). Penetration 25%. The agent sees 4 connected cars in the queue.

1. Estimate = 4 ÷ 0.25 = **16 cars**.
2. Error = 16 − 14 = **2 cars**, or 2 ÷ 14 = **14%**.
3. If it had seen 3 instead: 3 ÷ 0.25 = 12, error **2 cars** the other way.
4. At 10% penetration, seeing 1 car gives 10; seeing 2 gives **20**.
5. One car more or less now moves the estimate by **10 cars**.

At 25% each connected car stands for 4; at 10% it stands for 10. Low penetration makes the agent's eyes coarse and jumpy.




Figure 7. How noisy is the CAV-only queue estimate? What to notice: the typical error falls fast as penetration rises, and is still about 43% at 25%. Computed with √((1 − p) ÷ (p × N)) for a true queue of N = 16 cars; it is an illustration from sampling statistics, not a measured result.

TRAP

Connected is **not** the same as automated. A connected car with a human driver can send data and show advice; only an automated one can follow the advice by itself. The signal agent's 'eyes' need connection, not automation.

PICTURE THIS · STOP 7 OF THE ROUTE

Only the blue robot cars wear glowing glasses; the robot warden can see only them, so it counts them and multiplies by four to guess the whole queue.
What it encodes: Glowing glasses = connected (new eyes); multiply by four = divide by 25% penetration; with fewer glasses the guess gets noisy.

TRY IT NOW (about 90 seconds)

Penetration 40%. The agent sees 5 connected cars in a queue. What does it estimate? What if one of those cars had not been connected? *Answer in the key at the back.*

RECAP SO FAR

1. **Agent loop:** perceive (tools) → reason (goal weights) → act → remember and talk; a shield checks every action; 'agentic' = loop + autonomy.
2. **How ATSC works:** stages take turns; cycle, split, offset; intergreen is lost time; fixed → actuated → adaptive → agentic; score by delay, stops, queue, longest wait, emissions.
3. **Efficiency:** measure queues and exits; pressure = waiting in − on exit; serve the highest pressure; avoid spill-back.
4. **Coordination:** offset = spacing ÷ speed (mod cycle) makes a green wave; agents can share platoon forecasts instead of fixed central offsets.
5. **Eco-driving:** SPaT tells cars when green starts; GLOSA speed = distance ÷ time to green, if above a minimum; it needs a signal that keeps its promise.
6. **ITS:** users → sensing → V2X → edge controller (safety) → agentic layer → control centre (humans); the agent is one layer, never the last word.
7. **CAVs: CV talks, AV drives itself, CAV both; new eyes (estimate = seen ÷ penetration), new hands (follow advice); noisy at low penetration; mixed traffic for decades.**

CONCEPT 8 OF 8 · AATSC GO 1

Guardrails and levels of autonomy

HOOK

A clever agent proposes a switch after 3 seconds of green. Nothing in its goal says this is unsafe. What stops it?



IN PLAIN WORDS

A bouncer at a club door with a fixed rulebook. However charming or clever the guest, if the rule says no, the answer is no. The bouncer does not need to understand the guest; he only checks the rules. *Where the picture breaks:* a bouncer can be talked round; a shield is code that checks every order the same way, every time.

Traffic signals are safety-critical. A sensible design gives the agent freedom only inside a box the engineer can certify. The **shield** checks every order after the agent decides and before the signal changes: **minimum green** (8 s in the course simulator), **maximum green** (60 s), **intergreen**, pedestrian times and a **fairness cap** on the longest wait. It sits **outside** the agent and is never optional, whatever kind of AI is inside.

Autonomy is granted in **levels**. 0 Manual: the engineer designs fixed plans offline. 1 Advisory: the agent suggests, the operator approves (new splits for tomorrow). 2 Supervised: the agent acts within limits while the operator watches. 3 Collaborative: agents coordinate with each other (corridor agents share platoon forecasts). 4 Autonomous: agents set their own sub-goals, for example re-planning during an incident, logged for audit.

Guardrails also protect efficiency. Every switch costs an intergreen (3 s yellow + 1 s all-red here). An agent with no switching reluctance flips often and wastes that time; minimum green and reluctance limit the damage.

$$\text{cycle} = 2 \times (\text{green} + 4\ \text{s}) \text{ for two stages}$$

4 s = 3 s yellow + 1 s all-red

$$\text{share lost} = 8\ \text{s} \div \text{cycle}$$

two intergreens per two-stage cycle

SIMPLE CALCULATION · The cost of flipping too often

Two stages, intergreen 4 s. Compare an agent that switches at the 8 s minimum green with one that holds 30 s greens.

1. Flipping agent: cycle = 2 × (8 + 4) = **24 s**.
2. Lost share = 8 ÷ 24 = **33%**.
3. Steady agent: cycle = 2 × (30 + 4) = **68 s**.
4. Lost share = 8 ÷ 68 = **11.8%**.
5. Per hour: 3600 ÷ 24 × 8 = **1200 s** lost against 3600 ÷ 68 × 8 ≈ **424 s**.

Flipping at the minimum wastes a third of the hour. The shield's minimum green stops worse, and switching reluctance keeps the agent nearer the steady case.




Figure 8. Share of time lost to intergreens. What to notice: short greens waste a large share of time; doubling the green from 30 s to 60 s saves much less. Two stages, 4 s intergreen each, computed with 8 ÷ (2 × green + 8).

TRAP

Do not put the safety rules **inside** the agent's goal as a big penalty. A goal can be outweighed or misread; a shield outside the agent cannot. The shield is never optional, at every autonomy level.

PICTURE THIS · STOP 8 OF THE ROUTE

A bouncer with an iron rulebook stands at the signal's door and turns away any order that breaks a rule, however clever. Behind him, five steps lead up from "manual" to "autonomous".
What it encodes: Bouncer + iron rulebook = the safety shield outside the agent (min green, max green, intergreen, pedestrian times); the five steps = autonomy levels 0 to 4.

TRY IT NOW (about 90 seconds)


An agent holds 15 s greens on a two-stage junction with a 4 s intergreen. What share of time is lost, and how many seconds per hour? *Answer in the key at the back.*

RECAP SO FAR

1. **Agent loop:** perceive (tools) → reason (goal weights) → act → remember and talk; a shield checks every action; 'agentic' = loop + autonomy.
2. **How ATSC works:** stages take turns; cycle, split, offset; intergreen is lost time; fixed → actuated → adaptive → agentic; score by delay, stops, queue, longest wait, emissions.
3. **Efficiency:** measure queues and exits; pressure = waiting in − on exit; serve the highest pressure; avoid spill-back.
4. **Coordination:** offset = spacing ÷ speed (mod cycle) makes a green wave; agents can share platoon forecasts instead of fixed central offsets.
5. **Eco-driving:** SPaT tells cars when green starts; GLOSA speed = distance ÷ time to green, if above a minimum; it needs a signal that keeps its promise.
6. **ITS:** users → sensing → V2X → edge controller (safety) → agentic layer → control centre (humans); the agent is one layer, never the last word.
7. **CAVs:** CV talks, AV drives itself, CAV both; new eyes (estimate = seen ÷ penetration), new hands (follow advice); noisy at low penetration; mixed traffic for decades.
8. **Guardrails: the shield (min/max green, intergreen, pedestrians, fairness cap) is outside the agent and never optional; autonomy levels 0-4; every switch costs 4 s.**

The master mind map

Every concept and its main branches on one page. Turn the page sideways. Try redrawing it from memory on blank paper, then compare.



Connections and contrasts

Four ways to run a traffic light

	Fixed time	Actuated	Adaptive	Agentic
Sees traffic?	no	stop-line detectors	detectors, measured demand	any tool: loops, video, CAV data, messages
Decides with	a stored plan	gaps between vehicles	continuous re-optimisation	goal weights and a policy (rules, RL or LLM)
Coordinates?	if designed so	no	yes, through offsets	yes, by messages between agents
Explains itself?	no	no	rarely	yes, logs a reason for each act
Safety rules	in the plan	in the controller	in the controller	shield outside the agent

Things beginners mix up


This…	…is not this	The one fact that tells them apart
Agent	**Language model**	An agent is a loop with tools, goals and memory; its policy may or may not be a language model.
Queue length	**Pressure**	Pressure subtracts the cars on the exit road; a long queue into a full road has low pressure.
Offset	**Travel time**	Offset = travel time minus whole cycles: 72 s on a 60 s cycle is 12 s.
Connected (CV)	**Automated (AV)**	CV exchanges data; AV drives itself; a CAV does both.
Shield	**Goal penalty**	The shield is hard rules outside the agent; a penalty inside the goal can be outweighed.

Symbols and terms

Symbol / term	Meaning
Agent	program that loops perceive → reason → act → remember and talk
Policy	rule turning observations into actions: hand-written, learned or LLM
Intergreen	yellow + all-red between greens (course sim: 3 + 1 s)
Pressure	cars waiting to enter − cars on the exit road
Offset	start of one junction's cycle relative to its neighbour
SPaT / GLOSA	Signal Phase and Timing message / Green Light Optimal Speed Advisory
V2X	vehicle-to-everything communication (DSRC or C-V2X)
Penetration	share of vehicles that are connected

The route: Smart Boulevard, Old Town district

Picture a long boulevard through an old town. You walk it from the city gate to a nightclub door at the far end. Eight odd things happen along the way, one for each concept. Make every scene loud, silly and physical: the strangeness is what makes it stick.



The memory route. Walk it in order; each stop holds one concept.

Stop 1: City gate (What 'agentic AI' means: the agent loop). A robot traffic warden at the city gate has huge camera EYES, a glowing BRAIN in a jar, long HANDS on the signal levers, a NOTEBOOK chained to its belt and a WALKIE-TALKIE crackling. *Eyes = perceive; brain = reason; hands = act; notebook = memory; walkie-talkie = talking to other agents. Together: the agent loop.*

Stop 2: Clock tower (How an adaptive traffic signal works). The clock tower has THREE dials: one spins once per cycle, one is a pie cut into slices, one is set a few minutes ahead of the next tower. Between the hours a yellow-then-red curtain drops. *Spinning dial = cycle; pie = split; dial set ahead = offset; the yellow-then-red curtain = intergreen (yellow + all-red), which is lost time.*

Stop 3: Fountain square (Linkage 1: efficiency and pressure). A giant pressure cooker sits on the fountain. Water pours IN from the waiting streets and OUT into the exits; when an exit basin is full, the lid rattles and refuses to open that way. *Water in = cars waiting; water out = exit road; pressure = in − on exit; the lid refusing a full basin = never pushing cars into a full road (spill-back).*

Stop 4: Boulevard (Linkage 2: coordination and green waves). A surfer rides one long green wave down the boulevard while the junction robots shout to each other through tin-can phones: "eight surfers reaching you in fifteen seconds!" *The surfer on one wave = a platoon on a green wave set by offsets; the tin-can phones = agents sharing platoon forecasts with their downstream neighbour.*

Stop 5: Swan lake bridge (Linkage 3: eco-driving with SPaT and GLOSA). A blue swan wearing a stopwatch necklace glides slowly onto the bridge exactly as the light turns green, while a red goose slams its brakes and puffs black smoke. *Stopwatch = SPaT (time to green); the gliding blue swan = a connected car following GLOSA advice; the braking, smoking goose = stop-and-go: more fuel and CO2.*

Stop 6: ITS tower (Linkage 4: intelligent transport systems). A six-storey tower: cars and people on the ground floor, cameras and loops on the first, a radio antenna on the second, a locked cabinet on the third, the robot on the fourth, and engineers with coffee in the glass penthouse. *Floors bottom to top: road users, sensing, V2X communication, edge controller (locked cabinet), agentic layer (robot), control centre with humans in the loop (penthouse).*

Stop 7: Car park (Linkage 5: autonomous and connected vehicles). Only the blue robot cars wear glowing glasses; the robot warden can see only them, so it counts them and multiplies by four to guess the whole queue. *Glowing glasses = connected (new eyes); multiply by four = divide by 25% penetration; with fewer glasses the guess gets noisy.*

Stop 8: Nightclub door (Guardrails and levels of autonomy). A bouncer with an iron rulebook stands at the signal's door and turns away any order that breaks a rule, however clever. Behind him, five steps lead up from "manual" to "autonomous". *Bouncer + iron rulebook = the safety shield outside the agent (min green, max green, intergreen, pedestrian times); the five steps = autonomy levels 0 to 4.*

WALK-THROUGH DRILL

Close the guide. Walk the route in your head, saying each stop out loud and the one number or formula it holds. Then check against the cheat sheet. Repeat until you can do it in under two minutes.

Self-quiz

18 questions: warm-up (recall), core (use the ideas), challenge (combine them). Answer on paper first, then check the key.

Warm-up

Q1. Which four steps make up the agent loop?

A. Measure, store, print, repeat
B. Perceive, reason, act, remember and talk
C. Plan, wait, switch, stop
D. Sense, guess, ignore, reset

Q2. What is the intergreen?

A. The longest green allowed
B. The yellow plus all-red gap between greens
C. The time between two junctions
D. The green given to pedestrians

Q3. What do the letters GLOSA stand for?

A. Global Lane Optimisation for Signal Areas
B. Green Light Optimal Speed Advisory
C. Guided Low-Speed Arrival
D. Green Length Offset Signal Algorithm

Q4. Which ITS layer runs the safety rules that no agent may override?

A. The control centre
B. The agentic layer
C. The edge controller in the signal cabinet
D. The road users

Q5. What is a CAV?

A. A car with a camera
B. A vehicle that is both connected and automated
C. Any electric vehicle
D. A controller for automated vehicles

Core

Q6. EW has green: 4 cars queued, longest wait 8 s. NS: 6 cars, longest wait 30 s. With weights 1 and 0.15 and reluctance 2, what does the agent propose?

A. Keep EW
B. Switch to NS
C. Switch both
D. Nothing; it needs more data

Q7. Which of these could be the policy of an agent?

A. Only a language model
B. Only a neural network
C. A hand-written rule, a learned policy or a language model
D. Only a fixed-time plan

Q8. Two stages, yellow 3 s, all-red 1 s, cycle 80 s. How much of each cycle is lost to intergreens?

A. 4 s (5%)
B. 8 s (10%)
C. 16 s (20%)
D. 3 s (3.75%)

Q9. EW: 10 waiting, 8 on exit. NS: 6 waiting, 0 on exit. Which stage does max-pressure serve?

A. EW, pressure 18
B. EW, pressure 2
C. NS, pressure 6
D. Neither; pressures are equal

Q10. What problem does pressure help avoid that 'serve the longest queue' does not?

A. Red-light running
B. Spill-back into a full exit road
C. Pedestrian delay
D. Detector failure

Q11. Junctions 300 m apart, traffic at 12.5 m/s. What offset gives a green wave?

A. 12.5 s
B. 24 s
C. 30 s
D. 300 s

Q12. A car is 200 m from the line; green in 25 s. What GLOSA speed brings it to the line as green starts?

A. 5 m/s (18 km/h)
B. 8 m/s (28.8 km/h)
C. 12.5 m/s (45 km/h)
D. 25 m/s (90 km/h)

Q13. At 20% penetration the agent sees 3 connected cars in a queue. What is its estimate?

A. 3
B. 6
C. 15
D. 60

Q14. At which autonomy level does the agent suggest and the operator approve?

A. 0 Manual
B. 1 Advisory
C. 2 Supervised
D. 4 Autonomous

Challenge

Q15. Four junctions 300 m apart at 12.5 m/s, cycle 60 s. What offset should J4 have relative to J1?

A. 72 s
B. 36 s
C. 12 s
D. 0 s

Q16. An adaptive agent broadcasts 'green in 20 s', then extends the red by 10 s after cars have slowed. What is the main effect on eco-driving?

A. None; the cars arrive faster
B. The advised cars arrive on red and stop anyway: the promise was broken
C. GLOSA speeds go up
D. Penetration falls


Q17. Why does a CAV-only queue estimate get much noisier at 10% penetration than at 50%?

A. Connected cars report wrong speeds
B. Each seen car stands for 10 vehicles, so chance changes the estimate a lot
C. The agent decides less often
D. The shield blocks the data

Q18. An engineer suggests removing the shield and adding a −1000 penalty for unsafe switches to the agent's goal. Best response?

A. Fine, the penalty is large enough
B. No: safety rules must be checked outside the agent, where no goal can outweigh or misread them
C. Fine at autonomy level 4 only
D. No, because penalties slow the agent down

Draw it. Fill the blank boxes of this flow from memory (it is Figure 1).



Where to go if you missed a question

Missed	Do this
Q1, Q6, Q7	Re-read concept 1: What 'agentic AI' means: the agent loop
Q2, Q8	Re-read concept 2: How an adaptive traffic signal works
Q9, Q10	Re-read concept 3: Linkage 1: efficiency and pressure
Q11, Q15	Re-read concept 4: Linkage 2: coordination and green waves
Q3, Q12, Q16	Re-read concept 5: Linkage 3: eco-driving with SPaT and GLOSA
Q4	Re-read concept 6: Linkage 4: intelligent transport systems
Q5, Q13, Q17	Re-read concept 7: Linkage 5: autonomous and connected vehicles
Q14, Q18	Re-read concept 8: Guardrails and levels of autonomy

Make it stick

BUILD THE SMALLEST WORKING EXAMPLE (15 min)

On paper, draw a two-stage junction. Choose EW: 9 waiting, 7 on exit, longest wait 12 s; NS: 5 waiting, 0 on exit, longest wait 35 s; EW has had 6 s of green. Score both stages with the agent's goal (1 per car, 0.15 per second, reluctance 2), compute both pressures, then apply the shield.

Self-check: Goal scores: EW = 9 + 1.8 = 10.8, NS = 5 + 5.25 = 10.25: keep EW. Pressures: EW = 2, NS = 5: max-pressure would switch. Either way, the shield blocks any switch before 8 s of green.

TEACH IT TO A 14-YEAR-OLD (10 min)


Explain to a 14-year-old how a traffic light could act like a careful robot warden, and why it still has to obey a rulebook it cannot change.

Words you may not use: agent, pressure, offset, penetration, shield

Fill the blank route

Write the concept held at each stop, and its key number.

Smart Boulevard, Old Town district



One-page cheat sheet

1. What 'agentic AI' means: the agent loop

Loop: perceive, reason, act, remember & talk. Parts: environment, tools, goal, policy, shield. Widget goal: 1 per queued car + 0.15 per s of longest wait; switch if other > current + 2.

Route: City gate

2. How an adaptive traffic signal works

Cycle = full round; split = share; offset = start vs neighbour. Intergreen = yellow + all-red (sim: 3 + 1 s). Lost/cycle = stages × intergreen. 60 s, 2 stages → 8 s lost (13.3%).

Route: Clock tower

3. Linkage 1: efficiency and pressure

Pressure = in − out. Max-pressure: serve the largest, decentralised. Example: EW 12 − 10 = 2, NS 7 − 1 = 6 → serve NS (longest queue would pick EW).

Route: Fountain square

4. Linkage 2: coordination and green waves

Offset = spacing ÷ speed, modulo cycle. 300 m at 12.5 m/s (45 km/h) = 24 s. Four junctions, 60 s cycle: 0, 24, 48, 12 s. Agents send 'n cars in t s'.

Route: Boulevard

5. Linkage 3: eco-driving with SPaT and GLOSA

SPaT = Signal Phase and Timing; GLOSA = Green Light Optimal Speed Advisory. $v = d \div t_{green}$; minimum 18 km/h (5 m/s). 250 m, 28 s → 8.93 m/s = 32 km/h.

Route: Swan lake bridge

6. Linkage 4: intelligent transport systems

Six layers: users, sensing, communication (V2X: SPaT/MAP out, CAV data in), edge controller (min green, intergreen, conflict monitor), agentic layer (edge or cloud), control centre. 2 s → 1800 decisions/h.

Route: ITS tower

7. Linkage 5: autonomous and connected vehicles

CV = connected, AV = automated (SAE 0-5), CAV = both. Estimate = seen ÷ p. 4 seen at 25% → 16. Typical error $\sqrt{(1-p)/(pN)}$: N = 16 → 43% at 25%, 25% at 50%.

Route: Car park

8. Guardrails and levels of autonomy

Shield: min green 8 s, max green 60 s, intergreen 3 + 1 s, pedestrian times, fairness cap. Levels: 0 manual, 1 advisory, 2 supervised, 3 collaborative, 4 autonomous. Lost share = 8 ÷ (2g + 8): 8 s → 33%, 30 s → 11.8%.

Route: Nightclub door

Numbers to remember

- Agent decides every 2 s; goal 1 per car + 0.15 per s; reluctance 2
- Intergreen 3 s yellow + 1 s all-red; 60 s, 2 stages → 8 s lost (13.3%)
- Pressure = in − out: EW 12 − 10 = 2, NS 7 − 1 = 6
- Offset = 300 m ÷ 12.5 m/s = 24 s; 4 junctions: 0, 24, 48, 12 s
- GLOSA: 250 m, green in 28 s → 32 km/h; minimum 18 km/h
- CAV estimate = seen ÷ p: 4 at 25% → 16
- Shield: min green 8 s, max green 60 s; levels 0-4

Answer key

Try it now

Try it 1 (What 'agentic AI' means: the agent loop): EW = 5 + 1.5 = 6.5. NS = 6 + 3 = 9.0. Is 9.0 > 6.5 + 2 = 8.5? Yes, just: **switch**. With a reluctance of 3 it would **keep**.

Try it 2 (How an adaptive traffic signal works): Lost per cycle = 3 × (3 + 2) = **15 s** (16.7%). Cycles per hour = 3600 ÷ 90 = 40, so 40 × 15 = **600 s** (10 minutes) per hour.

Try it 3 (Linkage 1: efficiency and pressure): EW = 15 − 3 = **12**. NS = 9 − 18 = **−9**. Serve **EW**. NS's pressure is negative: its exit holds more cars than its queue, so sending more would risk spill-back.

Try it 4 (Linkage 2: coordination and green waves): 50 ÷ 3.6 = 13.9 m/s. J2: 400 ÷ 13.9 = **28.8 s**. J3: 2 × 28.8 = **57.6 s** (still under 80 s, so no subtraction).

Try it 5 (Linkage 3: eco-driving with SPaT and GLOSA): 150 ÷ 13.9 = 10.8 s, before green, so advice is needed: 150 ÷ 20 = 7.5 m/s = **27 km/h** (useful). At 100 m: 100 ÷ 30 = 3.3 m/s = **12 km/h**, below 18 km/h, so **no useful advice**; the car stops.

Try it 6 (Linkage 4: intelligent transport systems): Per junction 3600 ÷ 2 = 1800. City: 50 × 1800 = **90,000** decisions per hour, each checked by its own edge controller.

Try it 7 (Linkage 5: autonomous and connected vehicles): 5 ÷ 0.4 = **12.5** cars. With 4 seen: 4 ÷ 0.4 = **10**. Each connected car moves the estimate by 2.5.

Try it 8 (Guardrails and levels of autonomy): Cycle = 2 × (15 + 4) = 38 s. Lost = 8 ÷ 38 = **21%**. Per hour: 3600 ÷ 38 × 8 ≈ **758 s** (about 12.6 minutes).

Self-quiz

Q1: B. The agent perceives through tools, reasons against goals, acts, and keeps a memory while messaging other agents. (Concept 1)

Q2: B. Intergreen = yellow + all-red. Nobody moves, so it is lost time. Travel time between junctions is what sets the offset. (Concept 2)

Q3: B. GLOSA advises a speed so the car arrives on green, using SPaT messages from the signal. (Concept 5)

Q4: C. The edge controller applies minimum green, intergreen and the conflict monitor before any lamp changes. (Concept 6)

Q5: B. CV = connected, AV = automated (SAE 0-5), CAV = both. (Concept 7)

Q6: B. EW = 4 + 1.2 = 5.2; NS = 6 + 4.5 = 10.5. 10.5 > 5.2 + 2 = 7.2, so switch. (Concept 1)

Q7: C. The policy turns observations into actions; it can be written by hand, learned (RL) or produced by an LLM. (Concept 1)

Q8: B. Lost = 2 × (3 + 1) = 8 s; 8 ÷ 80 = 10%. 4 s forgets the second stage. (Concept 2)

Q9: C. EW = 10 − 8 = 2; NS = 6 − 0 = 6. Serve NS. Adding (18) is the common mistake. (Concept 3)

Q10: B. Pressure subtracts the cars on the exit, so it will not push traffic into a road that is already full. (Concept 3)

Q11: B. Offset = spacing ÷ speed = 300 ÷ 12.5 = 24 s. (Concept 4)

Q12: B. 200 ÷ 25 = 8 m/s = 28.8 km/h, above the 18 km/h minimum, so the advice is useful. (Concept 5)

Q13: C. Estimate = 3 ÷ 0.20 = 15 cars. 60 multiplies instead of dividing. (Concept 7)

Q14: B. Level 1 is advisory, for example proposing new splits for tomorrow. Level 2 acts within limits while the operator watches. (Concept 8)

Q15: C. 3 × 24 = 72 s; minus one 60 s cycle = 12 s. 72 s on a 60 s cycle is the same as 12 s. (Concept 4)

Q16: B. GLOSA relies on a predictable SPaT. An agent that changes its mind breaks the promise; Go 3 measures this trade-off. (Concept 5)

Q17: B. Estimate = seen ÷ p. At 10% one car more or less shifts it by 10; the typical relative error √((1 − p)/(pN)) is about three times larger than at 50%. (Concept 7)

Q18: B. The shield is never optional and sits outside the agent, whatever AI is inside. A penalty is still part of a goal that can be outweighed or misread. (Concept 8)

Draw it: the completed flow is Figure 1.

Your revision plan

When	What	Done
Today	Read one concept a sitting. Do every Try-it-now on paper.	☐
Day 1	Walk the route from memory. Redraw the master mind map.	☐
Day 3	Warm-up and core quiz without notes. Re-read what you missed.	☐
Day 7	Whole quiz. Do the 'build the smallest example' task.	☐
Day 14	Teach-it task out loud. Cheat sheet from memory, then compare.	☐
Before an exam or project	Cheat sheet plus route walk only.	☐

Going further

- Varaiya, P. (2013). Max pressure control of a network of signalized intersections. *Transportation Research Part C*. https://doi.org/10.1016/j.trc.2013.08.014
- Guo, Q., Li, L. and Ban, X. (2019). Urban traffic signal control with connected and automated vehicles: a survey. *Transportation Research Part C*. https://doi.org/10.1016/j.trc.2019.01.026
- Lopez, P.A. et al. (2018). Microscopic traffic simulation using SUMO. *IEEE ITSC 2018*. https://doi.org/10.1109/ITSC.2018.8569938
- Nie, Sun and Ma (2025). The LLM4TR survey of large language models in transportation research. arXiv preprint 2503.21411. https://arxiv.org/abs/2503.21411
- This course's website: Go 1 page, memory route and interactive widgets, smrahmanbd.github.io/agentic-atsc-lab.

HONESTY NOTE

Worked examples use small, invented numbers chosen to be easy by hand; several match the default settings of the course website's widgets. The goal weights, 3 s yellow, 1 s all-red, 8 s minimum and 60 s maximum green are the course simulator's teaching values, not a standard. The CAV error curve is an illustration from simple sampling statistics, not a measured result. No study results are reported in this guide.