Advanced Recon and Attack Surface Mapping

Cyberster Red Team Internship - Week 1 Technical Report

Prepared By Syed Muhammad Rayyan
Roll NumberCSI-BI-620
ProgramCyberster Internship
TrackRed Team
Report Type Week 1 Deliverable
ClassificationTraining / Authorized
Focus: Reconnaissance, OSINT, Surface Mapping Prepared for learning and documentation

1. Executive Summary

This report documents Week 1 red team training tasks focused on passive intelligence collection, infrastructure fingerprinting, exposure checks, and live asset prioritization. The workflow aligns with the internship tutorial and consolidates practical recon methodology into a reusable process.

4Core Tasks Completed
5+Recon Tools Covered
1Structured Deliverable Set

2. Task Framework

Task	Objective	Primary Tools	Output
Task 01	Passive OSINT and subdomain enumeration	Subfinder, Assetfinder, Amass, DNSDumpster, crt.sh	Master subdomain and attack surface list
Task 02	Infrastructure and technology profiling	WhatWeb, WHOIS, NSLookup, Dig, Google Dorks	Tech stack and DNS profile
Task 03	GitHub dorking and secret leak validation	GitHub search operators, history checks	Exposure risk summary
Task 04	Live host filtering and visual recon	Httprobe/Httpx, Aquatone/Gowitness	Live host shortlist + screenshots

3. Task 01 - Passive OSINT and Subdomain Enumeration

Cross-source enumeration is used to reduce blind spots and increase confidence in discovered assets.

subfinder -d target.com -silent -o subfinder.txt assetfinder --subs-only target.com > assetfinder.txt amass enum -passive -d target.com -o amass.txt cat subfinder.txt assetfinder.txt amass.txt | sort -u > master_subdomains.txt wc -l master_subdomains.txt sort subfinder.txt assetfinder.txt amass.txt | uniq -c | sort -nr | head xlsx2csv dnsdumpster.xlsx > dnsdump.csv grep -oE "[a-zA-Z0-9.-]+\.target\.com" dnsdump.csv | sort -u > dnsdump.txt cat master_subdomains.txt dnsdump.txt crt_target.txt | sort -u > attack_surface.txt

Operational insight: repeated occurrence of the same asset across multiple tools indicates higher confidence and triage priority.

4. Task 02 - Infrastructure and Technology Profiling

Fingerprinting helps identify relevant attack paths and probable defensive controls.

whatweb https://sub.target.com > tech.txt whois target.com > whois.txt nslookup -type=A target.com nslookup -type=MX target.com nslookup -type=NS target.com nslookup -type=TXT target.com dig target.com ANY site:target.com inurl:phpinfo.php site:target.com filetype:env site:target.com inurl:robots.txt site:target.com filetype:bak site:target.com filetype:zip site:target.com intitle:"index of"

Expected documentation: server/framework clues, DNS record mapping, CDN indicators, and any indexed sensitive resources.

5. Task 03 - GitHub Dorking and Secret Leak Checks

Public code and commit history are inspected for accidental credential exposure.

org:targetorg "API_KEY" org:targetorg "PASSWORD" org:targetorg "AWS_SECRET" "target.com" "API_KEY" filename:.env "target" filename:settings.py "SECRET_KEY"
git log -p git grep -i "password" $(git rev-list --all) git log -S "API_KEY" --all

Validation rule: differentiate real secrets from placeholders, and always inspect previous commits for removed but recoverable values.

6. Task 04 - Live Asset Filtering and Visual Recon

Focus recon on responsive targets to save time and surface high-value endpoints.

cat attack_surface.txt | httprobe --prefer-https > live-urls.txt # or cat attack_surface.txt | httpx -status-code -title -tech-detect -o live-httpx.txt cat live-urls.txt | aquatone -out ./aquatone_results # or gowitness file -f live-urls.txt --screenshot-path ./gowitness_screenshots

Report output should include: total assets found, total live hosts, notable panels, and obvious exposure indicators.

7. Screenshot Evidence

Placeholder syntax requested: **{1.png}**. Rendered evidence from local folder:



Use the same pattern for additional images: **{2.png}**, **{3.png}**, etc. and store files inside **screenshots/**.

8. Conclusion

Week 1 established a clean reconnaissance pipeline: discover, verify, profile, and prioritize. This creates a defensible and professional attack surface baseline for future internship phases.

Disclaimer: This deliverable is for authorized training environments only. No exploitation steps are included.