OASIS clinician review register

Everything in this register is an engineering choice that needs review by a qualified clinician before OASIS is used by anyone outside development. The only clinical content treated as fixed is the standard published PHQ-9 and GAD-7 items, answer options and scoring bands.

Status values: `pending` · `in_review` · `approved` · `changes_requested`. Reviewer: Dr. K. Ramakrishnan, Chief Psychiatrist, Athma Mind Care Hospital, Trichy (first review 2026-11-07: CR-01, 03, 05, 07, 10, 19, 27, 28).

ID	Item	Where it lives	Phase	Status	Notes
CR-01	Crisis phrase lists (explicit intent, passive ideation, plan/method, burden, self-harm)	`content/safety/patterns.yaml`	2	approved	Recall and false-positive rate reported in `docs/reports.md`. The `self_harm` tier (non-suicidal self-injury gets the full handoff) was added in Phase 2; the owner confirmed it on 2026-10-27 as the safe default, for the clinician to review; 2026-11-07, Dr. K. Ramakrishnan: approved; self-harm without suicidal intent keeps the full handoff, now with the emergency popup
CR-02	Idiom allow-list	`content/safety/allowlist.yaml`	2	pending	Each entry has its own test
CR-03	Crisis handoff wording, and the help card's opening lines	`safety/handoff.py` (compiled-in constant), `web/index.html`	2	approved	Points to the "Need help now?" card. 2026-10-12, owner's decision: the reply and the card open with "If you feel like talking to someone in person…" and no longer tell the user to call the emergency number. Flagged for the clinician: safe-messaging guidance favours a route to immediate help. Country emergency numbers are still listed in the card, which still ends with the local-emergency-number line; 2026-11-07, Dr. K. Ramakrishnan: changed to a direct instruction. The reply and the card now open "Please call a crisis line or your local emergency number now", and a confirmed crisis also opens a popup (`web/index.html` `#crisis-popup`, `app.js` `showCrisisPopup`) with the country's crisis line and emergency number
CR-04	Crisis resource list: Tier 1 (40 countries, verified crisis line + emergency number) and Tier 2 (184 countries and territories, emergency number from FCDO travel advice)	`content/safety/resources.yaml`	2	pending	Verification date and source stored per entry; countries whose official sites could not be fetched are Tier 2 (listed in `docs/reports.md`). 2026-10-27: Sweden's Mind Självmordslinjen (90 101) now shows its hours, "24/7, free", confirmed on mind.se (resources 2026.10.1)
CR-05	Post-crisis policy (minimal supportive mode until the user opts to continue; the continue phrases; behaviour after restart with storage down)	`core/planner.py`, `core/templates.py`	2	approved	Provisional; 2026-11-07, Dr. K. Ramakrishnan: approved as safe

ID	Item	Where it lives	Phase	Status	Notes
CR-06	Crisis message text not stored in history (placeholder "A message here was answered with crisis support. Its text was not saved.", shown as a muted note); audit keeps tiers and pattern IDs only	`core/engine.py` (`record_crisis`), `audit_log`	2	pending	Also a privacy decision
CR-07	PHQ-9 item-9 handling (answer 2 or 3 → crisis protocol, questionnaire escalated but still scored; answer 1 → finishes with advice)	`assessment/flow.py`, `core/engine.py`	3	approved	Checked before storage so a database failure cannot block it; 2026-11-07, Dr. K. Ramakrishnan: changed. Only "More than half the days" or "Nearly every day" gives the handoff; "Several days" finishes the questionnaire and adds advice to see a professional soon (`result_text.yaml` `item9_advice`). Every finished PHQ-9 and GAD-7, including one ended by the handoff, is scored and shown under "Questionnaire scores" on the Mood trend page
CR-08	Plain-language score explanations, the "see a professional" threshold (10, the published threshold for further evaluation), the offer and step wording	`content/assessment/result_text.yaml`	3	pending	
CR-09	Screening trigger: domain lexicons, weights (raised from 0.5 to 0.7 after the first measurement), window, threshold, consecutive-turn rule, third-person exclusion	`content/assessment/trigger.yaml`	3	pending	Precision and recall reported in `docs/reports.md`. 2026-10-12, owner's decision: k lowered from 3 to 2 turns in a row; on the 24 labelled conversations precision 1.00 → 0.93, recall 0.93 → 1.00 (one offer a turn before the labelled earliest point; no offer in any of the 10 negative conversations)
CR-10	Assessment cooldowns (no re-administration limit and no wait after "Not now" since 2026-11-07; 24-hour paused expiry; typing after an offer counts as "not now")	`content/assessment/trigger.yaml`, `assessment/flow.py`	3	approved	2026-10-12, owner's decision: re-administration lowered from 14 to 10 days, for offers and requests alike; the same window now decides how long a moderate-or-worse result informs the router. Flagged for the clinician: both instruments ask about the last two weeks, so a retake after 10 days overlaps 4 days of the previous recall period; 2026-11-07, Dr. K. Ramakrishnan: changed: the questionnaire can be given an unlimited number of times, so the 10-day repeat rule and the 24-hour wait after "Not now" are removed (both set to 0). How long a moderate-or-worse result informs the router stays 10 days (`result_window_days`)

ID	Item	Where it lives	Phase	Status	Notes
CR-11	Router weights, margin, hysteresis N, acute-overwhelm threshold; consent policy (ask once per session before cbt/dbt/mindfulness; "Not now" or typing over the offer resets the lead, so it can be offered again after N more turns; grounding starts without asking)	`content/router/weights.yaml`, `router/router.py`	4	pending	Start values: margin 0.15, N = 3, acute 0.6; pinned by the scenario table in `tests/unit/test_router.py`. 2026-10-12, owner's decision: N lowered to 2 for cbt, dbt and mindfulness alike; mindfulness's anxiety weight raised 0.5 → 0.85, because anxiety alone could never lead (the "mild anxiety stays companion" row still holds). 2026-10-13, owner's decision: dbt's anger weight raised 0.35 → 0.85 for the same reason ("i am so mad" reset the DBT streak); "mild anger stays companion" replaces "anger alone stays companion"
CR-12	Technique scripts (v1: low-risk skills only: no cold exposure, breath-holding or intense exercise): Thought check (CBT), STOP skill (DBT), Notice the breath (mindfulness), 5-4-3-2-1 senses (grounding); offer wording; the stop and decline replies	`content/techniques/*.yaml`, `core/templates.py`	4	pending	A test rejects breath-holding, cold, running and similar wording. 2026-10-13: steps are shown word for word, after one model-written acknowledging sentence, so this wording is exactly what users read
CR-13	Psychoeducation: the 11 item texts and their topic cues, the item order (specific topics before the general item), the `psychoed` cue phrases ("what's wrong with me", "is it normal", diagnosis questions, stigma statements), once-per-session rule, grade-8 reading ceiling	`content/psychoed/items.yaml`, `content/lexicons/cues.yaml`	5	pending	Every source page (NHS, WHO) checked 2026-10-11; Flesch-Kincaid grade 4.2-8.0, checked at startup

ID	Item	Where it lives	Phase	Status	Notes
CR-14	Companion reply checks: validating phrases, praise, advice and dependency phrase lists; one question ending the reply; soft (form) versus hard (content) rules; varied openers (last 3); warmth about good news allowed (Smriti); the advice-request cue that lifts `no_advice`; companion-only scope (dependency in every mode); the plain-language rule wording in the prompt	`content/companion/checks.yaml`, `content/lexicons/cues.yaml` (`asks_advice`), `llm/prompt.py`	6	pending	Curated good/bad replies in `tests/data/companion/`; real-model transcripts from `scripts/tone_check.py` pending. 2026-10-29 (demo testing): a companion reply listens without a question when the person asks ("stop asking", "just listen", "you are asking me"), after two replies in a row that ended in a question, or after a message of 40 words or more; asked-for ideas and thinking traps keep their question. The engine drops question sentences the model adds; all questions gives "I hear you. Take your time, I'm listening.". Short acknowledgement (2026-10-29, owner's decision): a statement of 5 words or fewer, not a question and not the first message, gets one sentence of at most 25 words with no question; the engine keeps the first plain sentence, and "I hear you. Take your time, I'm listening." is its fallback. Unasked idea (2026-10-29, owner's decision): every 4th reply to a message that describes a difficulty (VADER below -0.05) swaps `no_advice` for `offer_one_idea` and `encourage` (hope that leaves the feeling alone, "small steps still count"); not when the reply listens or is short, not on a thinking trap, not within 4 turns of crisis support. `no_toxic_positivity` on every reply rejects "stay positive", "positive attitude", "look on the bright side", "it could be worse", "everything happens for a reason", "others have it worse", "cheer up", "good vibes", "at least you have": the owner asked for "keep a positive attitude", and agreed to hopeful encouragement instead
CR-15	Socratic question bank: 2 questions per thinking trap (11) and 3 general ones; each acknowledges the feeling, then asks exactly one question	`content/guard/socratic_bank.yaml`	7	pending	Used after two guard failures on a thinking-trap turn, and on any CBT or DBT turn
CR-16	Guard markers: agreement markers, hedges, presupposing openers and advice words, global self-labels, diagnosis phrases, medication names, doses and start/stop phrases; the 60% echo threshold	`content/guard/checks.yaml`, `guard/checks.py`	7	pending	Thinking-trap categories are the Phase 4 lexicon (CR-20). The medication list names common psychiatric and sleep medicines and is not exhaustive. 2026-10-13: refusal phrases ("I can't tell you / say / diagnose / advise") let a clause that declines name a condition or medicine, after the real model's refusals were blocked. 2026-10-29 (demo testing): `no_maker_claim` on every reply (a company named as the maker, or another assistant's name), and the system prompt says OASIS is an independent project running an open model, made by no company. A question about what OASIS is or who made it, as the whole message ("Who is your owner", "who are you?", "are you a real person?"), gets a fixed answer (`identity` template) with no model call
CR-17	Trend-change flag (baseline sessions K, z threshold) and feature selection	`content/tracking/config.yaml`	8	pending	Labelled non-clinical in UI

ID	Item	Where it lives	Phase	Status	Notes
CR-18	Templated fallback replies, including the companion fallback ("I hear you. What feels most important to talk about right now?") used when a companion draft breaks a content rule twice	`core/templates.py`	1+	pending	
CR-19	After a crisis earlier in the conversation, once post-crisis mode is cleared, PHQ-9/GAD-7 can be asked for and can also be offered unprompted	`assessment/trigger.py`, `core/planner.py`	3	approved	Explicit requests decided 2026-10-09; unprompted offers allowed by the owner on 2026-10-12 (they were blocked before). PHQ-9 item 9 still escalates (CR-07); 2026-11-07, Dr. K. Ramakrishnan: approved; it can be offered and taken any number of times
CR-20	Signal lexicons: emotions, dysregulation, overwhelm, wanting to talk, opt-out phrases, and the eleven Burns distortion categories	`content/lexicons/*.yaml`	4	pending	Engineering start values; golden examples in `tests/unit/test_signals.py`. 2026-10-12: phrases added from manual testing so reworded messages keep a streak going. Distortions: "always do something wrong", "never/can't do anything right", "nobody likes me", "my failure", "not good enough". Dysregulation: "lost my temper", "yelled at", "can't calm down", "going to explode", "could punch". Anger: "so mad", "raging". Anxiety: "stressed", "racing mind", "overthinking", "all over the place", "can't settle". Stress and racing thoughts were added to anxiety, not overwhelm, so they lead to the mindfulness offer and never to the immediate grounding exercise. Each phrasing is pinned in `tests/unit/test_router.py`. 2026-10-13: dysregulation "lose/losing my temper", "snapped", "lashing out", "mood swings", "emotions are all over the place" (taken out of anxiety's "all over the place"); anger "boiling"
CR-21	Language-based mood trend: first-person word list (possessives left out), the 19 absolutist words and the negation list, the emotion lexicons reused as exploratory features, EWMA α = 0.3, baseline K = 5 sessions, change threshold z = 1.5 SDs, latency cap 600 s, the label and the trend-view wording	`content/tracking/features.yaml`, `web/trends.html`, `web/trends.js`	8	pending	Sources checked 2026-10-20 against the publisher and repository pages. The absolutist list is as quoted from the paper's supplementary Table S2 by several secondary sources; the table itself was not accessed and should be checked. 2026-10-29 (demo testing): the valence score no longer reads "feels like", "hand", "not to die", "no horrible" or "over enthusiastic" as positive (`core/signals.py`, `_MoodVader`); misspelled words stay neutral, because correcting them without a dictionary misread real words

ID	Item	Where it lives	Phase	Status	Notes
CR-22	"Why this reply" explanations: the plain-language phrases (what each signal, mode, thinking-trap category and planner reason is called, and how each reply is described), the scope note, and the neutral background sentences that set what counts as an ordinary use of a word	`content/explain/plain_language.yaml`, `content/explain/neutral.yaml`, `explain/builder.py` (scope note)	9	pending	The explanation describes the response strategy, never the model's wording. Check that the phrases do not read as a diagnosis ("signs of worry or anxiety" names words in a message, not a condition) and that the screening-offer and questionnaire-result wording keeps "a screening tool, not a diagnosis" (CL5)
CR-23	First-use data notice: what OASIS is and is not, the two ways to start, what is kept, the crisis-message policy (its words are never saved; the audit keeps the kind of phrase, not the words), who can see the data, export and delete, and the agreement line	`content/privacy/disclosure.yaml`	10	pending	Plain-language draft; needs legal review before any real use (PRD O8). Like CR-03, it points to "Need help now?" and does not tell the reader to call the emergency number. Version 2 (2026-10-24): a saved conversation is reopened from this browser, so the notice says anyone using the browser can open it and suggests "Start without saving" on a shared computer. 2026-10-28: the online demo (`OASIS_DEMO=1`) shows its own notice, `content/privacy/disclosure_demo.yaml` (version demo-1): made-up messages only, messages travel through Cloudflare to the host's computer, memory only, and the same crisis-message policy
CR-26	Bias evaluation content: the dialect and code-mixed scenario text (British, AAVE, Indian English, Nigerian Pidgin, Hinglish, Spanglish, Taglish), and the crisis patterns added from it (Spanish, Tagalog, Hindi and Pidgin phrasing, "can't be arsed living", typos), with their designed non-triggers	`tests/bias/scenarios.yaml`, `content/safety/patterns.yaml` (Phase 12 section)	12	pending	Written by the engineering author, not native speakers; needs native-speaker review as well as clinical review. "sab khatam kar dunga" also fires on "I'll finish all my homework" (accepted: fails toward the handoff). Dialect conversations miss screening offers that standard English gets (`docs/reports.md`); lexicons were not widened (Smriti, 2026-10-25)
CR-25	Style framing sentences (direct / indirect, casual / formal), the settings page's example replies, and the indirect-phrasing suggestion (hedge list, 2 of the last 3 typed messages, the note's wording)	`content/style/framing.yaml`, `web/settings.html`	11	pending	Framing only: decisions are identical under every style (property test). Check that "direct" never reads as blunt with someone in distress and "gentle" never turns a question into advice; the suggestion is a note pointing to Settings, never applied. The help card's chosen country (also Phase 11) opens that country first, before the time-zone suggestion (CR-24)

ID	Item	Where it lives	Phase	Status	Notes
CR-24	The help card suggests a country from the computer's time zone, shown first; the full list folds into a "Not right? Choose another country" dropdown (open, as "Choose your country", when there is no suggestion or no script)	`content/help/time_zones.yaml` (generated), `web/app.js` (`suggestCountry`), `api/pages.py`	10	pending	Wrong when the computer's clock is set to another country (travellers, shared or work computers), so the full list always follows and the wording says where the suggestion came from. Zone names shared by several countries are never mapped
CR-27	Gaps found in demo testing (2026-10-29): feeling like dying, asking someone for a means (rope, blade, poison; a knife only with a purpose), killing someone and then oneself, and a new `harm_others` tier (killing a person, or harming, attacking or hurting one with a firm intent) with its own fixed reply	`content/safety/patterns.yaml` (demo testing section), `safety/handoff.py` (`HARM_OTHERS_REPLY`)	demo	approved	Owner's decision: a threat to someone else gets the crisis handoff (zero model calls, post-crisis mode, "Need help now?" opened), and reported speech ("manager said to me to kill chef") triggers too. Unlike CR-03, this reply names the local emergency number, because someone else may be in danger. With a risk to self as well, the self reply is shown. "Hurt" counts only with a firm intent or an unnamed person ("I don't want to hurt him" is usually about feelings). Held-out batch 2 first run 20/22, harm to others 10/10; 0/18 everyday kill/hurt/rope phrases flagged; 2026-11-07, Dr. K. Ramakrishnan: approved; threats to others get the crisis handoff, with the popup
CR-28	Add-only crisis classifier (2026-11-01): a logistic regression over word and letter-piece features that flags crisis messages the patterns miss, mostly misspellings, and the check-in reply a classifier-only alert gets (it asks directly whether the person is thinking of ending their life or hurting themselves, opens "Need help now?" and offers "Continue talking")	`content/safety/classifier.yaml` (generated by `ml/train_crisis.py`), `safety/handoff.py` (`CHECK_IN_REPLY`), `ml/hard_negatives.yaml`	ML	approved	Held-out typo recall 51% -> 80% (rules -> rules or classifier); 3 of 98 benign messages flagged ("I want to end my relationship", "I'm dead tired", "I hurt my knee"), 0.13% of unseen Reddit comments. Post-crisis mode follows as for any alert. Check the check-in wording and whether asking directly is the right response to a possible misread (ml_models.md §1); 2026-11-07, Dr. K. Ramakrishnan: approved; when unclear, the bot asks directly. The check-in does not open the popup, because it may be a misread

ID	Item	Where it lives	Phase	Status	Notes
CR-29	Learned signals and thresholds (2026-11-01): the learned sadness, anxiety, anger and shame scorers (GoEmotions; the larger of hand and learned is used), the guard's NLI agreement threshold (0.5) and the psychoeducation similarity threshold (0.3) with its questions-only rule	`content/lexicons/emotions_learned.yaml`, `content/guard/nli.yaml`, `content/psychoed/semantic.yaml`	ML	pending	Learned from Reddit comments, not clinical text: the learned terms include everyday Reddit words. The NLI check only adds rejections and the retrieval only picks vetted items; neither changes any vetted text (ml_models.md §2-4)

Change log

Date	Change	By
2026-11-07	First clinician review (Dr. K. Ramakrishnan): CR-01, 05, 19, 27, 28 approved; CR-03 direct wording and emergency popup; CR-07 item 9 hands off only at "More than half the days" or more, and every result is scored and shown in Mood trend; CR-10 no repeat limits	Smriti
2026-10-07	Register created with seed items	Smriti
2026-10-08	Phase 2: CR-01 adds the self-harm tier; CR-03..06 and CR-18 locations updated to the implementation	Smriti
2026-10-08	Phase 3: CR-07..10 updated to the implementation	Smriti
2026-10-09	CR-19 added: explicit screening requests allowed after a crisis	Smriti
2026-10-11	Phase 4: CR-11 and CR-12 updated to the implementation; CR-20 added (signal lexicons)	Smriti
2026-10-11	Phase 5: CR-13 updated to the implementation	Smriti
2026-10-11	Phase 6: CR-14 updated to the implementation	Smriti
2026-10-20	Phase 8: CR-21 added (mood-trend features, thresholds and wording)	Smriti
2026-10-22	Phase 9: CR-22 added (explanation wording and background sentences)	Smriti
2026-10-24	CR-24 added: help card country suggested from the time zone	Smriti
2026-10-24	Phase 10: CR-23 added (first-use data notice)	Smriti
2026-10-24	Phase 11: CR-25 added (style framing, examples and the indirect-phrasing suggestion)	Smriti
2026-10-26	Phase 13: CR-23 data notice version 3: a saved conversation with no message for 90 days is deleted automatically (owner's decision)	Smriti
2026-10-28	CR-23: demo data notice (demo-1) for the test version shared by link (owner's decision)	Smriti

Date	Change	By
2026-10-29	CR-27 added from demo testing: new patterns, the `harm_others` tier and its reply (ruleset 2026.10.2); held-out batch 2 first run 20/22 = 90.9% (2 misses moved to the train set and fixed), benign false positives unchanged (owner's decisions)	Smriti
2026-10-29	CR-14: listening replies with no question (demo testing; owner's decisions on when)	Smriti
2026-10-29	CR-16: `no_maker_claim` added after a demo reply said "created by Google"	Smriti
2026-10-29	CR-16: fixed `identity` answer to "who are you / who made you" (owner's decision)	Smriti
2026-10-29	CR-14: short acknowledgements, an unasked idea with hope every 4th reply, and `no_toxic_positivity` (owner's decisions)	Smriti
2026-10-27	CR-01: the owner confirmed the `self_harm` tier (full handoff) as the safe default until clinician review	Smriti
2026-10-27	CR-04: Sweden's Självmordslinjen hours added (24/7, free; calls carry the operator's connection fee), source changed to Mind's own page; resources 2026.10.1	Smriti
2026-10-25	Phase 12: CR-26 added; CR-01: "I don't want to live anymore" followed by anything (a name, another sentence) is caught again, plus dialect, typo and code-mixed phrasing (ruleset 2026.10.1); held-out recall 71/71, benign false positives unchanged. CR-11/CR-20: lexicon scores now come from the highest-scoring sentence; one-sentence messages score as before	Smriti
2026-10-24	CR-14: validating phrases widened from the per-style tone check ("I understand", "I acknowledge", "You mentioned", "I am glad to hear", "I hear that/how", "It is natural/common to", "It seems", "It might be that you feel", "...wonderful news", "It is wonderful that you"); "That is wonderful news" no longer counts as praise (owner's decision)	Smriti
2026-10-24	CR-03: the help card's opening line loses "pick your country below" and now reads "If you feel like talking to someone in person, you do not have to go through this alone." (owner's decision)	Smriti
2026-10-13	Phase 7: CR-15 and CR-16 updated to the implementation; owner's decisions from manual testing: CR-11/CR-20 (dbt anger weight 0.85, wider dysregulation phrases), CR-16 (refusals allowed), CR-12 (exercise steps shown word for word), CR-16 (made-up exercise steps rejected; VADER-scored labels, every form of stopping medicine, if/whether refusals), CR-14 (praise of choices, also before exercise steps)	Smriti
2026-10-12	Owner's decisions from manual testing: CR-03 (crisis wording), CR-09/CR-19 (screening k = 2, offers after a cleared crisis), CR-10 (10-day repeat), CR-11/CR-20 (router N = 2, wider cue phrases)	Smriti