

## ← Day20-1.html



HTML

CSS

JS

OUTPUT



Smruti Awar

just now • 1 view

web



0

0



PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <script
  src="https://ajax.googleapis.com/ajax/libs/jquery
  /3.7.1/jquery.min.js"></script>
5 <style>
6     body {
7         background: linear-gradient(to bottom,
  #2c001e, #000000);
8         height: 100vh;
9         margin: 0;
10        display: flex;
11        flex-direction: column;
12        justify-content: top;
13        align-items: center;
14        font-family: 'Segoe UI', sans-serif;
15        color: #ff66b2;
16    }
17
18    #myImage {
19        width: 180px;
20        border: 2px solid #ff66b2;
21        border-radius: 10px;
22    }
23
24
25    button {
26        padding: 10px 25px;
27        margin: 20px;
28        font-size: 16px;
29        border: none;
30        border-radius: 5px;
31        cursor: pointer;
32        color: white;
33        background-color: #ff1a75;
34
35    }
36
37
38    button:hover {
```

TAB

&lt;

&gt;

/

=

"

RUN



## ← Day20-1.html



HTML

CSS

JS

OUTPUT



Smruti Awar

just now • 1 view

web



0

0



PRIVATE

```

22
23     }
24
25     button {
26         padding: 10px 25px;
27         margin: 20px;
28         font-size: 16px;
29         border: none;
30         border-radius: 5px;
31         cursor: pointer;
32         color: white;
33         background-color: #ff1a75;
34
35     }
36
37
38     button:hover {
39         background-color: skyblue;
40         transform: scale(1.05);
41     }
42 </style>
43 </head>
44 <body>
45
46 
50
51 <button id="toggleButton">Shinchan</button>
52
53 <script>
54 $(document).ready(function(){
55     $("#toggleButton").click(function(){
56         $("#myImage").slideToggle(500);
57     });
58 });
59 </script>
60
61 </body>
62 </html>

```

TAB

&lt;

&gt;

/

=

"

RUN




[← Day20-1.html](#)

HTML

CSS

JS

OUTPUT



Shinchan

← Day20-1.html



HTML

CSS

JS

OUTPUT

Shinchan

## ← Day20-2.html



HTML

CSS

JS

OUTPUT



Smruti Awar

37 mins • 2 views

web



0

0



PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <script
  src="https://ajax.googleapis.com/ajax/libs/jquery
  /3.7.1/jquery.min.js"></script>
5 <script>
6 $(document).ready(function(){
7   $("#hide").click(function(){
8     $("img").hide();
9   });
10  $("#show").click(function(){
11    $("img").show();
12  });
13 });
14 </script>
15 </head>
16 <br/>
17 <button id="hide">Hide</button>
18 <button id="show">Show </button>
19 </body>
20 </html>
```

TAB

&lt;

&gt;

/

=

"

RUN




[← Day20-2.html](#)

HTML

CSS

JS

OUTPUT



← Day20-2.html



HTML

CSS

JS

OUTPUT

Hide

Show

## ← Day20-3.html



HTML

CSS

JS

OUTPUT



Smruti Awar

15 mins • 2 views

web



0

0



PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Day of the Week Finder</title>
5 </head>
6 <body>
7
8 <h1>Find the Day of the Week</h1>
9
10 <label for="dayNumberInput">Enter a number
    (1-7):</label>
11 <input type="number" id="dayNumberInput" min="1"
    max="7">
12 <button onclick="findDay()">Find Day</button>
13
14 <p id="result"></p>
15
16 <script>
17 function findDay() {
18     const dayNumber =
19     parseInt(document.getElementById("dayNumberInput"
20     ).value);
21     let dayName;
22
23     switch (dayNumber) {
24         case 1:
25             dayName = "Monday";
26             break;
27         case 2:
28             dayName = "Tuesday";
29             break;
30         case 3:
31             dayName = "Wednesday";
32             break;
33         case 4:
34             dayName = "Thursday";
35             break;
36         case 5:
37             dayName = "Friday";
38             break;
39         case 6:
```

TAB

&lt;

&gt;

/

=

"

RUN





## ← Day20-3.html



HTML

CSS

JS

OUTPUT



Smruti Awar

15 mins • 2 views

web



0

0



PRIVATE

```
16 <script>
17 function findDay() {
18     const dayNumber =
19     parseInt(document.getElementById("dayNumberInput"
20     ).value);
21     let dayName;
22
23     switch (dayNumber) {
24         case 1:
25             dayName = "Monday";
26             break;
27         case 2:
28             dayName = "Tuesday";
29             break;
30         case 3:
31             dayName = "Wednesday";
32             break;
33         case 4:
34             dayName = "Thursday";
35             break;
36         case 5:
37             dayName = "Friday";
38             break;
39         case 6:
40             dayName = "Saturday";
41             break;
42         case 7:
43             dayName = "Sunday";
44             break;
45         default:
46             dayName = "Invalid input. Please enter a
47             number between 1 and 7.";
48     }
49     document.getElementById("result").textContent =
50     "The day is: " + dayName;
51 }
52 </script>
53 </body>
54 </html>
```

TAB

&lt;

&gt;

/

=

"

RUN



[←](#) Day20-3.html

HTML

CSS

JS

OUTPUT

# Find the Day of the Week

Enter a number (1-7):

The day is: Friday

## ← Day20-4.html



HTML

CSS

JS

OUTPUT



Smruti Awar

10 mins • 1 view

web



0

0



PRIVATE

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport"
6 content="width=device-width, initial-scale=1.0">
7     <title>Prime Number Checker</title>
8 </head>
9 <body>
10     <h1>Prime Number Checker</h1>
11     <label for="numberInput">Enter a number:</
12 label>
13     <input type="number" id="numberInput">
14     <button onclick="checkPrime()">Check Prime</
15 button>
16     <p id="result"></p>
17     <script src="script.js"></script>
18 </body>
19 </html>
```

TAB

&lt;

&gt;

/

=

"

RUN



 Day20-4.html

HTML

CSS

JS

OUTPUT

# Prime Number Checker

Enter a number: 

Console

Uncaught ReferenceError: checkPrime is not defined  
Line: 12

## ← Day20-5.html



HTML

CSS

JS

OUTPUT



Smruti Awar

8 mins • 1 view

web



0

0



PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <script
  src="https://ajax.googleapis.com/ajax/libs/jquery
  /3.7.1/jquery.min.js"></script>
5 <style>
6     body {
7         background: radial-gradient(circle,
  #0f0c29, #302b63, #24243e);
8         color: #fff;
9         text-align: center;
10        font-family: cursive;
11        padding-top: 100px;
12    }
13
14    #myImage {
15        width: 200px;
16        margin: 20px;
17        display: none;
18        border-radius: 10px;
19        box-shadow: 0 0 20px #ff4ecd;
20    }
21
22    button {
23        padding: 10px 25px;
24        font-size: 16px;
25        background: #a64ac9;
26        border: none;
27        border-radius: 5px;
28        color: white;
29        cursor: pointer;
30        box-shadow: 0 0 10px #ff4ecd;
31    }
32
33    button:hover {
34        background: #7a1fa2;
35    }
36 </style>
37 </head>
38 <body>
```

TAB

&lt;

&gt;

/

=

"

RUN



## ← Day20-5.html



HTML

CSS

JS

OUTPUT



Smruti Awar

8 mins • 1 view

web



0

0



PRIVATE

```

25         background: #a64ac9;
26         border: none;
27         border-radius: 5px;
28         color: white;
29         cursor: pointer;
30         box-shadow: 0 0 10px #ff4ecd;
31     }
32
33     button:hover {
34         background: #7a1fa2;
35     }
36 </style>
37 </head>
38 <body>
39
40 <h2>✨ Shinchon ✨</h2>
41
42 
46
47 <br><br>
48
49 <button id="fadeInBtn">Fade In</button>
50 <button id="fadeOutBtn">Fade Out</button>
51
52 <script>
53 $(document).ready(function(){
54     $("#fadeInBtn").click(function(){
55         $("#myImage").fadeIn(1000);
56     });
57
58     $("#fadeOutBtn").click(function(){
59         $("#myImage").fadeOut(1000);
60     });
61 });
62 </script>
63
64 </body>
65 </html>

```

TAB

&lt;

&gt;

/

=

"

RUN



 Day20-5.html

HTML

CSS

JS

OUTPUT

✨ ✨ *Shinchan* ✨ ✨

Fade In

Fade Out



← Day20-5.html



HTML

CSS

JS

OUTPUT

✨ Shinnchan ✨



Fade In

Fade Out



 Day20-5.html

HTML

CSS

JS

OUTPUT

✧✧ *Shinchan* ✧✧

Fade In

Fade Out

## ← Day20-6.html



HTML

CSS

JS

OUTPUT



Smruti Awar

3 mins • 2 views

web



0

0



PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <script
  src="https://ajax.googleapis.com/ajax/libs/jquery
  /3.7.1/jquery.min.js"></script>
5 <style>
6     body {
7         background-size: cover;
8         text-align: center;
9         margin: 0;
10        color: #ffd700;
11        font-family: 'Georgia', serif;
12        padding-top: 50px;
13    }
14
15    h2 {
16        text-shadow: 0 0 10px #ffd700;
17    }
18
19    #broomImage {
20        width: 200px;
21        position: relative;
22        margin: 20px;
23    }
24
25
26    button {
27        padding: 10px 25px;
28        margin: 5px;
29        background: #ffd700;
30        color: black;
31        border: none;
32        border-radius: 5px;
33        font-size: 16px;
34        cursor: pointer;
35        box-shadow: 0 0 10px #ffd700;
36    }
37
38    button:hover {
39        background: #e6c200;
```

TAB

&lt;

&gt;

/

=

"

RUN



## ← Day20-6.html



HTML

CSS

JS

OUTPUT



Smruti Awar

3 mins • 2 views

web



0

0



PRIVATE

```

39         background: #e6c200;
40     }
41 </style>
42 </head>
43 <body>
44
45
46
47 
53
54 <br>
55 <button id="startBtn">Start </button>
56 <button id="stopBtn">Stop</button>
57
58 <script>
59 $(document).ready(function(){
60     let flying;
61
62     $("#startBtn").click(function(){
63         if (!flying) {
64             flying = setInterval(function(){
65                 $("#broomImage").animate({top:
66                 '-=100px'}, 500)
67                 .animate({top:
68                 '+=100px'}, 500);
69             }, 1000);
70         }
71     });
72
73     $("#stopBtn").click(function(){
74         clearInterval(flying);
75         flying = null;
76     });
77 });
78 </script>

```

TAB

&lt;

&gt;

/

=

"

RUN



## ← Day20-6.html



HTML

CSS

JS

OUTPUT



Smruti Awar

3 mins • 2 views

web



0

0



PRIVATE

```

42 </head>
43 <body>
44
45
46
47 
48
49 <br>
50
51 <button id="startBtn">Start </button>
52 <button id="stopBtn">Stop</button>
53
54 <script>
55 $(document).ready(function(){
56     let flying;
57
58     $("#startBtn").click(function(){
59         if (!flying) {
60             flying = setInterval(function(){
61                 $("#broomImage").animate({top:
62                     '-=100px'}, 500)
63                     .animate({top:
64                         '+=100px'}, 500);
65                 }, 1000);
66             }
67         });
68
69         $("#stopBtn").click(function(){
70             clearInterval(flying);
71             flying = null;
72         });
73     });
74 </script>
75 </body>
76 </html>

```

TAB

&lt;

&gt;

/

=

"

RUN




[←](#) Day20-6.html

HTML

CSS

JS

OUTPUT



Start

Stop


[←](#) Day20-6.html

HTML

CSS

JS

OUTPUT



Start

Stop