

Project Name	Integracoes	GENERATION DATE	18 de set. de 2024 12:10:25
AUTHOR	Hydronorth, Tecnologia	Talend Cloud VERSION	8.0.1.20240820_0946- patch

Summary

- [Project Description](#)
- [Description](#)
- [Preview Picture](#)
- [Settings](#)
- [Context List](#)
- [Component List](#)
- [Components Description](#)


Project Description

Properties	Values
Name	Integracoes
Language	java
Description	

Description

Properties	Values
Name	Autenticacao
Author	Hydronorth, Tecnologia
Version	0.1
Purpose	
Status	DEV
Description	
Creation	21 de ago. de 2024 10:21:08
Modification	16 de set. de 2024 10:52:09

# Preview Picture



# Settings

## Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

## Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

## Context List

### ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
Token	Token?	false	id_String		
Login	Login?	false	id_String		
LoginDesativacao	LoginDesativacao?	false	id_String		

## Component List

Component Name	Component Type
tDBInput_1	tMSSqlInput
tDBInput_2	tMSSqlInput
tDBInput_3	tMSSqlInput
tDBInput_4	tMSSqlInput
tDBInput_5	tMSSqlInput
tDBInput_6	tMSSqlInput
tExtractJSONFields_1	tExtractJSONFields
tExtractJSONFields_2	tExtractJSONFields
tFilterRow_31	tFilterRow
tFilterRow_39	tFilterRow
tFilterRow_43	tFilterRow
tHashInput_1	tHashInput
tHashOutput_1	tHashOutput
tJavaRow_1	tJavaRow
tJavaRow_2	tJavaRow
tJavaRow_3	tJavaRow
tLogRow_1	tLogRow
tLogRow_10	tLogRow
tLogRow_11	tLogRow
tLogRow_12	tLogRow
tLogRow_13	tLogRow
tLogRow_14	tLogRow
tLogRow_2	tLogRow
tLogRow_3	tLogRow
tLogRow_4	tLogRow
tLogRow_5	tLogRow
tLogRow_6	tLogRow
tLogRow_7	tLogRow
tLogRow_8	tLogRow
tLogRow_9	tLogRow

<a href="#">tMap_1</a>	tMap
<a href="#">tMap_2</a>	tMap
<a href="#">tMap_3</a>	tMap
<a href="#">tMap_4</a>	tMap
<a href="#">tMap_5</a>	tMap
<a href="#">tMap_6</a>	tMap
<a href="#">tRESTClient_1</a>	tRESTClient
<a href="#">tRESTClient_3</a>	tRESTClient
<a href="#">tRESTClient_4</a>	tRESTClient
<a href="#">tRESTClient_5</a>	tRESTClient
<a href="#">tREST_1</a>	tREST

## Components Description

### Component tMSSqlInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	<a href="#">tREST_1</a>
	LABEL	Senior	OUTPUT(S)	<a href="#">tMap_3</a>

### Component Parameters:

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_1
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):Senior
Host	"192.168.4.118"
JDBC Provider	MSSQL_PROP
Database Driver	MSSQL
Port	"1433"
Schema	"
Database	"SENIOR"
Username	"senior_codbc"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Table Name	"r034fun"
Query Type	Built-In
Guess Schema	""
Query	"SELECT numcad asCodigo, nomfun as Nome, numcpf as CPF, tipsex as Sexo, datnas as DataNascimento, datadm as DataAdmissao, datafa as DataDemissao, valsal as Salario, codpes, codcar, estciv, grains, codccu FROM r034fun WHERE numcad >= '20106'"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Enable always encrypted (Column encryption)	false
Application Client ID	
Application Client Secret	****
Trim all the String/Char columns	false
Trim column	[[{SCHEMA_COLUMN=Codigo, TRIM=true}, {SCHEMA_COLUMN=Nome, TRIM=true}, {SCHEMA_COLUMN=CPF, TRIM=true}, {SCHEMA_COLUMN=Sexo, TRIM=true}, {SCHEMA_COLUMN=DataNascimento, TRIM=true}, {SCHEMA_COLUMN=DataAdmissao, TRIM=true}, {SCHEMA_COLUMN=DataDemissao, TRIM=true}, {SCHEMA_COLUMN=Salario, TRIM=true}, {SCHEMA_COLUMN=codpes, TRIM=true}, {SCHEMA_COLUMN=codcar, TRIM=true}, {SCHEMA_COLUMN=estciv, TRIM=false}, {SCHEMA_COLUMN=grains, TRIM=false}, {SCHEMA_COLUMN=codccu, TRIM=false}]]
Set Query Timeout	false
Timeout (seconds)	30
Label format	Senior
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tDBInput\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
Codigo	true	Integer	10		true	
Nome	false	String	40		true	
CPF	false	String	19		true	
Sexo	false	String	1		true	
DataNascimento	false	java.util.Date	23	3	true	
DataAdmissao	false	java.util.Date	23	3	true	
DataDemissao	false	java.util.Date	23	3	true	
Salario	false	Double	13	4	true	
codpes	false	Integer	10		true	
codcar	false	String	24		true	
estciv	false	Short	5		true	
grains	false	Short	5		true	
codccu	false	String			true	

### Original Function Parameters:

#### Component tMSSqlInput

	UNIQUE NAME	tDBInput_2	INPUT(S)	none
---	-------------	------------	----------	------

	LABEL	Senior	OUTPUT(S)	<a href="#">tMap_3</a>
--	-------	--------	-----------	------------------------

## Component Parameters:

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_2
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):Senior
Host	"192.168.4.118"
JDBC Provider	MSSQL_PROP
Database Driver	MSSQL
Port	"1433"
Schema	""
Database	"SENIOR"
Username	"senior_codbc"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"R034CPL"
Query Type	Built-In
Guess Schema	""
Query	"SELECT numcad, endrua, endnum, endcpl, codbai, codcid, codest, endcep, 0 as dddtel, 0 as tel, dddtel as dddcel, numtel as cel, emapar, estciv, cidciv FROM R034CPL"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Enable always encrypted (Column encryption)	false
Application Client ID	
Application Client Secret	****
Trim all the String/Char columns	false
Trim column	{(SCHEMA_COLUMN=numcad, TRIM=false), (SCHEMA_COLUMN=endrua, TRIM=false), (SCHEMA_COLUMN=endnum, TRIM=false), (SCHEMA_COLUMN=endcpl, TRIM=false), (SCHEMA_COLUMN=codbai, TRIM=false), (SCHEMA_COLUMN=codcid, TRIM=false), (SCHEMA_COLUMN=codest, TRIM=false), (SCHEMA_COLUMN=endcep, TRIM=false), (SCHEMA_COLUMN=dddtel, TRIM=false), (SCHEMA_COLUMN=tel, TRIM=false), (SCHEMA_COLUMN=dddccl, TRIM=false), (SCHEMA_COLUMN=cel, TRIM=false), (SCHEMA_COLUMN=emapa


	r, TRIM=false}, {SCHEMA_COLUMN=estciv, TRIM=false}, {SCHEMA_COLUMN=cidciv, TRIM=false}]
Set Query Timeout	false
Timeout (seconds)	30
Label format	Senior
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tDBInput\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
numcad	true	Integer	10		true	
endrua	false	String	100		true	
endnum	false	String	6		true	
endcpl	false	String	25		true	
codbai	false	Short	5		true	
codcid	false	Integer	10		true	
codest	false	String	4		true	
endcep	false	String	10		true	
dddtel	false	Integer	10		true	
tel	false	Integer	10		true	
dddccl	false	String	5		true	
cel	false	String	20		true	
emapar	false	String	100		true	
estciv	false	String	2		true	
cidciv	false	Integer	10		true	

### Original Function Parameters:

#### Component tMSSqlInput

	UNIQUE NAME	tDBInput_3	INPUT(S)	none
	LABEL	Senior	OUTPUT(S)	<a href="#">tMap_3</a>

### Component Parameters:

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_3
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):Senior
Host	"192.168.4.118"
JDBC Provider	MSSQL_PROP
Database Driver	MSSQL
Port	"1433"
Schema	"
Database	"SENIOR"
Username	"senior_codbc"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"r000mun"
Query Type	Built-In
Guess Schema	"
Query	" SELECT codmun as CódigoMunicipio, nommun as Cidade, codest as Estado FROM r000mun"
Specify a data source alias	false
Data source alias	"
Mapping	id_MSSQL
Additional JDBC Parameters	"
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Enable always encrypted (Column encryption)	false
Application Client ID	
Application Client Secret	****
Trim all the String/Char columns	false
Trim column	[(SCHEMA_COLUMN=CódigoMunicipio, TRIM=false), (SCHEMA_COLUMN=Cidade, TRIM=false), (SCHEMA_COLUMN=Estado, TRIM=false)]
Set Query Timeout	false
Timeout (seconds)	30
Label format	Senior
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tDBInput\_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
CódigoMunicipio	true	Integer	10		true	
Cidade	false	String	50		true	
Estado	false	String	4		true	

### Original Function Parameters:

#### Component tMSSqlInput

	UNIQUE NAME	tDBInput_4	INPUT(S)	none
	LABEL	Senior	OUTPUT(S)	<a href="#">tMap_3</a>

### Component Parameters:

Properties	Values
------------	--------



Database	tMSSqlInput
Unique Name	tDBInput_4
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):Senior
Host	"192.168.4.118"
JDBC Provider	MSSQL_PROP
Database Driver	MSSQL
Port	"1433"
Schema	""
Database	"SENIOR"
Username	"senior_codbc"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"r074bai"
Query Type	Built-In
Guess Schema	""
Query	"SELECT codbai as CodigoBairro, nombai as Bairro FROM r074bai"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Enable always encrypted (Column encryption)	false
Application Client ID	
Application Client Secret	****
Trim all the String/Char columns	false
Trim column	[(SCHEMA_COLUMN=CodigoBairro, TRIM=false), {SCHEMA_COLUMN=Bairro, TRIM=false}]
Set Query Timeout	false
Timeout (seconds)	30
Label format	Senior
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

**Schema for tDBInput\_4 :**

Column	Key	Type	Length	Precision	Nullable	Comment
CodigoBairro	true	Short	5		true	
Bairro	false	String	40		true	

## Original Function Parameters:

### Component tMSSqlInput

	UNIQUE NAME	tDBInput_5	INPUT(S)	none
	LABEL	Senior	OUTPUT(S)	<a href="#">tMap_3</a>

## Component Parameters:

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_5
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):Senior
Host	"192.168.4.118"
JDBC Provider	MSSQL_PROP
Database Driver	MSSQL
Port	"1433"
Schema	""
Database	"SENIOR"
Username	"senior_codbc"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"r024car"
Query Type	Built-In
Guess Schema	""
Query	"SELECT codcar, titred, titcar FROM r024car"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Enable always encrypted (Column encryption)	false


Application Client ID	
Application Client Secret	****
Trim all the String/Char columns	false
Trim column	{(SCHEMA_COLUMN=codcar, TRIM=false), (SCHEMA_COLUMN=titred, TRIM=false), (SCHEMA_COLUMN=titcar, TRIM=false)}
Set Query Timeout	false
Timeout (seconds)	30
Label format	Senior
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tDBInput\_5 :

Column	Key	Type	Length	Precision	Nullable	Comment
codcar	true	String	24		true	
titred	false	String	30		true	
titcar	false	String	60		true	

### Original Function Parameters:

#### Component tMSSqlInput

	UNIQUE NAME	tDBInput_6	INPUT(S)	none
	LABEL	Senior	OUTPUT(S)	<a href="#">tMap_3</a>

### Component Parameters:

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_6
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):Senior
Host	"192.168.4.118"
JDBC Provider	MSSQL_PROP
Database Driver	MSSQL
Port	"1433"
Schema	"
Database	"SENIOR"


Username	"senior_codbc"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"r018ccu"
Query Type	Built-In
Guess Schema	""
Query	"SELECT codccu, nomccu FROM r018ccu"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Enable always encrypted (Column encryption)	false
Application Client ID	
Application Client Secret	****
Trim all the String/Char columns	false
Trim column	{[SCHEMA_COLUMN=codccu, TRIM=false], [SCHEMA_COLUMN=nomccu, TRIM=false]}
Set Query Timeout	false
Timeout (seconds)	30
Label format	Senior
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tDBInput\_6 :

Column	Key	Type	Length	Precision	Nullable	Comment
codccu	true	String	18		true	
nomccu	false	String	80		true	

### Original Function Parameters:

#### Component tExtractJSONFields

	UNIQUE NAME	tExtractJSONFields_1	INPUT(S)	<a href="#">tMap_1</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tJavaRow_1</a>

### Component Parameters:

Properties	Values
Unique Name	tExtractJSONFields_1
Component Name	tExtractJSONFields
Version	0.102 (ALPHA)
Family	Processing/Fields
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tExtractJSONFields
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java


Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Read By	JSONPATH
API version	2_1_0
JSON field	Body
Loop XPath query	"/bills/bill/line"
Loop Jsonpath query	"\$.data[*]"
Mapping	[[{SCHEMA_COLUMN=Token, QUERY=, NODECHECK=false, ISARRAY=false}]]
Mapping	[[{SCHEMA_COLUMN=Token, QUERY="access_token"}]]
Die on error	false
Schema	Built-In
!!!SCHEMA_OPT_NUM.NAME!!!	100
JDK version	JDK_8
Encoding	"UTF-8"
Use the loop node as root	true
!!!SPLIT_LIST.NAME!!!	true
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tExtractJSONFields\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
Token	false	String			true	

### Original Function Parameters:

#### Component tExtractJSONFields

	UNIQUE NAME	tExtractJSONFields_2	INPUT(S)	<a href="#">tMap_2</a>
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tLogRow_1</a>

### Component Parameters:

Properties	Values
Unique Name	tExtractJSONFields_2
Component Name	tExtractJSONFields
Version	0.102 (ALPHA)
Family	Processing/Fields
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tExtractJSONFields
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	


Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Read By	JSONPATH
API version	2_1_0
JSON field	string
Loop XPath query	"/bills/bill/line"
Loop Jsonpath query	"\$.data[*].results[*]"
Mapping	[[{SCHEMA_COLUMN=Usuario, QUERY=, NODECHECK=false, ISARRAY=false}, {SCHEMA_COLUMN=Nome, QUERY=, NODECHECK=false, ISARRAY=false}, {SCHEMA_COLUMN=CPF, QUERY=, NODECHECK=false, ISARRAY=false}, {SCHEMA_COLUMN=active, QUERY=, NODECHECK=false, ISARRAY=false}]]
Mapping	[[{SCHEMA_COLUMN=Usuario, QUERY="login"}, {SCHEMA_COLUMN=Nome, QUERY="name"}, {SCHEMA_COLUMN=CPF, QUERY="cpf"}, {SCHEMA_COLUMN=active, QUERY="active"}]]
Die on error	false
Schema	Built-In
!!!SCHEMA_OPT_NUM.NAME!!!	100
JDK version	JDK_8
Encoding	"UTF-8"
Use the loop node as root	true
!!!SPLIT_LIST.NAME!!!	true
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tExtractJSONFields\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
Usuario	false	String			true	
Nome	false	String			true	
CPF	false	String			true	
active	false	Boolean			true	

### Original Function Parameters:

#### Component tFilterRow

	UNIQUE NAME	tFilterRow_31	INPUT(S)	<a href="#">tLogRow_12</a>
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tLogRow_5</a> , <a href="#">tLogRow_4</a>

### Component Parameters:

Properties	Values
Unique Name	tFilterRow_31
Component Name	tFilterRow
Version	0.102 (ALPHA)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tFilterRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Schema	Built-In
Logical operator used to combine conditions	&&
Conditions	[{INPUT_COLUMN=admissiondate, FUNCTION=, OPERATOR=>, RVALUE=row27.resignationdate}]
Use advanced mode	false
Advanced	// code sample : use input_row to define the condition. // input_row.columnName1.equals("foo")   !(input_row.columnName2.equals("bar")) // replace the following expression by your own filter condition input_row.columnName1.equals(input_row.columnName2)
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


### Schema for tFilterRow\_31 :

Column	Key	Type	Length	Precision	Nullable	Comment
name	false	String	40		true	
login	false	String	19		true	
registration	true	Integer	10		true	
cpf	false	String	19		true	
gender	false	String	1		true	
birthdate	false	String	23	3	true	
admissiondate	false	String	23	3	true	
resignationdate	false	String	23	3	true	
lastsalary	false	Double	13	4	true	
street	false	String	100		true	
street_number	false	String	6		true	
address_addon	false	String	25		true	
district	false	String	40		true	
city	false	String	50		true	
state	false	String	2		true	
zip_code	false	String	10		true	
ddd_celphone	false	String	5		true	
celphone	false	String	20		true	
email	false	String	100		true	
occupation	false	String	60		true	
user_admin	false	Boolean			true	
active	false	Boolean			true	
Integrado	false	String			true	

estciv	false	String			true	
grains	false	Integer	5		true	
department	false	String	80		true	

## Original Function Parameters:

### Component tFilterRow

	UNIQUE NAME	tFilterRow_39	INPUT(S)	<a href="#">tLogRow 5</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tMap 5</a> , <a href="#">tLogRow 3</a>

## Component Parameters:

Properties	Values
Unique Name	tFilterRow_39
Component Name	tFilterRow
Version	0.102 (ALPHA)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFilterRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Schema	Built-In
Logical operator used to combine conditions	&&
Conditions	[{INPUT_COLUMN=Integrado, FUNCTION=, OPERATOR===, RVALUE="N"}]
Use advanced mode	false
Advanced	// code sample : use input_row to define the condition. // input_row.columnName1.equals("foo")   !(input_row.columnName2.equals("bar")) // replace the following expression by your own filter condition input_row.columnName1.equals(input_row.columnName2)
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

## Schema for tFilterRow\_39 :


Column	Key	Type	Length	Precision	Nullable	Comment
name	false	String	40		true	
login	false	String	19		true	
registration	true	Integer	10		true	
cpf	false	String	19		true	



gender	false	String	1		true	
birthdate	false	String	23	3	true	
admissiondate	false	String	23	3	true	
resignationdate	false	String	23	3	true	
lastsalary	false	Double	13	4	true	
street	false	String	100		true	
street_number	false	String	6		true	
address_addon	false	String	25		true	
district	false	String	40		true	
city	false	String	50		true	
state	false	String	2		true	
zip_code	false	String	10		true	
ddd_celphone	false	String	5		true	
celphone	false	String	20		true	
email	false	String	100		true	
occupation	false	String	60		true	
user_admin	false	Boolean			true	
active	false	Boolean			true	
Integrado	false	String			true	
estciv	false	String			true	
grains	false	Integer	5		true	
department	false	String	80		true	

## Original Function Parameters:

### Component tFilterRow

	UNIQUE NAME	tFilterRow_43	INPUT(S)	<a href="#">tLogRow_4</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tMap_4</a>

## Component Parameters:

Properties	Values
Unique Name	tFilterRow_43
Component Name	tFilterRow
Version	0.102 (ALPHA)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFilterRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In


Schema	Built-In
Logical operator used to combine conditions	&&
Conditions	{{INPUT_COLUMN=Integrado, FUNCTION=, OPERATOR===, RVALUE="S"}, {INPUT_COLUMN=active, FUNCTION=, OPERATOR===, RVALUE=true}}
Use advanced mode	false
Advanced	// code sample : use input_row to define the condition. // input_row.columnName1.equals("foo")   !(input_row.columnName2.equals("bar")) // replace the following expression by your own filter condition input_row.columnName1.equals(input_row.columnName2)
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tFilterRow\_43 :

Column	Key	Type	Length	Precision	Nullable	Comment
name	false	String	40		true	
login	false	String	19		true	
registration	true	Integer	10		true	
cpf	false	String	19		true	
gender	false	String	1		true	
birthdate	false	String	23	3	true	
admissiondate	false	String	23	3	true	
resignationdate	false	String	23	3	true	
lastsalary	false	Double	13	4	true	
street	false	String	100		true	
street_number	false	String	6		true	
address_addon	false	String	25		true	
district	false	String	40		true	
city	false	String	50		true	
state	false	String	2		true	
zip_code	false	String	10		true	
ddd_celphone	false	String	5		true	
celphone	false	String	20		true	
email	false	String	100		true	
occupation	false	String	60		true	
user_admin	false	Boolean			true	
active	false	Boolean			true	
Integrado	false	String			true	
estciv	false	String			true	
grains	false	Integer	5		true	
department	false	String	80		true	
errorMessage	false	String	255		true	

### Original Function Parameters:

#### Component tHashInput

	UNIQUE NAME	tHashInput_1	INPUT(S)	none
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tMap_3</a>

## Component Parameters:

Properties	Values
Unique Name	tHashInput_1
Component Name	tHashInput
Version	0.102 (ALPHA)
Family	Technical
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.Hash
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Link with a tHashOutput	true
Component list	tHashOutput_1
Data from file	"C:/Program Files (x86)/Talend-Studio/studio/Workspace Producao/in.hash"
Clear cache after reading	false
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

## Schema for tHashInput\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
Usuario	false	String			true	
Nome	false	String			true	
CPF	false	String			true	
active	false	Boolean			true	

## Original Function Parameters:

### Component tHashOutput

	UNIQUE NAME	tHashOutput_1	INPUT(S)	<a href="#">tLogRow_1</a>
	LABEL	Usuarios Galera	OUTPUT(S)	none

## Component Parameters:

Properties	Values
Unique Name	tHashOutput_1
Component Name	tHashOutput
Version	0.101 (ALPHA)
Family	Technical
Startable	false


SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.Hash
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Link with a tHashOutput	false
Component list	
Data write model	MEMORY
File to persist data	"C:/Program Files (x86)/Talend-Studio/studio/Workspace Producao/in.hash"
Max memory heap size(MB)	2
Keys management	KEEP_ALL
Append	true
hash key from input connector	false
Label format	Usuarios Galera
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tHashOutput\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
Usuario	false	String			true	
Nome	false	String			true	
CPF	false	String			true	
active	false	Boolean			true	

### Original Function Parameters:

#### Component tJavaRow

	UNIQUE NAME	tJavaRow_1	INPUT(S)	<a href="#">tExtractJSONFields_1</a>
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tRESTClient_1</a>

### Component Parameters:

Properties	Values
Unique Name	tJavaRow_1
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow


Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	context.Token = row2.Token;
Import	//import java.util.List;
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tJavaRow\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

### Original Function Parameters:

#### Component tJavaRow

	UNIQUE NAME	tJavaRow_2	INPUT(S)	<a href="#">tMap_6</a>
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tLogRow_13</a>

### Component Parameters:

Properties	Values
Unique Name	tJavaRow_2
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	output_row.string = input_row.string; context.Login = input_row.login; System.out.println(context.Login);
Import	//import java.util.List;
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tJavaRow\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	String			true	
string	false	String			true	
login	false	String	19		true	

### Original Function Parameters:

#### Component tJavaRow

	UNIQUE NAME	tJavaRow_3	INPUT(S)	<a href="#">tMap_4</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tRESTClient_4</a>

### Component Parameters:

Properties	Values
Unique Name	tJavaRow_3
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	output_row.string = input_row.string; context.LoginDesativacao = input_row.login;
Import	//import java.util.List;
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tJavaRow\_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	String			true	
string	false	String			true	
login	false	String	19		true	

## Original Function Parameters:

### Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	<a href="#">tExtractJSONFields_2</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tHashOutput_1</a>

### Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	true
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=Usuario, LENGTH=10}, {SCHEMA_COLUMN=Nome, LENGTH=10}, {SCHEMA_COLUMN=CPF, LENGTH=10}, {SCHEMA_COLUMN=active, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


### Schema for tLogRow\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Usuario	false	String			true	
Nome	false	String			true	
CPF	false	String			true	
active	false	Boolean			true	

## Original Function Parameters:

### Component tLogRow

	UNIQUE NAME	tLogRow_10	INPUT(S)	<a href="#">tRESTClient_3</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

## Component Parameters:

Properties	Values
Unique Name	tLogRow_10
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=statusCode, LENGTH=10}, {SCHEMA_COLUMN=body, LENGTH=10}, {SCHEMA_COLUMN=string, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	




Use an existing validation rule	false
Validation Rule Type	

## Schema for tLogRow\_10 :

Column	Key	Type	Length	Precision	Nullable	Comment
statusCode	false	Integer			true	
body	false	Document			true	
string	false	String	4048		true	

## Original Function Parameters:

### Component tLogRow

	UNIQUE NAME	tLogRow_11	INPUT(S)	<a href="#">tRESTClient_3</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

## Component Parameters:

Properties	Values
Unique Name	tLogRow_11
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[(SCHEMA_COLUMN=errorCode, LENGTH=10), (SCHEMA_COLUMN=errorMessage, LENGTH=10)]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__


Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tLogRow\_11 :

Column	Key	Type	Length	Precision	Nullable	Comment
errorCode	false	Integer			true	
errorMessage	false	String	1024		true	

### Original Function Parameters:

#### Component tLogRow

	UNIQUE NAME	tLogRow_12	INPUT(S)	<a href="#">tMap_3</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tFilterRow_31</a>

### Component Parameters:

Properties	Values
Unique Name	tLogRow_12
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	{ {SCHEMA_COLUMN=name, LENGTH=10}, {SCHEMA_COLUMN=login, LENGTH=10}, {SCHEMA_COLUMN=registration, LENGTH=10}, {SCHEMA_COLUMN=cpf, LENGTH=10}, {SCHEMA_COLUMN=gender, LENGTH=10}, {SCHEMA_


	COLUMN=birthdate, LENGTH=10}, {SCHEMA_COLUMN=admissiondate, LENGTH=10}, {SCHEMA_COLUMN=resignationdate, LENGTH=10}, {SCHEMA_COLUMN=lastsalary, LENGTH=10}, {SCHEMA_COLUMN=street, LENGTH=10}, {SCHEMA_COLUMN=street_number, LENGTH=10}, {SCHEMA_COLUMN=address_addon, LENGTH=10}, {SCHEMA_COLUMN=district, LENGTH=10}, {SCHEMA_COLUMN=city, LENGTH=10}, {SCHEMA_COLUMN=state, LENGTH=10}, {SCHEMA_COLUMN=zip_code, LENGTH=10}, {SCHEMA_COLUMN=ddd_celphone, LENGTH=10}, {SCHEMA_COLUMN=celphone, LENGTH=10}, {SCHEMA_COLUMN=email, LENGTH=10}, {SCHEMA_COLUMN=occupation, LENGTH=10}, {SCHEMA_COLUMN=user_admin, LENGTH=10}, {SCHEMA_COLUMN=active, LENGTH=10}, {SCHEMA_COLUMN=Integrado, LENGTH=10}, {SCHEMA_COLUMN=estciv, LENGTH=10}, {SCHEMA_COLUMN=grains, LENGTH=10}, {SCHEMA_COLUMN=department, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tLogRow\_12 :

Column	Key	Type	Length	Precision	Nullable	Comment
name	false	String	40		true	
login	false	String	19		true	
registration	true	Integer	10		true	
cpf	false	String	19		true	
gender	false	String	1		true	
birthdate	false	String	23	3	true	
admissiondate	false	String	23	3	true	
resignationdate	false	String	23	3	true	
lastsalary	false	Double	13	4	true	
street	false	String	100		true	
street_number	false	String	6		true	
address_addon	false	String	25		true	
district	false	String	40		true	
city	false	String	50		true	
state	false	String	2		true	
zip_code	false	String	10		true	
ddd_celphone	false	String	5		true	
celphone	false	String	20		true	
email	false	String	100		true	
occupation	false	String	60		true	
user_admin	false	Boolean			true	
active	false	Boolean			true	
Integrado	false	String			true	
estciv	false	String			true	
grains	false	Integer	5		true	
department	false	String	80		true	

### Original Function Parameters:

Component tLogRow

	UNIQUE NAME	tLogRow_13	INPUT(S)	<a href="#">tJavaRow_2</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tRESTClient_3</a>

### Component Parameters:


Properties	Values
Unique Name	tLogRow_13
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	{[SCHEMA_COLUMN=body, LENGTH=10], [SCHEMA_COLUMN=string, LENGTH=10], [SCHEMA_COLUMN=login, LENGTH=10]}
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tLogRow\_13 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	String			true	
string	false	String			true	
login	false	String	19		true	

## Original Function Parameters:

### Component tLogRow

	UNIQUE NAME	tLogRow_14	INPUT(S)	<a href="#">tRESTClient_4</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

### Component Parameters:

Properties	Values
Unique Name	tLogRow_14
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=errorCode, LENGTH=10}, {SCHEMA_COLUMN=errorMessage, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


### Schema for tLogRow\_14 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

errorCode	false	Integer			true	
errorMessage	false	String	1024		true	

## Original Function Parameters:

### Component tLogRow

	UNIQUE NAME	tLogRow_2	INPUT(S)	<a href="#">tRESTClient_1</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

## Component Parameters:


Properties	Values
Unique Name	tLogRow_2
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[(SCHEMA_COLUMN=errorCode, LENGTH=10), (SCHEMA_COLUMN=errorMessage, LENGTH=10)]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

## Schema for tLogRow\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
errorCode	false	Integer			true	
errorMessage	false	String	1024		true	

## Original Function Parameters:

### Component tLogRow

	UNIQUE NAME	tLogRow_3	INPUT(S)	<a href="#">tFilterRow_39</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tMap_6</a>

## Component Parameters:

Properties	Values
Unique Name	tLogRow_3
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	{(SCHEMA_COLUMN=name, LENGTH=10), (SCHEMA_COLUMN=login, LENGTH=10), (SCHEMA_COLUMN=registration, LENGTH=10), (SCHEMA_COLUMN=cpf, LENGTH=10), (SCHEMA_COLUMN=gender, LENGTH=10), (SCHEMA_COLUMN=birthdate, LENGTH=10), (SCHEMA_COLUMN=admissiondate, LENGTH=10), (SCHEMA_COLUMN=resignationdate, LENGTH=10), (SCHEMA_COLUMN=lastsalary, LENGTH=10), (SCHEMA_COLUMN=street, LENGTH=10), (SCHEMA_COLUMN=street_number, LENGTH=10), (SCHEMA_COLUMN=address_addon, LENGTH=10), (SCHEMA_COLUMN=district, LENGTH=10), (SCHEMA_COLUMN=city, LENGTH=10), (SCHEMA_COLUMN=state, LENGTH=10), (SCHEMA_COLUMN=zip_code, LENGTH=10), (SCHEMA_COLUMN=ddd_celphone, LENGTH=10), (SCHEMA_COLUMN=celphone, LENGTH=10), (SCHEMA_C


	OLUMN=email, LENGTH=10}, {SCHEMA_COLUMN=occupation, LENGTH=10}, {SCHEMA_COLUMN=user_admin, LENGTH=10}, {SCHEMA_COLUMN=active, LENGTH=10}, {SCHEMA_COLUMN=Integrado, LENGTH=10}, {SCHEMA_COLUMN=estciv, LENGTH=10}, {SCHEMA_COLUMN=grains, LENGTH=10}, {SCHEMA_COLUMN=department, LENGTH=10}, {SCHEMA_COLUMN=errorMessage, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tLogRow\_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
name	false	String	40		true	
login	false	String	19		true	
registration	true	Integer	10		true	
cpf	false	String	19		true	
gender	false	String	1		true	
birthdate	false	String	23	3	true	
admissiondate	false	String	23	3	true	
resignationdate	false	String	23	3	true	
lastsalary	false	Double	13	4	true	
street	false	String	100		true	
street_number	false	String	6		true	
address_addon	false	String	25		true	
district	false	String	40		true	
city	false	String	50		true	
state	false	String	2		true	
zip_code	false	String	10		true	
ddd_celphone	false	String	5		true	
celphone	false	String	20		true	
email	false	String	100		true	
occupation	false	String	60		true	
user_admin	false	Boolean			true	
active	false	Boolean			true	
Integrado	false	String			true	
estciv	false	String			true	
grains	false	Integer	5		true	
department	false	String	80		true	
errorMessage	false	String	255		true	

### Original Function Parameters:

#### Component tLogRow

	UNIQUE NAME	tLogRow_4	INPUT(S)	<a href="#">tFilterRow_31</a>
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tFilterRow_43</a>



## Component Parameters:

Properties	Values
Unique Name	tLogRow_4
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=name, LENGTH=10}, {SCHEMA_COLUMN=login, LENGTH=10}, {SCHEMA_COLUMN=registration, LENGTH=10}, {SCHEMA_COLUMN=cpf, LENGTH=10}, {SCHEMA_COLUMN=gender, LENGTH=10}, {SCHEMA_COLUMN=birthdate, LENGTH=10}, {SCHEMA_COLUMN=admissiondate, LENGTH=10}, {SCHEMA_COLUMN=resignationdate, LENGTH=10}, {SCHEMA_COLUMN=lastsalary, LENGTH=10}, {SCHEMA_COLUMN=street, LENGTH=10}, {SCHEMA_COLUMN=street_number, LENGTH=10}, {SCHEMA_COLUMN=address_addon, LENGTH=10}, {SCHEMA_COLUMN=district, LENGTH=10}, {SCHEMA_COLUMN=city, LENGTH=10}, {SCHEMA_COLUMN=state, LENGTH=10}, {SCHEMA_COLUMN=zip_code, LENGTH=10}, {SCHEMA_COLUMN=ddd_celphone, LENGTH=10}, {SCHEMA_COLUMN=celphone, LENGTH=10}, {SCHEMA_COLUMN=email, LENGTH=10}, {SCHEMA_COLUMN=occupation, LENGTH=10}, {SCHEMA_COLUMN=user_admin, LENGTH=10}, {SCHEMA_COLUMN=active, LENGTH=10}, {SCHEMA_COLUMN=Integrado, LENGTH=10}, {SCHEMA_COLUMN=estciv, LENGTH=10}, {SCHEMA_COLUMN=grains, LENGTH=10}, {SCHEMA_COLUMN=department, LENGTH=10}, {SCHEMA_COLUMN=errorMessage, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false


Validation Rule Type	
----------------------	--

### Schema for tLogRow\_4 :

Column	Key	Type	Length	Precision	Nullable	Comment
name	false	String	40		true	
login	false	String	19		true	
registration	true	Integer	10		true	
cpf	false	String	19		true	
gender	false	String	1		true	
birthdate	false	String	23	3	true	
admissiondate	false	String	23	3	true	
resignationdate	false	String	23	3	true	
lastsalary	false	Double	13	4	true	
street	false	String	100		true	
street_number	false	String	6		true	
address_addon	false	String	25		true	
district	false	String	40		true	
city	false	String	50		true	
state	false	String	2		true	
zip_code	false	String	10		true	
ddd_celphone	false	String	5		true	
celphone	false	String	20		true	
email	false	String	100		true	
occupation	false	String	60		true	
user_admin	false	Boolean			true	
active	false	Boolean			true	
Integrado	false	String			true	
estciv	false	String			true	
grains	false	Integer	5		true	
department	false	String	80		true	
errorMessage	false	String	255		true	

### Original Function Parameters:

#### Component tLogRow

	UNIQUE NAME	tLogRow_5	INPUT(S)	<a href="#">tFilterRow_31</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tFilterRow_39</a>

### Component Parameters:

Properties	Values
Unique Name	tLogRow_5
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=name, LENGTH=10}, {SCHEMA_COLUMN=login, LENGTH=10}, {SCHEMA_COLUMN=registration, LENGTH=10}, {SCHEMA_COLUMN=cpf, LENGTH=10}, {SCHEMA_COLUMN=gender, LENGTH=10}, {SCHEMA_COLUMN=birthdate, LENGTH=10}, {SCHEMA_COLUMN=admissiondate, LENGTH=10}, {SCHEMA_COLUMN=resignationdate, LENGTH=10}, {SCHEMA_COLUMN=lastsalary, LENGTH=10}, {SCHEMA_COLUMN=street, LENGTH=10}, {SCHEMA_COLUMN=street_number, LENGTH=10}, {SCHEMA_COLUMN=address_addon, LENGTH=10}, {SCHEMA_COLUMN=district, LENGTH=10}, {SCHEMA_COLUMN=city, LENGTH=10}, {SCHEMA_COLUMN=state, LENGTH=10}, {SCHEMA_COLUMN=zip_code, LENGTH=10}, {SCHEMA_COLUMN=ddd_celphone, LENGTH=10}, {SCHEMA_COLUMN=celphone, LENGTH=10}, {SCHEMA_COLUMN=email, LENGTH=10}, {SCHEMA_COLUMN=occupation, LENGTH=10}, {SCHEMA_COLUMN=user_admin, LENGTH=10}, {SCHEMA_COLUMN=active, LENGTH=10}, {SCHEMA_COLUMN=Integrado, LENGTH=10}, {SCHEMA_COLUMN=estciv, LENGTH=10}, {SCHEMA_COLUMN=grains, LENGTH=10}, {SCHEMA_COLUMN=department, LENGTH=10}]]
Print content with log4j	true
Min column number of optimize code	100
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


### Schema for tLogRow\_5 :

Column	Key	Type	Length	Precision	Nullable	Comment
name	false	String	40		true	
login	false	String	19		true	
registration	true	Integer	10		true	
cpf	false	String	19		true	
gender	false	String	1		true	
birthdate	false	String	23	3	true	
admissiondate	false	String	23	3	true	
resignationdate	false	String	23	3	true	

lastsalary	false	Double	13	4	true	
street	false	String	100		true	
street_number	false	String	6		true	
address_addon	false	String	25		true	
district	false	String	40		true	
city	false	String	50		true	
state	false	String	2		true	
zip_code	false	String	10		true	
ddd_celphone	false	String	5		true	
celphone	false	String	20		true	
email	false	String	100		true	
occupation	false	String	60		true	
user_admin	false	Boolean			true	
active	false	Boolean			true	
Integrado	false	String			true	
estciv	false	String			true	
grains	false	Integer	5		true	
department	false	String	80		true	

## Original Function Parameters:

### Component tLogRow

	UNIQUE NAME	tLogRow_6	INPUT(S)	<a href="#">tRESTClient_4</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

## Component Parameters:

Properties	Values
Unique Name	tLogRow_6
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false

Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	{{SCHEMA_COLUMN=statusCode, LENGTH=10}, {SCHEMA_COLUMN=body, LENGTH=10}, {SCHEMA_COLUMN=string, LENGTH=10}}
Print content with log4j	true
Min column number of optimize code	100
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tLogRow\_6 :

Column	Key	Type	Length	Precision	Nullable	Comment
statusCode	false	Integer			true	
body	false	Document			true	
string	false	String	4048		true	

### Original Function Parameters:

#### Component tLogRow

	UNIQUE NAME	tLogRow_7	INPUT(S)	<a href="#">tMap_5</a>
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tRESTClient_5</a>

### Component Parameters:

Properties	Values
Unique Name	tLogRow_7
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false


Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=body, LENGTH=10}, {SCHEMA_COLUMN=string, LENGTH=10}, {SCHEMA_COLUMN=login, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tLogRow\_7 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	String			true	
string	false	String			true	
login	false	String	19		true	

### Original Function Parameters:

#### Component tLogRow

	UNIQUE NAME	tLogRow_8	INPUT(S)	<a href="#">tRESTClient_5</a>
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	none

### Component Parameters:

Properties	Values
Unique Name	tLogRow_8
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true


Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[SCHEMA_COLUMN=statusCode, LENGTH=10], {SCHEMA_COLUMN=body, LENGTH=10}, {SCHEMA_COLUMN=string, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tLogRow\_8 :

Column	Key	Type	Length	Precision	Nullable	Comment
statusCode	false	Integer			true	
body	false	Document			true	
string	false	String	4048		true	

### Original Function Parameters:

#### Component tLogRow

	UNIQUE NAME	tLogRow_9	INPUT(S)	<a href="#">tRESTClient_5</a>
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	none

### Component Parameters:

Properties	Values
Unique Name	tLogRow_9
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false


Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=errorCode, LENGTH=10}, {SCHEMA_COLUMN=errorMessage, LENGTH=10}]]
Print content with log4j	true
Min column number of optimize code	100
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tLogRow\_9 :

Column	Key	Type	Length	Precision	Nullable	Comment
errorCode	false	Integer			true	
errorMessage	false	String	1024		true	

### Original Function Parameters:

#### Component tRESTClient

	UNIQUE NAME	tRESTClient_1	INPUT(S)	<a href="#">tJavaRow_1</a>
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tMap_2</a> , <a href="#">tLogRow_2</a>

### Component Parameters:

Properties	Values
Unique Name	tRESTClient_1
Component Name	tRESTClient
Version	0.102 (ALPHA)
Family	ESB/REST
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTClient
Update components	true
IREPORT_PATH	




JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
URL	"https://labapi1.galera.app/api/v1/users/user/?limit=300&offset=0"
Relative Path	""
HTTP Method	GET
Content Type	application/xml
Accept Type	*/*
Query parameters	[]
REPOSITORY_ALLOW_AUTO_SWITCH	true
Input Schema	Built-In
Response Schema	Built-In
Error Schema	Built-In
Use Service Locator	false
Service namespace	""
Service name	""
Use Service Activity Monitor	false
Use Authentication	false
Authentication Type	OAUTH2_BEARER
Username	"username"
Password	*****
Bearer Token	"Token"
Use Authorization	false
Role	""
Use Business Correlation	false
Correlation Value	""
Check Server Identity	true
Re-use SSL connection	false
Die on error	true
Log messages	false
Follow redirects	false
Allow non-same host redirects	false
Maintain session	false
Enable WebClient Operation Reporting	true
Convert Response To DOM Document	true
Drop JSON Request Root	false
Wrap JSON Response	true
Convert Types To Strings	false
HTTP Headers	[(NAME="Authorization", VALUE="Bearer " + context.Token)]
Service Locator	[]
Service Activity Monitor	[]
Disable chunked encoding	false
Connection timeout (seconds)	30
Receive timeout (seconds)	60
Use HTTP proxy	false
Host	"127.0.0.1"
Port	8080
Username	""
Password	**
Transfer these JSON elements as arrays	""
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

## Schema for tRESTClient\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

## Original Function Parameters:

### Component tRESTClient

	UNIQUE NAME	tRESTClient_3	INPUT(S)	<a href="#">tLogRow_13</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tLogRow_10</a> , <a href="#">tLogRow_11</a>

## Component Parameters:

Properties	Values
Unique Name	tRESTClient_3
Component Name	tRESTClient
Version	0.102 (ALPHA)
Family	ESB/REST
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTClient
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
URL	"https://labapi1.galera.app"
Relative Path	"/api/v1/users/user/" + context.Login + "/"
HTTP Method	PATCH
Content Type	application/json
Accept Type	/*/*
Query parameters	[]
REPOSITORY_ALLOW_AUTO_SWITCH	true
Input Schema	Built-In
Response Schema	Built-In
Error Schema	Built-In
Use Service Locator	false
Service namespace	""
Service name	""
Use Service Activity Monitor	false
Use Authentication	false
Authentication Type	BASIC
Username	"username"
Password	*****
Bearer Token	""
Use Authorization	false
Role	""
Use Business Correlation	false
Correlation Value	""
Check Server Identity	true
Re-use SSL connection	false
Die on error	true
Log messages	false


Follow redirects	false
Allow non-same host redirects	false
Maintain session	false
Enable WebClient Operation Reporting	true
Convert Response To DOM Document	true
Drop JSON Request Root	false
Wrap JSON Response	true
Convert Types To Strings	false
HTTP Headers	{(NAME="Authorization", VALUE="Bearer " + context.Token), (NAME="Content-Type", VALUE="application/json")}
Service Locator	
Service Activity Monitor	
Disable chunked encoding	false
Connection timeout (seconds)	30
Receive timeout (seconds)	60
Use HTTP proxy	false
Host	"127.0.0.1"
Port	8080
Username	""
Password	**
Transfer these JSON elements as arrays	""
Label format	__ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tRESTClient\_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	String			true	
string	false	String			true	
login	false	String	19		true	

### Original Function Parameters:

#### Component tRESTClient

	UNIQUE NAME	tRESTClient_4	INPUT(S)	<a href="#">tJavaRow_3</a>
	LABEL	__ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tLogRow_6</a> , <a href="#">tLogRow_14</a>

### Component Parameters:

Properties	Values
Unique Name	tRESTClient_4
Component Name	tRESTClient
Version	0.102 (ALPHA)
Family	ESB/REST
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTClient
Update components	true
IREPORT_PATH	


JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
URL	"https://labapi1.galera.app"
Relative Path	"/api/v1/users/user/" + context.LoginDesativacao + "/"
HTTP Method	PATCH
Content Type	application/json
Accept Type	*/*
Query parameters	[]
REPOSITORY_ALLOW_AUTO_SWITCH	true
Input Schema	Built-In
Response Schema	Built-In
Error Schema	Built-In
Use Service Locator	false
Service namespace	""
Service name	""
Use Service Activity Monitor	false
Use Authentication	false
Authentication Type	BASIC
Username	"username"
Password	*****
Bearer Token	""
Use Authorization	false
Role	""
Use Business Correlation	false
Correlation Value	""
Check Server Identity	true
Re-use SSL connection	false
Die on error	true
Log messages	false
Follow redirects	false
Allow non-same host redirects	false
Maintain session	false
Enable WebClient Operation Reporting	true
Convert Response To DOM Document	true
Drop JSON Request Root	false
Wrap JSON Response	true
Convert Types To Strings	false
HTTP Headers	[(NAME="Authorization", VALUE="Bearer " + context.Token), (NAME="Content-Type", VALUE="application/json")]
Service Locator	[]
Service Activity Monitor	[]
Disable chunked encoding	false
Connection timeout (seconds)	30
Receive timeout (seconds)	60
Use HTTP proxy	false
Host	"127.0.0.1"
Port	8080
Username	""
Password	**
Transfer these JSON elements as arrays	""
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

## Schema for tRESTClient\_4 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	String			true	
string	false	String			true	
login	false	String	19		true	

## Original Function Parameters:

### Component tRESTClient

	UNIQUE NAME	tRESTClient_5	INPUT(S)	<a href="#">tLogRow_7</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tLogRow_8</a> , <a href="#">tLogRow_9</a>

## Component Parameters:

Properties	Values
Unique Name	tRESTClient_5
Component Name	tRESTClient
Version	0.102 (ALPHA)
Family	ESB/REST
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTClient
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
URL	"https://labapi1.galera.app/api/v1/users/user/"
Relative Path	""
HTTP Method	POST
Content Type	application/json
Accept Type	*/*
Query parameters	[]
REPOSITORY_ALLOW_AUTO_SWITCH	true
Input Schema	Built-In
Response Schema	Built-In
Error Schema	Built-In
Use Service Locator	false
Service namespace	""
Service name	""
Use Service Activity Monitor	false
Use Authentication	false
Authentication Type	BASIC
Username	"username"
Password	*****
Bearer Token	""
Use Authorization	false
Role	""
Use Business Correlation	false
Correlation Value	""


Check Server Identity	true
Re-use SSL connection	false
Die on error	true
Log messages	false
Follow redirects	false
Allow non-same host redirects	false
Maintain session	false
Enable WebClient Operation Reporting	true
Convert Response To DOM Document	true
Drop JSON Request Root	false
Wrap JSON Response	true
Convert Types To Strings	false
HTTP Headers	{(NAME="Authorization", VALUE="Bearer " + context.Token)}
Service Locator	
Service Activity Monitor	
Disable chunked encoding	false
Connection timeout (seconds)	30
Receive timeout (seconds)	60
Use HTTP proxy	false
Host	"127.0.0.1"
Port	8080
Username	""
Password	**
Transfer these JSON elements as arrays	""
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tRESTClient\_5 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	String			true	
string	false	String			true	
login	false	String	19		true	

### Original Function Parameters:

#### Component tREST

	UNIQUE NAME	tREST_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tMap_1</a> , <a href="#">tDBInput_1</a>

### Component Parameters:

Properties	Values
Unique Name	tREST_1
Component Name	tREST
Version	0.102 (ALPHA)
Family	Internet
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false


tStatCatcher Statistics	false
Help	org.talend.help.tREST
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Subjob header color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
URL	"https://labapi1.galera.app/api/v1/o/token/"
HTTP Method	POST
HTTP Headers	[{NAME="Content-Type", VALUE="application/x-www-form-urlencoded"}]
HTTP Body	"username=api_hydrnorth-02&password=Japi%402023%2A%2A&client_id=kf9d78h8mr6rgv23d3b6&client_secret=6eyuks8cya7c888pc338&grant_type=password"
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


### Schema for tREST\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
Body	false	String			true	
ERROR_CODE	false	Integer			true	

### Original Function Parameters:

#### Component tMap

	UNIQUE NAME	tMap_1	INPUT(S)	<a href="#">tREST_1</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tExtractJSONFields_1</a>



### Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

#### Mapper table for tMap\_1 ( input ):

##### Mapper table Properties( row1 ):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

##### Metadata Table Entries( row1 ):

Name	Type	Expression	isNullable
Body	String		true
ERROR_CODE	Integer		true

##### Constraint Table Entries( row1 ):

Name	Type	Expression	isNullable
------	------	------------	------------

#### Mapper table for tMap\_1 ( output ):

##### Mapper table Properties( out1 ):

Properties	Values
Name	out1
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

##### Metadata Table Entries( out1 ):

Name	Type	Expression	isNullable
Body	String	{" \"data\": [\" +	true



		row1.Body + "}"	
ERROR_CODE	Integer	row1.ERROR_CODE	true

**Constraint Table Entries( out1 ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Mapper table for tMap\_1 ( var ):**

**Mapper table Properties( Var ):**

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null


**Metadata Table Entries( Var ):**


Name	Type	Expression	isNullable
------	------	------------	------------

**Constraint Table Entries( Var ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Component tMap**

	UNIQUE NAME	tMap_2	INPUT(S)	<a href="#">tRESTClient_1</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tExtractJSONFields_2</a>



**Component Parameters:**

Properties	Values
tStatCatcher Statistics	false

Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	20000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

**Mapper table for tMap\_2 ( input ):**  
**Mapper table Properties( row3 ):**

Properties	Values
Name	row3
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row3 ):**

Name	Type	Expression	isNullable
statusCode	Integer		true
body	Document		true
string	String		true

**Constraint Table Entries( row3 ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Mapper table for tMap\_2 ( output ):**  
**Mapper table Properties( String\_response ):**

Properties	Values
Name	String_response
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( String\_response ):**

Name	Type	Expression	isNullable
string	String	"{ \"data\": [\" + row3.string + \"]}"	true

Constraint Table Entries( String\_response ):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap\_2 ( var ):  
Mapper table Properties( Var ):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( Var ):


Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries( Var ):

Name	Type	Expression	isNullable
------	------	------------	------------

Component tMap

UNIQUE NAME	tMap_3	INPUT(S)	<a href="#">tDBInput_1</a> , <a href="#">tDBInput_2</a> , <a href="#">tDBInput_3</a> , <a href="#">tDBInput_4</a> , <a href="#">tDBInput_5</a>
LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tLogRow_12</a>



Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	

Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

#### Mapper table for tMap\_3 ( input ):

##### Mapper table Properties( row7 ):

Properties	Values
Name	row7
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

##### Metadata Table Entries( row7 ):

Name	Type	Expression	isNullable
Codigo	Integer		true
Nome	String		true
CPF	String		true
Sexo	String		true
DataNascimento	java.util.Date		true
DataAdmissao	java.util.Date		true
DataDemissao	java.util.Date		true
Salario	Double		true
codpes	Integer		true
codcar	String		true
estciv	Short		true
grains	Short		true
codccu	String		true

##### Constraint Table Entries( row7 ):

Name	Type	Expression	isNullable
------	------	------------	------------

##### Mapper table Properties( row8 ):

Properties	Values
Name	row8
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row8 ):**

Name	Type	Expression	isNullable
numcad	Integer	row7.Codigo	true
endrua	String		true
endnum	String		true
endcpl	String		true
codbai	Short		true
codcid	Integer		true
codest	String		true
endcep	String		true
dddtel	Integer		true
tel	Integer		true
dddcel	String		true
cel	String		true
emapar	String		true
estciv	String		true
cidciv	Integer		true

**Constraint Table Entries( row8 ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Mapper table Properties( row9 ):**

Properties	Values
Name	row9
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row9 ):**

Name	Type	Expression	isNullable
CodigoMunicipio	Integer	row8.codcid	true
Cidade	String		true
Estado	String		true

**Constraint Table Entries( row9 ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Mapper table Properties( row10 ):**

Properties	Values
Name	row10
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row10 ):**

Name	Type	Expression	isNullable
CodigoBairro	Short	row8.codbai	true
Bairro	String		true

**Constraint Table Entries( row10 ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Mapper table Properties( row11 ):**

Properties	Values
Name	row11
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row11 ):**

Name	Type	Expression	isNullable
codcar	String	row7.codcar	true
titred	String		true
titcar	String		true

**Constraint Table Entries( row11 ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Mapper table Properties( row13 ):**

Properties	Values
Name	row13
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row13 ):**

Name	Type	Expression	isNullable
Usuario	String	row7.CPF	true
Nome	String		true
CPF	String		true
active	Boolean		true

**Constraint Table Entries( row13 ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Mapper table Properties( row32 ):**

Properties	Values
------------	--------

Name	row32
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

#### Metadata Table Entries( row32 ):

Name	Type	Expression	isNullable
codccu	String	row7.codccu	true
nomccu	String		true

#### Constraint Table Entries( row32 ):

Name	Type	Expression	isNullable
------	------	------------	------------

#### Mapper table for tMap\_3 ( output ):

#### Mapper table Properties( Juncao ):

Properties	Values
Name	Juncao
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

#### Metadata Table Entries( Juncao ):

Name	Type	Expression	isNullable
name	String	row7.Nome	true
login	String	row7.CPF	true
registration	Integer	row7.Codigo	true
cpf	String	row7.CPF	true
gender	String	row7.Sexo	true
birthdate	String	(TalendDate.formatDate("yyyy-MM-dd", row7.DataNascimento))	true
admissiondate	String	(TalendDate.formatDate("yyyy-MM-dd", row7.DataAdmissao))	true
resignationdate	String	(TalendDate.formatDate("yyyy-MM-dd", row7.DataDemissao))	true
lastsalary	Double	Math.round(row7.Salario * 100.0) / 100.0	true
street	String	row8.endrua	true
street_number	String	row8.endnum	true
address_addon	String	row8.endcpl	true
district	String	row10.Bairro	true
city	String	row9.Cidade	true
state	String	row8.codest	true
zip_code	String	row8.endcep	true
ddd_celphone	String	row8.dddcel	true

celphone	String	row8.cel.replace("-", "")	true
email	String	row8.emapar	true
occupation	String	row11.titcar	true
user_admin	Boolean	false	true
active	Boolean	row13.active	true
Integrado	String	(Relational.ISNULL(row13.Usuario)) ? "N" : "S"	true
estciv	String	row7.estciv == 1 ? "2" : row7.estciv == 2 ? "3" : row7.estciv == 3 ? "5" : row7.estciv == 4 ? "4" : row7.estciv == 6 ? "6" : row7.estciv == 7 ? "7" : "1"	true
grains	Integer	row7.grains == 1 ? 2 : java.util.Arrays.asList(2, 3, 4).contains(row7.grains) ? 3 : row7.grains == 5 ? 4 : row7.grains == 6 ? 5 : row7.grains == 7 ? 6 : row7.grains == 8 ? 9 : row7.grains == 9 ? 10 : row7.grains == 10 ? 12 : row7.grains == 11 ? 16 : row7.grains == 12 ? 18 : row7.grains == 14 ? 7 : row7.grains == 15 ? 8 : row7.grains == 16 ? 15 : row7.grains == 17 ? 17 : row7.grains == 18 ? 11 : 1	true
department	String	row32.codccu == "10102000" ? "COMERCIAL" : row32.codccu == "10221002" ? "COMERCIAL" : row32.codccu == "10221001" ? "COMERCIAL" : row32.codccu == "10222001" ? "COMERCIAL" : row32.codccu == "10221003" ? "COMERCIAL" : row32.codccu == "10221005" ? "COMERCIAL" : row32.codccu == "10223001" ? "COMERCIAL" : row32.codccu == "10302004" ? "ETE" : row32.codccu == "10301002" ? "FÁBRICA" : row32.codccu == "10301012" ? "FÁBRICA" : row32.codccu == "10301001" ? "FÁBRICA" : row32.codccu == "10301003" ? "FÁBRICA" : row32.codccu == "10301004" ? "FÁBRICA" : row32.codccu == "10301005" ? "FÁBRICA" : row32.codccu == "10401002" ? "FINANCEIRO" : row32.codccu == "10401001" ? "FINANCEIRO" : row32.codccu == "10102000" ? "INTELIGENCIA DE MERCADO" : row32.codccu ==	true



		"10302003" ? "LABORATÓRIO" : row32.codccu == "10208000" ? "LOG" : row32.codccu == "10301010" ? "MANUTENÇÃO" : row32.codccu == "10407000" ? "MARKETING" : row32.codccu == "10210001" ? "MARKETING" : row32.codccu == "10301009" ? "OPERAÇÕES" : row32.codccu == "10301008" ? "PCP" : row32.codccu == "10204001" ? "PLANEJAMENTO" : row32.codccu == "10210003" ? "PRODUTOS" : row32.codccu == "10405000" ? "QUALIDADE" : row32.codccu == "10205000" ? "SAT" : row32.codccu == "10206000" ? "SAT" : row32.codccu == "10302001" ? "SEGURANÇA DO TRABALHO" : row32.nomccu	
--	--	---	--

#### Constraint Table Entries( Juncao ):

Name	Type	Expression	isNullable
------	------	------------	------------

#### Mapper table for tMap\_3 ( var ):

##### Mapper table Properties( Var ):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null


#### Metadata Table Entries( Var ):


Name	Type	Expression	isNullable
------	------	------------	------------

#### Constraint Table Entries( Var ):

Name	Type	Expression	isNullable
------	------	------------	------------

#### Component tMap

	UNIQUE NAME	tMap_4	INPUT(S)	<a href="#">tFilterRow_43</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tJavaRow_3</a>



**Component Parameters:**

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

**Mapper table for tMap\_4 ( input ):**

**Mapper table Properties( row17 ):**

Properties	Values
Name	row17
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row17 ):**

Name	Type	Expression	isNullable
name	String		true
login	String		true
registration	Integer		true

cpf	String		true
gender	String		true
birthdate	String		true
admissiondate	String		true
resignationdate	String		true
lastsalary	Double		true
street	String		true
street_number	String		true
address_addon	String		true
district	String		true
city	String		true
state	String		true
zip_code	String		true
ddd_celphone	String		true
celphone	String		true
email	String		true
occupation	String		true
user_admin	Boolean		true
active	Boolean		true
Integrado	String		true
estciv	String		true
grains	Integer		true
department	String		true
errorMessage	String		true

#### Constraint Table Entries( row17 ):

Name	Type	Expression	isNullable
------	------	------------	------------

#### Mapper table for tMap\_4 ( output ):

##### Mapper table Properties( Desativacao ):

Properties	Values
Name	Desativacao
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

#### Metadata Table Entries( Desativacao ):

Name	Type	Expression	isNullable
body	String		true
string	String	"{\n \"login\": \"\" + row17.login + "\",\n \"resignationdate\": \"\" + row17.resignationdate + "\",\n \"avaliavelavd\": false\n}"	true

login	String	row17.login	true
-------	--------	-------------	------

### Constraint Table Entries( Desativacao ):

Name	Type	Expression	isNullable
------	------	------------	------------

### Mapper table for tMap\_4 ( var ):

#### Mapper table Properties( Var ):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null


### Metadata Table Entries( Var ):


Name	Type	Expression	isNullable
------	------	------------	------------

### Constraint Table Entries( Var ):

Name	Type	Expression	isNullable
------	------	------------	------------

## Component tMap

	UNIQUE NAME	tMap_5	INPUT(S)	<a href="#">tFilterRow_39</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tLogRow_7</a>



### Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO

Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

**Mapper table for tMap\_5 ( input ):**  
**Mapper table Properties( row15 ):**

Properties	Values
Name	row15
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row15 ):**

Name	Type	Expression	isNullable
name	String		true
login	String		true
registration	Integer		true
cpf	String		true
gender	String		true
birthdate	String		true
admissiondate	String		true
resignationdate	String		true
lastsalary	Double		true
street	String		true
street_number	String		true
address_addon	String		true
district	String		true
city	String		true
state	String		true
zip_code	String		true
ddd_celphone	String		true
celphone	String		true
email	String		true
occupation	String		true
user_admin	Boolean		true
active	Boolean		true
Integrado	String		true
estciv	String		true
grains	Integer		true

department	String		true
------------	--------	--	------

#### Constraint Table Entries( row15 ):

Name	Type	Expression	isNullable
------	------	------------	------------

#### Mapper table for tMap\_5 ( output ):

#### Mapper table Properties( Json ):

Properties	Values
Name	Json
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

#### Metadata Table Entries( Json ):

Name	Type	Expression	isNullable
body	String		true
string	String	<pre>{ "name\: \"\" + row15.name + "\", \"login\: \"\" + row15.login + "\", \"registration\: \"\" + row15.registration + \"\", \"cpf\: \"\" + row15.cpf + "\", \"gender\: \"\" + row15.gender + "\", \"birthdate\: \"\" + row15.birthdate + "\", \"admissiondate\: \"\" + row15.admissiondate + "\", \"lastsalary\: \"\" + row15.lastsalary + \"\", \"street\: \"\" + row15.street + "\", \"street_number\: \"\" + row15.street_number + "\", \"address_addon\: \"\" + row15.address_addon + "\", \"district\: \"\" + row15.district + "\", \"city\: \"\" + row15.city + "\", \"state\: \"\" + row15.state + "\",</pre>	true

		\"zip_code\": \"\" + row15.zip_code + "\", \"ddd_celphone\": \"\" + row15.ddd_celphone + "\", \"celphone\": \"\" + row15.celphone + "\", \"occupation\": \"\" + row15.occupation + "\", \"idmaritalstatus\": \"\" + row15.estciv + "\", \"ideducationlevel\": \"\" + row15.grains + "\", \"department\": \"\" + row15.department + "\" }"	
login	String	row15.login	true

Constraint Table Entries( Json ):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap\_5 ( var ):  
Mapper table Properties( Var ):

Properties	Values
Name	Var
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( Var ):


Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries( Var ):

Name	Type	Expression	isNullable
------	------	------------	------------

Component tMap

	UNIQUE NAME	tMap_6	INPUT(S)	<a href="#">tLogRow_3</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tJavaRow_2</a>



**Component Parameters:**

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	20000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

**Mapper table for tMap\_6 ( input ):**

**Mapper table Properties( row23 ):**

Properties	Values
Name	row23
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row23 ):**

Name	Type	Expression	isNullable
name	String		true
login	String		true
registration	Integer		true



cpf	String		true
gender	String		true
birthdate	String		true
admissiondate	String		true
resignationdate	String		true
lastsalary	Double		true
street	String		true
street_number	String		true
address_addon	String		true
district	String		true
city	String		true
state	String		true
zip_code	String		true
ddd_celphone	String		true
celphone	String		true
email	String		true
occupation	String		true
user_admin	Boolean		true
active	Boolean		true
Integrado	String		true
estciv	String		true
grains	Integer		true
department	String		true
errorMessage	String		true

#### Constraint Table Entries( row23 ):

Name	Type	Expression	isNullable
------	------	------------	------------

#### Mapper table for tMap\_6 ( output ):

##### Mapper table Properties( JsonPatch ):

Properties	Values
Name	JsonPatch
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

#### Metadata Table Entries( JsonPatch ):

Name	Type	Expression	isNullable
body	String		true
string	String	{\n \"login\": \"\" + row23.login + "\",\n \"name\": \"\" + row23.name + "\",\n \"registration\": \"\" + row23.registration + \"\", \n \"cpf\": \"\" + row23.cpf + "\",\n	true

		<pre> "gender": \"\" + row23.gender + "\",\n "birthdate\": \"\" + row23.birthdate + "\", \n "admissiondate\": \"\" + row23.admissiondate + "\", \n "resignationdate\": null, \n "lastsalary\": \"\" + row23.lastsalary + "\", \n "street\": \"\" + row23.street + "\", \n "street_number\": \"\" + row23.street_number + "\", \n "address_addon\": \"\" + row23.address_addon + "\", \n "district\": \"\" + row23.district + "\", \n "city\": \"\" + row23.city + "\", \n "state\": \"\" + row23.state + "\", \n "zip_code\": \"\" + row23.zip_code + "\", \n "ddd_celphone\": \"\" + row23.ddd_celphone + "\", \n "celphone\": \"\" + row23.celphone + "\", \n "idmaritalstatus\": \"\" + row23.estciv + "\", \n "ideducationlevel\": \"\" + row23.grains + "\", \n "active\": \"\" + row23.active + "\n}" </pre>	
login	String	row23.login	true

#### Constraint Table Entries( JsonPatch ):

Name	Type	Expression	isNullable
------	------	------------	------------

#### Mapper table Properties( Ativos ):

Properties	Values
Name	Ativos
Matching-mode	

isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( Ativos ):**

Name	Type	Expression	isNullable
login	String	row23.login	true

**Constraint Table Entries( Ativos ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Mapper table for tMap\_6 ( var ):**

**Mapper table Properties( Var ):**

Properties	Values
Name	Var
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( Var ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Constraint Table Entries( Var ):**

Name	Type	Expression	isNullable
------	------	------------	------------