Southern Machinery Sales and Service Co., Ltd.
Rm 1806, Block 3, Jinyun COFCO, Qianjin 2nd Road, Xixiang, Bao'an District, Shenzhen 518102, China
Tel +86 755 8320 3237 · smthelp.com · info@smthelp.com · WhatsApp +86 136 0256 2576

QUOTATION

PCB Insertion Solution

To	Levven	**Quotation No.**	**CA26101201**
Address	9741 54 Avenue NW, Edmonton, Alberta T6E 5J4, Canada	**Date**	12 Oct 2026
Attn	Nabil Fallah	**Valid until**	11 Nov 2026
Email	nfallah@levven.com	**Prepared by**	Leon Hong
Tel	+1 780 915 3326	**Email**	info@smthelp.com
		Price basis	EXW Shenzhen, China (Incoterms® 2020)
		Currency	USD

Item	Photo	Model	Description	Qty	Unit	Unit Price (USD)	Amount (USD)
1		**S7900VI**	**Odd-form Insertion Machine** **See sheet "S7900VI" for specifications and options**	1	set	117,400.00	117,400.00
2		**SLD-250**	**PCB Magazine Loader** **See sheet "Loader & Conveyor" for specifications**	1	set	5,500.00	5,500.00
3		**SULD-250**	**PCB Magazine Unloader** **See sheet "Loader & Conveyor" for specifications**	1	set	6,000.00	6,000.00
4		**S350C**	**PCB Conveyor, 0.5 m** **See sheet "Loader & Conveyor" for specifications**	1	set	700.00	700.00
5		**S6603C**	**ESD SMT Magazine Rack**	10	pc	40.00	400.00
6		**S-7SP1**	**Spare Parts Kit for S7900VI**	1	set	2,000.00	2,000.00
						Subtotal (equipment)	**132,000.00**
			Export packing: vacuum-sealed, fumigation-free wooden case	10	case	500.00	5,000.00
						TOTAL EXW Shenzhen, China (USD)	**137,000.00**

SAY US DOLLARS ONE HUNDRED AND THIRTY-SEVEN THOUSAND ONLY

TERMS & CONDITIONS

1. Price basis	EXW Shenzhen, China (Incoterms® 2020), in USD
2. Payment terms	50% T/T deposit with order, 50% T/T before shipment
3. Delivery time	Within 60 days after receipt of the deposit
4. Warranty	12 months from the date of shipment, excluding consumable and wear parts and damage caused by misuse
5. Installation	Our service engineer's international air fare, on-site installation and training are free of charge. The buyer covers the engineer's local transport, accommodation and meals during the visit.
6. Packing	Export packing as listed above. Freight from Shenzhen is arranged and paid by the buyer (EXW).
7. Insurance	To be covered by the buyer
8. Validity	This quotation is valid until 11 Nov 2026
9. Taxes & duties	Prices exclude import duties, local taxes and bank charges in the buyer's country
10. Other	Any terms not stated here follow the sales contract

11. Photos are for reference; the machine supplied follows the specifications above.

BANK INFORMATION

Beneficiary	Southern Machinery Sales and Service Co., Limited
Bank	JPMorgan Chase Bank N.A., Hong Kong Branch
Bank address	18/F, 20/F, 22-29/F, Chater House, 8 Connaught Road Central, Hong Kong
USD Account No.	63007917455
SWIFT	CHASHKHH (CHASHKHHXXX if 11 characters are required)

Our bank details never change by email. Please confirm any change by phone or WhatsApp before payment.

For and on behalf of
Southern Machinery Sales and Service Co., Ltd.

Leon Hong, Sales Engineer Signature & company stamp

Accepted and confirmed by the buyer
Levven

Name, title, signature & company stamp Date

Southern Machinery Sales and Service Co., Ltd.
Rm 1806, Block 3, Jinyun COFCO, Qianjin 2nd Road, Xixiang, Bao'an District, Shenzhen 518102, China
Tel +86 755 8320 3237 · smthelp.com · info@smthelp.com · WhatsApp +86 136 0256 2576

QUOTATION - DETAIL

PCB Insertion Solution

To	Levven	**Quotation No.**	**CA26101201**
		Date	12 Oct 2026

Item	Photo	Model	Description	Qty	Unit	Unit Price (USD)	Amount (USD)
1		S7900VI	**Odd-form Insertion Machine** • Operating system: Windows • Safety grating / door: standard • Max. power: 5.2 kW; running power: 3.5 kW • Insertion heads: 6 • Max. component size: dia. 30 mm / 17 x 17 mm; component height: <= 20 mm • Speed: 0.6 s per component • Placement accuracy: +/- 0.06 mm • Insertion force: <= 29.4 N • Insertion direction: 0 - 360° • PCB size (L x W): 70 x 70 mm to 410 x 350 mm; pallet max. 410 x 350 mm • PCB thickness: 0.6 - 2.0 mm; max. PCB weight: 2 kg • Clearance above / below PCB: 20 mm / 20 mm • PCB edge clearance: >= 5 mm • PCB clamping: servo / cylinder • Conveyor: belt, 3 sections, automatic width adjustment • PCB direction: R to L or L to R	1	set	73,000.00	73,000.00
			Options				
			Double-side door (extra feeder station)	1	set	2,000.00	2,000.00
			Gripper	4	pc	400.00	1,600.00
			Nozzle	5	pc	200.00	1,000.00
			Radial tape feeder	5	pc	3,800.00	19,000.00
			Tube feeder	1	pc	5,000.00	5,000.00
			Tube feeder with MOS lead forming and cutting	1	pc	6,000.00	6,000.00
			Axial tape feeder	1	pc	3,800.00	3,800.00
			Terminal reel feeder	1	pc	6,000.00	6,000.00
						Subtotal S7900VI incl. options	**117,400.00**

Prices on this sheet are carried to the Quotation sheet. Terms & conditions: see Quotation sheet.

Southern Machinery Sales and Service Co., Ltd.
Rm 1806, Block 3, Jinyun COFCO, Qianjin 2nd Road, Xixiang, Bao'an District, Shenzhen 518102, China
Tel +86 755 8320 3237 · smthelp.com · info@smthelp.com · WhatsApp +86 136 0256 2576

QUOTATION - DETAIL

PCB Insertion Solution

To	Levven	**Quotation No.**	**CA26101201**
		Date	12 Oct 2026

Item	Photo	Model	Description	Qty	Unit	Unit Price (USD)	Amount (USD)
2		**SLD-250**	**PCB Magazine Loader** • Dimensions (L x W x H): 1650 x 845 x 1250 mm • PCB size (L x W): 50 x 50 mm to 460 x 330 mm • Magazine size: 460 x 400 x 563 mm • Conveyor height: 950 +/- 20 mm • PCB direction: L to R or R to L • Pitch: 10 / 20 / 30 / 40 mm selectable • Power supply: 110 / 220 V, 50 Hz, 1 phase; 300 VA • Air supply: 4 - 6 kgf/cm² • Interface: SMEMA • Magazine capacity: 50 PCBs • Net weight: 200 kg	1	set	5,500.00	5,500.00
3		**SULD-250**	**PCB Magazine Unloader** • Dimensions (L x W x H): 2065 x 845 x 1250 mm • PCB size (L x W): 50 x 50 mm to 460 x 330 mm • Magazine size: 460 x 400 x 563 mm • Conveyor height: 950 +/- 20 mm • PCB direction: L to R or R to L • Pitch: 10 / 20 / 30 / 40 mm selectable • Power supply: 110 / 220 V, 50 Hz, 1 phase; 300 VA • Air supply: 4 - 6 kgf/cm² • Interface: SMEMA • Magazine capacity: 50 PCBs • Net weight: 200 kg	1	set	6,000.00	6,000.00
4		**S350C**	**PCB Conveyor, 0.5 m** • PCB width: max. 460 mm • Transport height: 900 +/- 20 mm or customer-specified • PCB direction: R to L or L to R • Conveyor speed: 0 - 10,000 mm/min • Power supply: 110 / 220 V, 50/60 Hz, 80 W • Control: relay board, 2 sensors, no stopper • Interface: SMEMA • Dimensions (L x W x H): 500 x 676 x 900 mm • Net weight: 55 kg	1	set	700.00	700.00

Prices on this sheet are carried to the Quotation sheet. Terms & conditions: see Quotation sheet.