

Design System

A unified visual & interaction language for every Tripory experience.

02 Brand & Logo Foundation

The logo is the highest-level identity anchor. Product UI should support it, never compete with it.



Primary logo

Use icon + wordmark + tagline when full brand context is required. For product chrome, use the standard logo or icon according to available space.

Minimum sizes
Primary 180 px • Standard 120 px • Icon 24 px
Clear space
Reserve at least the height of the location-pin element around the logo.

Logo rules

Context	Do	Don't
Light background	Use full-color approved logo.	Use arbitrary recolors.
Dark background	Use approved light/white treatment.	Change individual logo parts.
Image background	Protect clear contrast with clean area/scrim.	Place on busy image without treatment.
All contexts	Respect clear space and minimum size.	Stretch, rotate, add effects, alter typography.

03 Color Foundations

Raw brand colors become semantic roles; components should consume semantic roles.

Primary Navy
#071B4D

Primary Coral
#F56B5F

Tripory Blue
#1769B0

Deep Blue
#0A2B65

Sunset Orange
#F9A58B

Warm Yellow
#FFD68A

White
#FFFFFF

Gray 50
#F8FAFC

Gray 100
#F1F5F9

Gray 200
#E2E8F0

Family	Use	Rule
Brand	Identity / prominent actions	Navy, Coral, Blue, Deep Blue and approved gradients only.
Neutral	Surface, divider, text hierarchy	Gray 50–900; avoid pure black as default.
Semantic	Product state	Success / Error / Warning / Info must be consistent.
Gradient	Illustration / highlight	Not for dense body text or data-heavy UI.

04 Semantic Color & Accessibility

Status colors must communicate meaning consistently and never be the only signal.

Token	Value	Typical use
Success	#22C36A	Completed checklist, successful save, confirmed state
Error	#EF4444	Validation, failed action, destructive feedback
Warning	#F9B508	Attention required, incomplete or expiring state
Info	#3B82F6	Neutral update, hint, education
Success Light	#DCFCE7	Soft success background / badge
Error Light	#FEE2E2	Soft error background / badge
Warning Light	#FEF3C7	Soft warning background / badge
Primary Light	#DBEAFE	Selected / active soft background

Contrast policy

Pair	Guidance
Gray 900 / White	Default body text; strong contrast.
Navy / White	Primary headings and primary CTA.
Coral / White	Validate against WCAG before small text use.
Blue / White	Prefer for larger text or validated contexts; Navy is safer for small text.

Rule: combine color with label, icon, shape or position. Users must understand “Selesai”, “Gagal” and “Perlu perhatian” without color perception.

05 Typography

The supplied guideline recommends Plus Jakarta Sans for UI and communication. This PDF uses Helvetica only as a rendering fallback; product implementation should use the approved brand font.

Role	Size / line-height	Weight	Usage
Display / Hero	40 / 44 px	Bold / ExtraBold	Landing hero / campaign
H1	28 / 34 px	Bold	Page title
H2	22 / 28 px	Bold	Major section
H3	18 / 24 px	SemiBold	Card / subsection
Body Large	16 / 24 px	Regular	Important explanatory copy
Body	14 / 20 px	Regular	Default UI
Caption	12 / 16 px	Medium	Metadata / helper
Label	12 / 16 px	SemiBold	Buttons / chips / labels

Setiap Perjalanan Punya Cerita

Rencanakan perjalanan, siapkan kebutuhan, abadikan momen, lalu simpan kenangannya.

Trip ke Puncak • 12–14 Nov 2026

Rules: sentence case for most UI; body line length ~45–75 characters; no more than three weights on one screen.

06 Spacing, Radius & Elevation

Use an 8 px base rhythm with a 4 px micro-step.

Token	Value	Use
space-1	4 px	Micro icon/text gap
space-2	8 px	Compact padding / control gap
space-3	12 px	Input internal spacing
space-4	16 px	Default content gap
space-5	20 px	Card internal spacing
space-6	24 px	Section gap
space-8	32 px	Major separation
space-10	40 px	Large section
space-12	48 px	Page-level
space-16	64 px	Hero / marketing rhythm

Radius

Token	Value	Use
radius-sm	6 px	Badge / compact
radius-md	10 px	Button / input
radius-lg	16 px	Card / panel
radius-xl	24 px	Hero / feature
radius-full	999 px	Pill / avatar

Elevation

Level	Recipe	Use
0	No shadow	Flat surfaces / lists
1	0 2 8 / ~8%	Cards / sticky controls
2	0 8 24 / ~10%	Dropdowns / floating cards
3	0 16 40 / ~14%	Modal / sheet

07 Layout, Grid & Responsive Behavior

Design mobile-first, then scale the same interaction model to tablet and desktop.

Breakpoint	Canvas	Columns	Gutter	Page padding
Mobile	0–767 px	4	16 px	16 px
Tablet	768–1023 px	8	20 px	24 px
Desktop	1024–1439 px	12	24 px	32 px
Wide	1440+ px	12	24–32 px	48 px / max container

Responsive rules

• Never shrink interactive hit areas below 44 × 44 px.

• Two-column desktop content may become one-column on mobile; preserve priority, not symmetry.

• Trip timelines remain chronological at every breakpoint.

• Image crops may change, but the focal subject must remain visible.

• Use a centered desktop max-width around 1200–1280 px for primary content.

08 Iconography, Illustration & Imagery

Tripory should feel friendly, rounded and travel-oriented while keeping UI scanning fast.

Element	Specification
Icons	Rounded line or simple filled geometry; avoid sharp technical styles.
Sizes	24 px navigation/action; 20 px dense controls; 16 px metadata.
Stroke	~2 px at 24 px; scale proportionally.
Photography	Authentic travel moments, natural light, clear focal subject.
Illustration	Simple rounded geometry using approved palette and soft gradients.
Maps	Clean routes, restrained labels, unmistakable pins.
Memory media	Let imagery dominate; UI chrome should recede.

Core visual families

PLAN

Calendar, checklist, packing, readiness.

EXPLORE

Compass, map, place and route.

CAPTURE

Camera, photo, moment and note.

REMEMBER

Album, memory, recap and story.

09 Component — Buttons

Buttons establish action hierarchy. Use one primary CTA per visual region.

Primary	Secondary	Accent	Destructive
Mulai Perjalanan →	Lihat Detail →	Simpan Perubahan →	Hapus

Property	Default	State
Height	44 px	Preserve across states
Radius	10 px	Consistent
Horizontal padding	16–20 px	Readable labels
Primary	Navy	Pressed: Deep Blue; disabled: Gray 200
Accent	Coral	Pressed: darker coral; disabled: Gray 200

Copy: use concrete verbs: “Mulai Perjalanan”, “Simpan”, “Tambah Destinasi”, “Lihat Recap”. Avoid generic “Submit”.

10 Component — Forms & Inputs

Forms must be predictable and forgiving, especially when users are moving or using one hand.



State	Visual behavior	Copy behavior
Default	Gray 300 border	Short placeholder
Focus	Blue border / focus ring	Label stays persistent
Filled	Normal border	Value replaces placeholder
Error	Error border + message	Explain how to fix
Disabled	Gray 100 surface	Only when genuinely unavailable
Read-only	Muted surface	Keep value readable

Touch: interactive hit area ≥44 × 44 px; separate adjacent controls by ≥8 px.

11 Component — Navigation

Navigation follows Tripory’s mental model: Plan → Explore → Capture → Remember.

Pattern	Mobile	Desktop
Primary navigation	Bottom nav / compact header	Top nav or sidebar
Tabs	Scrollable if necessary	Inline tabs
Back	Header back action	Browser + contextual back
Breadcrumb	Usually hidden	Useful in deep web flows
Context action	Overflow / icon	Inline or overflow

PLAN

Prepare trip, packing, schedule.

EXPLORE

Destinations, map, places.

CAPTURE

Moments, media, notes.

REMEMBER

Albums, recap, memories.

12 Component — Cards, Surfaces & Lists

Cards group related information. They should create hierarchy, not become containers for every UI element.

Trip card

Trip ke Puncak
12–14 Nov 2026

3 destinations • 76% prepared

Destination

Kebun Teh
08:00 • 1h 30m

Explore →

Memory

Sunset at the hill
Captured • 13 Nov

Surface	Background	Border	Radius	Use
Page	#F8FAFC	None	0	Global canvas
Card	#FFFFFF	#E2E8F0	16	Trip / destination / memory
Elevated	#FFFFFF	Subtle	16–24	Floating controls
Brand	#071B4D / gradient	None	16–24	Hero / CTA
Muted	#F1F5F9	#E2E8F0	10–16	Secondary info

13 Component — Status, Progress & Feedback

Preparation and execution depend on clear state communication.

Selesai	Dalam Perjalanan	Perlu Perhatian	Belum Selesai	Draft

Progress

Pattern	When	Rule
Toast	Short confirmation	Never hide critical error
Banner	Persistent context	State affects multiple tasks
Modal	High-attention decision	Clear primary + secondary
Bottom sheet	Mobile context	Easy dismissal; CTA visible
Skeleton	Loading	Match final content geometry

14 Product Pattern — Trip Planning

The core workflow supports the journey from preparation to execution.

Pattern	Components	Behavior
Trip overview	Trip card + date + participants + progress	Surface what matters now
Itinerary	Timeline + destination cards + time	Chronological; editable during planning
Packing	Checklist + categories + completion	Fast check/uncheck
Readiness	Progress + missing items	Highlight blockers before departure
Route	Map + destination list	Keep map/list synchronized
Daily plan	Day selector + timeline	Default to current day when active

Trip detail anatomy

Context	Progress	Timeline	Today
Trip name, date, people	Preparation / completion	Places by time	Checklist / next actions

15 Product Pattern — Checklist & Tracking

Checklist is a high-frequency interaction. Optimize for one-handed, low-friction completion.

Element	Specification
Checkbox	20–24 px visual; 44 px hit area; selected uses Navy/Blue with white check.
Row	Minimum 48 px; label vertically centered.
Category	Heading + optional count/progress.
Completion	Optional strike-through; keep text readable.
Undo	Offer immediate undo for accidental destructive/bulk actions.
Progress	Use count + percentage when useful, e.g. 8/10 • 80%.

Hari ini	Status
■ Cek kelengkapan kamera	Selesai
■ Siapkan jaket	Selesai
■ Print tiket masuk	Perlu dilakukan
■ Isi power bank	Perlu dilakukan
■ Download offline map	Perlu dilakukan

16 Product Pattern — Capture & Remember

Memory is Tripory’s differentiator: capture should be effortless; remembering should feel curated and emotional.

Pattern	Purpose	UI ingredients
Quick capture	Save a moment without interruption	Camera/photo + one-tap save + optional note
Moment detail	Add context later	Media + location + date + note + tags
Memory timeline	Review chronologically	Date separators + media + place context
Album	Curated collection	Cover + title + date/trip + grid
Trip recap	Turn raw moments into a story	Hero + highlights + places + selected memories

Memory visual principles

• Let the photo be the visual hero; UI chrome should recede.

• Use generous white space and rounded containers instead of heavy borders.

• Keep date, place and capture context quiet using Caption styling.

• Use Coral for emotional/action accents and Blue for place/exploration context.


• Keep editing controls out of the primary memory card; move them into detail.

17 Component — Overlays & Feedback

Overlays interrupt the user, so the system must justify their existence.

Pattern	When	Anatomy
Dialog	Confirmation / destructive decision	Title + context + primary + secondary
Bottom sheet	Mobile contextual options	Handle + title + action list / CTA
Popover	Small contextual info	Anchor + concise content
Tooltip	Desktop explanation	Short, non-critical explanation
Toast	Immediate confirmation	Icon + message + optional undo

Dialog example



18 Content, Voice & Landing Page

Tripory should sound like a capable travel companion: clear, encouraging and human.

Context	Preferred	Avoid
CTA	Mulai Perjalanan	Submit
Empty state	Belum ada perjalanan. Yuk buat perjalanan pertama.	No data
Error	Gagal menyimpan. Coba lagi.	Something went wrong
Checklist	Siapkan power bank	Power bank
Memory	Simpan momen ini	Save
Marketing	Setiap perjalanan punya cerita untuk diingat.	Best travel app ever

Landing page composition

Section	Goal	Visual treatment
Hero	Communicate value immediately	Large headline + CTA + travel image
How it works	Explain Plan → Explore → Capture → Remember	4-step sequence
Feature proof	Make product tangible	UI screenshots / product cards
Memory story	Show emotional payoff	Photography + recap / album
Trust	Reduce perceived risk	Testimonials / proof
CTA	Convert	High-contrast brand panel + single primary action

19 Motion & Interaction

Motion should explain state change, hierarchy and continuity—not decorate every interaction.

Token	Duration	Use
instant	0–100 ms	Pressed feedback / icon state
fast	150–200 ms	Hover / chip selection
standard	250–300 ms	Card expansion / panel transition
slow	350–500 ms	Page / hero transition

Principles

• Use ease-out for entering and ease-in for leaving.

• Prefer opacity + transform before animating layout dimensions.

• Respect reduced-motion preferences.

• Critical travel actions should feel immediate.

• Use continuity between capture → detail → memory where technically appropriate.

Interaction states

State	Visual cue	Example
Hover	Surface/elevation shift	Desktop card
Focus	Visible focus ring	Keyboard navigation
Pressed	Contrast/scale change	Button tap
Selected	Tint + label/icon change	Tab / filter / checklist
Loading	Skeleton or spinner	Save / fetch
Disabled	Reduced contrast but legible	Unavailable CTA

20 Accessibility, Quality & Handoff

Accessibility is part of the component definition, not a final polish pass.

Area	Minimum standard
Contrast	Target WCAG AA for normal text; validate brand accents used as text.
Touch	Minimum 44 × 44 px hit target.
Focus	Visible keyboard focus on every interactive element.
Semantics	Correct native controls and heading hierarchy.
Forms	Persistent labels, clear errors, programmatic associations.
Images	Meaningful alt text for informative images; decorative images ignored.
Motion	Respect prefers-reduced-motion.
Localization	Allow text expansion; do not bake UI copy into images.

Design QA checklist

- ■ Approved semantic color token.
- ■ Typography follows role, size and line-height.
- ■ Spacing follows the 4/8 px rhythm.
- ■ Interactive elements meet 44 px target.
- ■ All relevant states are designed.
- ■ Mobile + desktop behavior is specified.
- ■ Empty, loading and error states exist.
- ■ Accessibility labels and contrast are validated.
- ■ Logo clear space and minimum size are respected.
- ■ Copy is action-oriented and consistent.

21 Implementation Token Reference

Use semantic tokens in product code. Raw brand colors should live inside the token layer.

Token	Value	Meaning
color.brand.navy	#071B4D	Primary brand / CTA
color.brand.coral	#F56B5F	Accent / emotional action
color.brand.blue	#1769B0	Exploration / information
color.brand.deep	#0A2B65	Dark brand / depth
color.surface.page	#F8FAFC	Global background
color.surface.card	#FFFFFF	Card / modal
color.border.default	#E2E8F0	Divider / border
color.text.primary	#0F172A	Primary text
color.text.secondary	#64748B	Secondary text
color.text.inverse	#FFFFFF	Text on dark brand
color.status.success	#22C36A	Success
color.status.error	#EF4444	Error
color.status.warning	#F9B508	Warning
color.status.info	#3B82F6	Info
space.1	4 px	Micro
space.2	8 px	Compact
space.4	16 px	Default
space.6	24 px	Section
space.8	32 px	Large
radius.md	10 px	Controls
radius.lg	16 px	Cards
radius.xl	24 px	Hero

Implementation note: components should consume semantic tokens rather than hard-coded brand values. This keeps design and engineering aligned and makes future brand evolution safer.

22 Component Inventory & Governance

The library should grow by solving repeated problems, not by creating one-off variants.

Category	Core components	Priority
Foundations	Color, type, spacing, radius, elevation, icon	P0
Actions	Button, icon button, segmented control	P0
Forms	Input, textarea, select, date picker, checkbox, radio, switch	P0
Navigation	Top bar, bottom nav, tabs, breadcrumb, back	P0
Content	Card, list row, avatar, media, divider	P0
Feedback	Badge, toast, banner, dialog, sheet, skeleton	P0
Trip	Trip card, itinerary item, destination card, day selector	P0
Planning	Checklist item, category, progress, readiness	P0
Capture	Capture CTA, media picker, moment composer	P1
Memory	Memory card, album, recap, timeline	P1
Maps	Map pin, route, place marker, map controls	P1
Marketing	Hero, feature block, testimonial, CTA panel	P1

Governance rules

• New components must solve a repeated problem.

• Every component needs anatomy, usage, variants, states, responsive behavior and accessibility notes.


• Prefer composition over component proliferation.

• Tokens are the contract between brand, design and engineering.

• Review major additions against this document before implementation.

23 Source Reference — Color Guideline

The supplied color guideline remains the source of truth for core identity colors, semantic colors, gradients and existing UI examples.



Supplied source: Tripory Brand Color Guide v1.0.

24 Source Reference — Logo Guideline

The supplied logo guideline remains the source of truth for artwork, clear space, minimum sizes, variants and background usage.



Supplied source: Tripory Logo Design Guideline v1.0.