Vulnerability Assessment & Penetration Testing (VAPT) Report

RECORDED EVIDENCE IMPORT — RedPencil parsed analyst-provided tool output. RedPencil did not execute scanners or independently verify authorization or findings.

7.1 Executive Summary

Target Scope: 192.168.10.20

Assessment Date: 2026-11-05 19:08:41 UTC

Findings Imported: 6

Assessment Objective: Perform an authorized multi-tool vulnerability assessment on 192.168.10.20. Discover open network ports, audit web service configurations on port 80, ingest infrastructure vulnerability scan data, and compile a prioritized remediation plan.

This report summarizes the recorded evidence listed below. Authorization must be confirmed by the assessment owner; this report is not a certification or compliance attestation.

7.2 Assessment Methodology

Rules of Engagement: Analyst-supplied scope; authorization and testing permissions must be verified outside this prototype. No live scans were launched by RedPencil.

Tools Represented in Records: Nessus, Nikto, Nmap

Tool Name	Mode	Run ID	Target	Execution Status
Nmap	Import-only	`a3cf1a1992384b7ca5f17f42b184c248`	192.168.10.20	COMPLETED
Nikto	Import-only	`cccf5952dbc4476b80ca562783564b63`	192.168.10.20	COMPLETED
Nessus	Import-only	`d254fc0fb9de4f8788d8aaced918b965`	192.168.10.20	COMPLETED

7.3 Severity Distribution

Critical	High	Medium	Low	Informational
1	1	0	0	4

7.4 Detailed Vulnerability Findings

[nessus-fbf8305b] vsftpd 2.3.4 Backdoor Execution

CRITICAL **Asset:** 192.168.10.20:21 | **Source:** Nessus | **Confidence:** 80.0% | **Validation:** SUSPECTED | **Observed:** 2026-11-05 19:08:17.032560+00:00

Identifiers: CVE: CVE-2011-2523 | CWE: CWE-78

Description: The remote FTP server contains a backdoor mechanism that allows unauthenticated remote command execution as root.

Supporting Evidence:

```
Banner vsftpd 2.3.4 returned backdoor response signature.
```

Raw source files:

- imports\aa16af48c75745b3bbfea029d691cb03_nessus_sample.nessus (nessus_sample.nessus)

[nikto-f10fedbd] Potential sensitive configuration file discovered at root path.

HIGH **Asset:** 192.168.10.20:80 | **Source:** Nikto | **Confidence:** 75.0% | **Validation:** SUSPECTED | **Observed:** 2026-11-05 19:07:00.895606+00:00

Description: Potential sensitive configuration file discovered at root path.

Supporting Evidence:

```
/.env
GET
Potential sensitive configuration file discovered at root path.
```

Raw source files:

- imports\ae9a01aa624c4db1b8fedf4ff0745895_nikto_sample.json (nikto_sample.json)

[nmap-857833cc] Open Port 80 (http)

INFO **Asset:** 192.168.10.20:80 | **Source:** Nmap | **Confidence:** 100.0% | **Validation:** CONFIRMED | **Observed:** 2026-11-05 19:06:28.992057+00:00

Description: Open port 80/http. Detected: nginx 1.18.0

Supporting Evidence:

```
Port 80 open. Product: nginx, Version: 1.18.0
```

Raw source files:

- imports\b5adec4c91144a6583fa2f7fc6de0340_nmap_sample.xml (nmap_sample.xml)

[nmap-1a82f13c] Open Port 21 (ftp)

INFO **Asset:** 192.168.10.20:21 | **Source:** Nmap | **Confidence:** 100.0% | **Validation:** CONFIRMED | **Observed:** 2026-11-05 19:06:28.981441+00:00

Description: Open port 21/ftp. Detected: vsftpd 2.3.4

Supporting Evidence:

```
Port 21 open. Product: vsftpd, Version: 2.3.4
```

Raw source files:

- imports\b5adec4c91144a6583fa2f7fc6de0340_nmap_sample.xml (nmap_sample.xml)

[nikto-b92fe17f] Administrative control interface accessible without network access restrictions.

INFO **Asset:** 192.168.10.20:80 | **Source:** Nikto | **Confidence:** 75.0% | **Validation:** SUSPECTED | **Observed:** 2026-11-05 19:07:00.895557+00:00

Description: Administrative control interface accessible without network access restrictions.

Supporting Evidence:

```
/admin/
GET
Administrative control interface accessible without network access restrictions.
```

Raw source files:

- imports\ae9a01aa624c4db1b8fedf4ff0745895_nikto_sample.json (nikto_sample.json)

[nikto-10a6da4b] The Content-Security-Policy HTTP header is not implemented.

INFO **Asset:** 192.168.10.20:80 | **Source:** Nikto | **Confidence:** 75.0% | **Validation:** SUSPECTED | **Observed:** 2026-11-05 19:07:00.895624+00:00

Description: The Content-Security-Policy HTTP header is not implemented.

Supporting Evidence:

```
/
GET
The Content-Security-Policy HTTP header is not implemented.
```

Raw source files:

- imports\ae9a01aa624c4db1b8fedf4ff0745895_nikto_sample.json (nikto_sample.json)

7.5 Impact and Remediation

Finding	Technical Impact	Actionable Remediation
vsftpd 2.3.4 Backdoor Execution	Potential exposure or service disruption on port 21.	Replace the affected package with an authentic release of vsftpd version 2.3.5 or later.
Potential sensitive configuration file discovered at root path.	Potential exposure or service disruption on port 80.	Review the affected service configuration and apply appropriate vendor guidance.
Open Port 80 (http)	Potential exposure or service disruption on port 80.	Review the affected service configuration and apply appropriate vendor guidance.
Open Port 21 (ftp)	Potential exposure or service disruption on port 21.	Review the affected service configuration and apply appropriate vendor guidance.
Administrative control interface accessible without network access restrictions.	Potential exposure or service disruption on port 80.	Review the affected service configuration and apply appropriate vendor guidance.
The Content-Security-Policy HTTP header is not implemented.	Potential exposure or service disruption on port 80.	Review the affected service configuration and apply appropriate vendor guidance.

7.6 Assessment Limitations

- Scope supplied by analyst: 192.168.10.20. The application does not independently verify authorization.
- Recorded imports only; no live scanning, active validation, or retesting was performed.
- Imported findings retain the scanner's reported status; RedPencil did not independently validate them.
- No human approval decisions were recorded.
- Assessment completed at 2026-11-05 19:08:41 UTC.