

Second-Line Treatment

Int/Disc n= 3,220 (8.7%)	2.6%	1.6%	1.6%	0.2%	1.2%	3.1%	12.3%	77.5%	
Switch Non-Lithium n=13,190 (35.7%)	0.3%	0.5%	0.3%	0.0%	0.6%		66.2%	28.7%	3.3%
Non-Lithium n= 1,265 (3.4%)	13.0%	7.1%	5.5%	1.6%	7.1%		15.8%	47.0%	2.8%
Lithium; 2+ n= 550 (1.5%)	8.2%	13.6%	8.2%	1.8%		15.5%	5.5%	47.3%	
Lithium; MS n= 115 (0.3%)	21.7%				4.3%	26.1%		47.8%	
Lithium; AP n= 495 (1.3%)	23.2%	4.0%			11.1%	14.1%		44.4%	3.0%
Lithium; AD n= 655 (1.8%)	15.3%		3.8%		6.1%	17.6%	2.3%	51.1%	3.8%
Lithium n= 1,075 (2.9%)		8.8%	5.1%	1.9%	4.2%	17.2%	0.5%	58.6%	3.7%

Lithium

Lithium; AD

Lithium; AP

Lithium; MS

Lithium; 2+

Non-Lithium

Switch Non-Lithium

No Switch

Int/Disc

Third-Line Treatment

Percentage (%)

