

d

Seungmin Yoon¹, Sanghun Kim¹, Hyunpyo Jeon^{1*}

¹Department of Biosafety, Kyungsung University, Busan, Republic of Korea.

*Corresponding author(s). E-mail(s): hpjeon@ks.ac.kr;
Contributing authors: smyoon@ks.ac.kr; fatherofdamin@ks.ac.kr;

Abstract

Write later

Keywords: K-REACH; genotoxicity; in silico; QSAR; structural alerts; machine learning

1 Introduction

Genotoxicity is a critical toxicological endpoint that assesses the potential of chemicals to induce DNA damage, mutations, or carcinogenesis and plays a central role in regulatory chemical evaluation ?[Hayashi \(2022\)](#); [EFSA Scientific Committee \(2018\)](#).

2 Materials and Methods

2.1 Study design and substance sets

3 Results

4 Discussion

5 Limitations and conclusions

References

- EFSA Scientific Committee: Genotoxicity assessment of chemical mixtures. EFSA J. **16**(1), 05519 (2018) <https://doi.org/10.2903/j.efsa.2018.5519>
- Hayashi, M.: Opinion: Regulatory genotoxicity: past, present and future. Mutagenesis **37**(1), 1–10 (2022) <https://doi.org/10.1093/mutage/geac001>