


Seven tools. All free. All started as code I was already running for paying work.

One per slide. All MIT. You download a file and
you run it.



VIDEO · saywhat

Transcript of any video, on your own machine.

```
> python3 saywhat.py "https://www.youtube.com/watch?v=jNQXAC9IVRw"
All right, so here we are, in front of the elephants
the cool thing about these guys is that they have really...
really really long trunks
and that's cool
(baaaaaaaaaaaaahhh!!)
and that's pretty much all there is to say
>
```

Whisper runs locally. No API key. I use it to skim an hour of video in five minutes.

VIDEO · cutshort

Long video into captioned vertical shorts.



Word level timing, title cards, one JSON file per batch.
That was an editor day.

VIDEO · tapewarp

Any video, shot on a 90s camcorder.



Scanline drift, tracking errors, color bleed. 300 lines of Python. My son wrote the spec.

Expo iOS build on your own Mac, straight to TestFlight.

```
> ./localflight.sh --dry-run --bump
localflight project   Skylark (/private/tmp/skylark)
localflight bundle    com.example.skylark
localflight version   1.4.0 (12)
localflight profile   production
localflight asc app    6740001234 → https://appstoreconnect.apple.com/apps/6740001234/testflight/ios
localflight would bump buildNumber 12 → 13
localflight would run EAS_LOCAL_BUILD_ARTIFACTS_DIR=/private/tmp/skylark
/local-builds eas build --platform ios --profile production --local --non-interactive
localflight would run eas submit --platform ios --profile production --path <newest .ipa> --non-interactive
>
```

I was paying for cloud build minutes my laptop does in four.

ruby_sage

A Rails gem. Ask your codebase how billing works and get an answer with file citations.

What it saved me. The day the person who knows the billing flow leaves.

```
# Gemfile
gem "ruby_sage"
$ rails generate ruby_sage:install
$ bundle exec rake ruby_sage:scan
```

AGENTS

permissioned-mcp-server

Every tool the agent can call has a scope. Unauthorized tools don't show up in the list, and get rejected again at execution.

What it saved me. Handing an agent the keys to everything. Same idea as a read only database user.

```
$ MCP_SCOPES=notes:read npm start  
# notes:admin never appears in tools/list  
# deletes need an id-bound confirmation
```

EVALS

agent-eval-harness

Write down what the agent should do on a set of inputs. Change the prompt. Run it. See what moved. Fails CI when behavior regresses.

What it saved me. Finding out from a customer on Friday. If I could only keep one it's this one.

```
$ agent-eval run --config suite.json \  
  --cases cases.jsonl --output latest.json  
# exact match, required phrase, JSON graders  
# plus an LLM judge you plug in yourself
```

Which one would save you a week?

Real question. It decides what I clean up next.

All seven on my GitHub. Link on my profile.